

Your Safety. Our Priority.

Product Catalogue

www.qsisafety.com




Welcome to **Quality Safety** International.

QSi is a New Zealand based, Australasian leader and innovator in industrial safety solutions. We manufacture, assemble and test our products on site so you can be assured of the highest quality. We are renowned for delivering innovative and customised solutions. We ask "What do you, the customer, want?"

Our story

We value our relationships throughout New Zealand and the world. By choosing QSi, you will not only have access to a specialist supply network that spans New Zealand, but will be served by a passionate team who all believe in using the power of our 'global' knowledge and local expertise to fuel the success of our customers.





Our Vision


QSi is planning for success in a changing world. This extends from our products, services and systems to ensuring our customers have access to cutting edge standards, compliant safety equipment, garments and hardware.

This is encompassed in our vision to "lead innovation in the design and manufacture of safety equipment solutions, being renowned for quality in everything we do. Safety is our priority".

Our Process

There are five themes which underpin and demonstrate our approach; these are:

- We are recognised as leaders in delivery of safety products and services
- We constantly look for ways to innovate and improve
- We will work with you collaboratively and will be responsive to your needs



- We have a team of professionals who are passionate about safety
- We actively look for ways we can add value to you achieving your goals.

New Zealand's first IANZ accredited height safety laboratory

QSi are accredited by IANZ to test height safety gear to the AS/ NZS 1891.1: 2007, AS/NZS 1891.3 and AS/NZS 5532 standards. This means every product we make has been tested to the most stringent standards.

Having our own testing facility on site gives us the unique opportunity to take our products to the limit multiple times throughout the development process instead of relying on fewer, more expensive tests in a foreign lab.

This allows us to identify and solve problems quickly, greatly reducing development costs, resulting in a better and more affordable product for our customers.

Our Philosophy

QSi is sales driven and does not operate on simply a "Just in Time" service standard. We overstock product for the benefit of our customers. QSi goes to market with the question: "What do you, the customer want?" Quality Safety is managed on a basis of strong principles and integrity, and we value our staff and customers.



Contents

First Aid Kits

Workplace and business kits Home and leisure kits Farming and rural kits Vehicle kits

Survival Kits & Equipment

Survival kits	31
Survival equipment	33

First Aid & Medical Products

Containers and soft packs	40
Bandages and clips	42
Plaster range	44
Food industry first aid products	45
First aid tapes	47
Wound care products	49
Wipes and disposal products	50
Cotton wool range	52
Irrigation solutions	52
Eye care products	53
Capsules, tablets, sprays and creams	54
Antiseptic sprays & creams	55
Anti-inflammatory and sports creams	56
Hot and cold packs	57
Kinesiology tape	57
Gloves and masks	58
Plastic and metal hardware	59
Rescue and emergency products	59
Injury support products	60
Medical equipment	61
Burn products	62
First aid signs	63
Insect repellent	63
Documentation	63
Fire products	63
Thermometers	64
Sunscreen	65
First aid tips sheet	66

Paramedic Rescue Equipment

Stretchers	70
Basket stretchers and accessories	71
Spine board and other stretchers	72
Immobilising system and accessories	73
Head and neck immobilisers	74
Other rescue equipment	75
Reflective clothing and accessories	77

Spill Solutions

ANA-Fibre products	82
Synthetic oil products	85
Synthetic chemical products	87
Synthetic general purpose products	88
Absorbency rates charts	89
Spill block products	90
Oil spill kits	92
Chemical spill kits	
General purpose spill kits	95
Spill control products	96

Height Safety

Company profile	. 100
Standards guide	. 101
Fall protection guide	. 106
What's in the box - safe use information	. 107
Harnesses	
Basic harnesses	. 109
Specialty harnesses	. 116
Premium harnesses	. 119
FR and electric arc harnesses	. 123
Harness accessories and branding	. 129
Pole straps & lanyards	
Pole straps	. 131
Triple locking carabiner lanyards	. 133
Webbing	. 135
Kernmantle	. 136
Elasticated webbing	. 137
Webbing lanyards	. 138
Kernmantle rope lanyards	. 140
Bucket lanyards	140
Elasticated webbing shock absorbing lanyards	143
Energy absorbing blocks	. 145
Heavy duty fixed-length lanyards	. 146
Heavy duty adjustable lanyards	. 147
Retractable lanyards	. 149
Cable blocks	. 152
Slings and connectors	. 153
Bags	
Gear and duffel bags	. 157
Backpacks and tote bags	. 159
Rope and lifting bags	162

Height safety kits	
Roofing kits	163
Anchor systems	167
Temporary vertical line systems	170
Rope	
Rope kits	172
Rope	173
Rope accessories	175
Rope grabs	176
Ascenders and descenders	178
Temporary line systems	
Telescopic pole systems	179
Horizontal lifeline	181
Confined space and rescue equipment	
Rescue kits	183
Rescue tripods	184
Rescue winches	185
Rescue equipment	186
Stretchers and accessories	188
Climbing helmets	189
Pulleys and swivels	193
Metal hardware	
Hooks	
Triple action and specialty hooks	195
Double action snap hooks	196
Scaffold hooks	196
Carabineers	
Steel	197
Stainless steel	198
Alloy	199
Quick links	199
Material handling tools	
Permanent anchorage systems	
Belt lanyards	209
Tool lanyards	209
Wrist straps	210
Belt loops	211
Tool belts	211
Tool bags	
Restraint systems	
PVC harnesses	217

Industrial Clothing

IronWear Overalls	
IronWear Wet Weather 5 in 1	
ICETEC Freezer Wear	
Safety Clothing - Reflective Vests	
Electric arc clothing	
Fabric guide	
Kermel clothing	
Protal clothing	
Banwear clothing	
Spectron clothing	

ArcDry cotton clothing	239
ArcStorm wet weather clothing	240
Sizing charts	242
Switching garments	243
Accessories	246

Industrial Coveralls

Introduction)
Buyers guide	1
Q-TECH 500	5
Q-TECH 1000L	5
Q-TECH 2000	5
Q-TECH 3000T	7
Comparison charts	>

General Safety Equipment

Safety eyewear	264
Ear protection	266
Hard hats	267
Respiratory masks	269
CleanSpace [™] masks	.273
Lock out products	277
Road & transport safety	279
Miscellaneous safety products	282

Signage

286
288
291
296
301
306
310
313
314
315
316
319
323
326
327
330
323
333
335
337
339
342
343
344
345



help-it. protect & heal

first aid kits

Lone worker / vehicle kits	14
Industrial / commercial kits	15
Office kits	16
Restaurant and catering kits	17
Retail outlet (shop) kits	18
Home and leisure kits	19
Vehicle and travel kits	20
Sport and recreation kits	21
Specialised miscellaneous kits	22
Farming vehicle kits	23
Farm shed kits	24
Forestry kits	24
Burns kits	25
Major incident kits	27



Terms and conditions

- Kit contents and brands may vary from time to time but quality will never be compromised
- First aid guides are not a substitute for formal first aid training
- Businesses are required to comply with the Health and Safety Act and have a first aid kit that can sufficiently handle the possible first aid risks that may occur at their place of work
- Though we can provide assistance and advice, the customer is responsible for choosing a kit that best suits their first aid risks
- Refill packs are not necessarily a full replacement of original kit contents but are designed to replace commonly used items
- Components in our Help-It first aid kits have a life-span of at least 18 months from date of assembly



Why choose a QSi Help-It first aid kit?

Quality | Help-It hand pick the highest quality components for their kits and travel to visit manufacturers to ensure consistent quality.

Value | Help-It first aid kits are known for being some of the most comprehensive and well stocked kits on the market. Where other manufacturers give you just the bare minimum, Help-It aim to provide the most first aid bang for your buck.

Assurance | The manufacturer is a Medsafe registered company. Where necessary, Help-It first aid kits exceed WorkSafe's minimum requirements.

Diverse | Help-It first aid kits are designed with your varying situations in mind. Whether you are on your own or part of a group, at home, at work or on the road, Help-It have a first aid kit designed just for you.

Accessibility | Speed is of the essence when it comes to first aid. Help-It kits have multiple compartments to keep every item in its places so you can find things quickly and easily.

Convenience | Help-It also provides handy refill packs for most kits in the range, taking the guesswork out of keeping your kit up to date. If you have any ideas for a kit specific to a customer's industry, please contact us to put it together for you.



Lone worker 1



Features frame.

Product Codes

FAK010NIS FAK010NISE FAK010NISR

Lone worker 2



Features

Product Codes

FAK010 FAK010REF

First aid tips



Features All of our firs containing a for most em

- Shock
- Concussion Fainting &
- Choking
- Poisoning
- Chest pair
- Bleeding 8

Product C FATIP

Ideal for people working on their own, this compact one person kit is designed to provide limited but essential first aid coverage. Also available with a compact fire extinguisher and mounting

	Lone worker 1
E	Lone worker 1 + fire extinguisher
REF	Refill pack (first aid kit only)

A step up from the lone worker 1 and designed with tradesmen in mind, this compact kit is perfect for electricians, plumbers, builders, gardeners and other lone workers.

Lone worker 2
Refill pack

st aid kits come with this handy emergency guide
a step-by-step CPR guide and key first aid action tips
ergency situations, including:

	Eye injuries
on	• Burns
& unconsciousness	• Stroke
	Electric shock
]	 Bee or wasp stings
n	Broken bones
& minor wounds	• Hypothermia
ode	
First aid tips	

Industrial / commercial 1-5 person



Features

This small industrial kit is designed for 1-5 people and comes in either a soft pack or wall mountable plastic box. It is well suited for mobile work crews, small engineering firms and automotive workshops.

Product Codes

ustrial 1-5 person kit - soft pack
ustrial 1-5 person kit - wall mountable clip-off box
fill pack

Industrial / commercial 1-12 person



Features

This medium sized kit is designed for 1-12 people and is perfect for small factories, large automotive workshops and mobile work crews. Soft pack or plastic wall mountable box.

Product Codes

FAK112	Industrial 1-12 person kit - soft pack
FAK112PB	Industrial 1-12 person kit - wall mountable clip-off box
FAK112REF	Refill pack

Industrial / commercial 1-25 person



Features

A large first aid kit suitable for various commercial and industrial settings such as medium sized factories and distribution centres. Soft pack, plastic wall mountable box, or metal wall mountable box.

Product Codes

FAK016	Industrial 1-25 person kit - soft pack
FAK016PB	Industrial 1-25 person kit - wall mountable clip-off box
FAK016MB	Industrial 1-25 person kit - wall mountable metal box
FAK016REF	Refill pack

Industrial / commercial 1-50 person



Features

This extra large kit comes in a sturdy wall mountable metal box. Suitable for industrial workplaces with up to 50 people.

Product Codes

FAK500MB	Industrial 1-50 person kit - wall mountable metal box
FAK500MBREF	Refill pack
FAK5UUMBREF	кепії раск

Office 1-5 person



Features

Product Codes

FAKOF15 FAKOF15PB FAKOF15REF

Office 1-12 person



Features

Product Codes

FAKOF112 FAKOF112PB FAKOF112REF

Office 1-25 person



Features The biggest kit in the Help-It office range, it suits large offices such as call centres, government departments, large legal and financial firms. Available in both soft pack and wall mountable plastic box.

Product Codes

FAKOF125 FAKOF125PB FAKOF125REI



Suitable for up to 5 people, this kit is ideally suited to small legal and financial firms and other small office environments. In soft pack form, it is compact enough to suit the company car fleet. Also available in a sturdy wall mountable plastic box.

Office 1-5 person kit - soft pack
Office 1-5 person kit - wall mountable clip-off box
Refill pack

Designed for up to 12 people, this kit is ideally suited to medium sized office environments such as medical centres, accountancy firms and real estate agencies. Available in both soft pack and wall mountable plastic box.

	Office 1-12 person kit - soft pack
	Office 1-12 person kit - wall mountable clip-off box
F	Refill pack

	Office 1-25 person kit - soft pack
3	Office 1-25 person kit - wall mountable clip-off box
F	Refill pack

Small catering kit

Features

Suitable for small food businesses such as fish'n'chip shops, delicatessens, butchers shops, bakeries and lunch bars. Available in both soft pack and wall mountable plastic box.

Product Codes

Features

Product Codes

FAKF00D2

FAKF00D2PB

FAKF00D2REF

FAKF00D1	Small Catering Kit - Soft Pack
FAKF00D1PB	Small Catering Kit - Wall Mountable Clip-Off Box
FAKF00D1REF	Refill pack

Designed for medium sized food businesses such as small restaurants, cafeterias, and catering companies. Available in

Medium Catering Kit - Soft Pack

Medium Catering Kit - Wall Mountable Clip-Off Box

both soft pack and wall mountable plastic box.

Refill Pack

Medium retail outlet



Features This kit is designed for retail stores with up to 5 staff and comes in either a soft pack or wall-mountable plastic box. Its compact size makes it well suited to small-medium shops where storage space is limited.

Product Codes

FAKMRO FAKMROPB FAKMROREF

Large retail outlet



Features

Product Codes

FAKLRO
FAKLROPB
FAKLROREF

Large catering kit



Features

Available in a wall mountable steel box, this first aid kit will suit any large commercial kitchen including restaurants, hotels and food production factories.

Product Codes

FAKF00D3	Large Catering Kit - Wall Mountable Metal Box
FAKF00D3REF	Refill Pack

Multi-purpose kits



Commercial multi-purpose kit features

The Commercial Multi-purpose kit contains the same comprehensive range of products found in the Domestic version plus saline ampoules to ensure the kit meets commercial use requirements.

Product Codes

FAKSP	Domestic Multipurpose First Aid Kit - 56 Piece
FAKSPREF	Refill Pack
FAKMP	Commercial Multipurpose First Aid Kit with 4x 15ml saline ampoules
FAKMPREF	Refill pack

Medium catering kit

Medium Retail Outlet Kit - Soft Pack
Medium Retail Outlet Kit - Wall Mountable Clip-Off Box
Refill pack

This comprehensive kit suits large retail stores with up to 25 staff such as department stores, car yards and hardware stores. It comes in either a soft pack or wall-mountable plastic box.

Large Retail Outlet Kit - Soft Pack
Large Retail Outlet Kit - Wall Mountable Clip-Off Box
Refill pack

Domestic multi-purpose kit features

The Domestic Multi-purpose Kit is perfect for covering all your bases. It's compact enough to be used as a vehicle or personal kit but comprehensive enough to serve as a small kit for up to 5 people.

Mum's essentials kit

Mum's supreme kit



Features

Just as the name suggests, this affordable first aid kit contains all the basics needed to cope with basic injuries around the house.

Product Codes

FAKME	Mum's Essentials Kit - Soft Pack
FAKMEREF	Refill Pack

Family car kit



Features

Product Codes

FAKFC FAKFCREF

Glovebox kit



This first aid kit is an ideal size for storage in your car glove box. Will suit most basic first aid requirements for the family car. It is belt mountable for ensuring you have first aid on hand while hiking or enjoying a family picnic.

Product Codes FAKGB

FAKGBREF

Features

First aid essentials kits



Travel & outdoor kit



Features

FAK04B

FAK04A FAK04AREF

FAK04BREF

Whether with the family, or on your own, this fully featured soft pack kit is perfect for camping and holidaying.

Product Codes

FAKTAO FAKTAOREF



Features

For safety conscious mums (and dads), this medium sized soft pack kit has everything you need to take care of most first aid incidents.

Product Codes

FAKMS	Mum's Supreme Kit - Soft Pack
FAKMSREF	Refill Pack



Features

The perfect antidote to most of Dad's DIY disasters, this wallmountable shed kit has the gear every handyman needs.

Product Codes

FAKDS	Dad's Shed Kit - Wall Mountable Clip-Off Box
FAKDSREF	Refill Pack



A basic compact first aid kit comprehensive enough to cope with most of life's little travelling mishaps.

Car Kit - Soft Pack
Refill pack

Glovebox Kit - Soft Pack	
Refill Pack	

You won't believe how much essential first aid gear we've packed into these tiny cases! Perfect for backpackers and any other situation where space is at a premium. Comes in a robust canvas pouch with belt loops, or a small plastic case. This kit measures just 10.5 x 9 x 3.5cm.

Product Codes

First Aid Essentials Kit - Mini Plastic Box
Refill pack
First Aid Essentials Kit - Pouch
Refill Pack

Travel and Outdoor Kit - Soft Pack
Refill Pack

Recreational boating kit



first aid kits sports & recreation

Small sports kit

Features

Securely contained in a clear, watertight plastic box, this kit is specially designed to cope with most boating incidents.

Product Codes

FAKBOAT01	Recreational Boating Kit - Plastic Watertight Box
FAKBOATREF	Refill Pack

Motorsport kit



Features

Product Codes

FAK013 FAK013REF

Equine first aid kit & cool pack



A basic first aid kit designed to provide essential coverage for the most common injuries to horses. Light, compact and easily carried on the trail in a backpack or saddle bag.

Product Codes FAKEQU1 FAKEQU1REF

FAKEQU2

Eye wash kit features

shelf

Product Codes

EYESTATION2 EYESTATION2 EYESTATION1

Features

Product Codes

FAKPIG FAKPIGREF



Large sports kit



Features

Big enough to provide comprehensive first aid coverage for a full squad, but compact enough to be easily carried to matches.

Small Sports Kit - Soft Pack

Refill Pack

Product Codes

ick

Comprehensive sports event kit



Features

This kit is perfect for sporting event hosts and organisers to ensure you have the first aid gear to cover multiple injuries of different kinds. Comes in a premium first responder bag with multiple external and internal pockets so your most important equipment is close to hand.

Product Codes

FAKCNC	Comprehensive Sports Event First Aid Kit in First Responder Bag
FAKCNCREF	Refill Pack



Eye wash kit & eye wash	1

>help-it.



Pig hunting kit

Great for offroad and rally enthusiasts, this light, portable first aid kit has contents to cater for typical motorsport injuries such as burns, cuts and bruises. Bag includes sturdy velcro straps, allowing easy attachment to roll cages or seats.

Motorsport Kit - Soft Pack
Refill pack

Equine first aid kit features

Equine cool pack features

A large set of instant ice-packs and gauze bandages with icepack pockets. Great to have on hand at the stables, or use it to replenish your Equine First Aid Kit.

	Equine Kit - Soft Pack
•	Refill Pack
	Equine Cool Pack

This wall mountable kit contains essential first aid tools for dealing with eye injuries and contaminations.

Eye wash shelf features

A metal shelf with mirror, plus saline and eye wash bottle.

2	Eye Wash Kit - Plastic Wall Mountable
2REF	Refill pack
1	Eye Wash Shelf - Metal Wall Mountable

The essential first aid tools for dealing with injuries to dogs while in the bush. Comes in a sturdy belt-mountable pouch.

Pig Hunting Kit - Soft Pack	
Refill Pack	

Quad bike kit

Ute & tractor kit



Midi farm shed kit



Maxi farm shed kit



Features

Ideal for farmers working on their own, this compact one-person kit has all the basic essentials to provide limited but essential first aid coverage when out on your quad.

Product Codes

FAKQB	Quad Bike Kit - Soft Pack
FAKQBREF	Refill Pack

Features

The next step up from the quad bike kit, this first aid kit is still compact enough to stow in your ute or tractor cab.

Product Codes

FAKUAT	Ute & Tractor Kit - Soft Pack
FAKUATREF	Refill Pack
FAKUATREF	Refill Pack

Up a tree kit



Features A basic emergency kit designed to help forestry workers deal immediately with injuries sustained while working up a tree. The kit comes in a rugged, low-profile belt-mountable pouch.

Product Codes

FAK777 FAK777REF FAK555 FAK555REF

Forestry crew kit

Features

A medium sized first aid kit for forestry crews. Available in soft pack or clear plastic box.

Product Codes

FAKCREW FAKCREWPB FAKCREWREF

Basic forestry small kit



Features

Product Codes

FAKBF FAKBFREF

Comprehensive outdoor kit



Features

Product Codes

FAKCO FAKCOREF

Features

Features

FAK012A

FAK012AREF

Product Codes

A fully featured shed kit in a plastic wall mountable box for small to medium sized farms.

Product Codes

FAK012B	Midi Farm Shed Kit - Wall Mountable Clip-Off Box
FAK012BREF	Refill Pack

The pinnacle of Help-It first aid kits for farmers, this

suitable for medium to large sized farms.

Refill Pack

comprehensive kit comes in a wall mountable metal box and is

Maxi Farm Shed Kit - Wall Mountable Metal Box

22 QSi Catalogue

Up A Tree Kit - Premium - Soft Pack
Refill pack
Up A Tree Kit - Standard - Soft Pack
Refill pack

	Forestry Crew Kit - Soft Pack
	Forestry Crew Kit - Clear Plastic Wall Mountable Clip-Off Box
F	Refill pack

A basic general first aid kit for forestry workers. It comes in a rugged, low-profile belt-mountable pouch.

Basic Forestry Small Kit - Soft Pack
Refill pack

A comprehensive first aid kit for large forestry crews and other groups working in the outdoors, in isolated areas away from immediate medical attention.

Comprehensive Outdoor Kit - Soft Pack
Refill Pack

Personal burns kit



Features

A compact burns kit with the limited essentials required to help most burns injuries.

Product Codes

BK003	Personal Burns Kit - Soft Pack	
BK003REF	Refill Pack	

Industrial burns kit





Commercial burns kit



Features

A fully featured burns kit for most commercial situations. Available in soft pack and green wall mountable plastic box.

Product Codes

BK001	Commercial Burns Kit - Soft Pack
BK001PB	Commercial Burns Kit - Wall Mountable Clip-Off Box
BK001REF	Refill Pack


Burn gel pack



Features

Product Codes BURNGELPAC





A comprehensive burns kit for most industrial situations. Available in soft pack and metal wall mountable box.

Product Codes

Features

Industrial Burns Kit - Soft Pack
Industrial Burns Kit - Wall Mountable Clip-Off Box
Industrial Burns Kit - Wall Mountable Metal Box
Refill pack

A great supplement to any first aid kit when the risk of burn injuries is higher. Consists of one 10cm x 10cm Help-It burn gel dressing and three Help-It burn gel sachets.

CK Burn Dressing Pack

Major incident kit in backpack





Features

The Major Incident Kit is more than just a first aid kit. Within the large, easy-to-carry backpack you'll find a range of individual minikits, each designed to cater for a specific incident. Responding to a fire emergency? Grab the burns kit. Major trauma event? Grab the major injury kit. Supplied mini-kits include:

- eye injury
- burn injury
- minor injury
- major injury

The Major Incident Kit is designed for big events with large numbers of people spread across a wide area, where you can expect a range of different incidents to occur, some more severe than others:


- sporting events
- concerts
- festivals
- fielddays

Comes with contents list card and re-stock form.

Product Codes

FAK014	Major Incident Kit in Backpack
FAK014REF	Refill Pack







> help-it. survival kits & equipment





Three person 72hr survival kits



Ready to run survival kit





Features

four days.

The QSi Ready To Run Kit will give one person the essentials to survive for up to 72 hours, providing food, warmth and basic first aid equipment. Supplied in 24L backpack or lime yellow drawstring nylon bag.

A larger and more comprehensive kit designed for up to three

first aid essentials and much more. Will last three people up to

people, contains emergency rations, survival blankets, ponchos,

Three Person 72hr Survival Kit

Product Codes

FAKSK02	Ready to Run Backpack Kit
FAKSK03	Ready to Run Drawstring Bag

Children's survival kit



Vehicle glove box survival kit



Features

This compact vehicle survival kit is designed to fit into your car boot or glove box so that it is handy at all times when you are away from home. Disasters can happen anywhere and it is important to be prepared for emergencies even when travelling.

Product Codes

FAKSK05 Glove Box Survival Kit

1-12 person wheelie bin survival kit



QSi pandemic survival kit



Features

Product Codes

FAKSK07


QSi hygienic cleanup kit



Features wipes and more.

Product Codes FAKSK08


QSi one person survival kit



Features A compact 1 person survival kit supplied in a bag. This kit contains food, first aid, shelter and light equipment. Small and portable, this kit is ideal for home of office use.

Product Codes

FAKSK09



Product Codes

FAKSK04 Children's Survival Kit The largest of our survival range, this kit is designed for up to twelve people, contains emergency rations, survival blankets, ponchos, first aid essentials and much more. Will last twelve people up to four days.

Product Codes

Wheelie Bin Survival Kit

The QSi Pandemic Kit will give you all the basic equipment needed to survive an emergency where air, waterborne bacteria or disease is a problem. Hand sanitiser and water purification tablets, paracetamol, gloves and masks included.

QSi Pandemic Kit

A small, economical kit designed to allow you to clean up spills where a protective barrier between you and the contaminated substance is required. Ideal for vomit, bodily fluids such as blood, or decomposed foods. Contains gloves, masks, antiseptic

QSi Hygienic Cleanup Kit

QSi Single Person Survival Kit

Emergency food ration bar 3600cal



Emergency foil survival blanket



Emergency foil sleeping bag



High protection blanket



Features

Product Codes BLARECSSBAG

Features

backpack or survival kit.

Blankets measure 130cm x 210cm.

Product Codes

CDFB3600

Features

Product Codes

BLARECSS

Features

Waterproof, latex free and x-ray transparent. Non-conductive for electrical current. A total bacterial barrier which is thermal retentive.

Emergency Foil Sleeping Bag

Providing 3600 calories per bar, these rations are enough for

one person to survive for up to four days. They are supplied

in a waterproof resealable wrapper. Great for the bottom of a

Made from polyester aluminium foil, designed to reflect body

Emergency Foil Rescue Blanket

Made from the same aluminium foil as the survival blankets.

These sleeping bags are a great form of protection from the

perfect for use in conjunction with survival blankets.

elements. Water and wind resistant, excellent thermal retention,

heat back to the user. Ideal as a water and wind-resistant shelter. These blankets make excellent groundsheets.

Emergency Food Bar

Product Codes

EMERGBLANKET Heavy Duty Emergency Blanket 120x150cm

Agua tab water purification tablets



Features 50 pack.

Product Codes TABPURI50

Features

GLOWSTG

Light sticks



Great for emergency lighting, will glow for eight to twelve hours. Sold in sealed foil packet.

Hand sanitiser



Features

Product Codes HANSAN60 HANSAN236

Essentials portable first aid kit



Features

Product Codes FAK04B

Disposable poncho



Features

A lightweight strong disposable poncho. One size fits most, these raincoats are waterproof and wind resistant. A great addition to any survival kit.

Product Codes

PONCHOY Disposable Poncho - Yellow

32 QSi Catalogue Aquatabs water purification tablets make water safe for drinking, cleaning teeth, washing wounds and fruit and vegetables.

Water Purification Tablets - 50s

Product Codes

Emergency Glow Stick - Green

A range of colours and fragrances. These bottles of hand sanitiser make a great addition to any survival kit.

Hand Sanitiser - 60ml Hand Sanitiser - 236ml

A compact one-person first aid kit supplied in a red plastic case. This kit contains the basic components for an emergency first aid kit. Small and portable, this kit is ideal for home or office use.

First Aid Essentials Kit

Dynamo torch with radio



Features

A must-have for any emergency kit, this torch is fully power independent.

- · Hand-crank dynamo charges the built-in Lithium-Ion battery. No more hunting around for spare batteries!
- One minute of cranking provides up to ten minutes of torch light, or up to thirty minutes of radio time.
- Three bright white LEDs provide plenty of light.
- · Scanning FM radio is easy to use and keeps you entertained and informed.

Multi-filament general purpose cord. Sold in 10m lengths. Soft

and easy to handle or tie. This cord has a 200kg breaking strain.

6mm Multi Purpose Cord

- · Body material: ABS plastic
- Product size: 140mm x 60mm x 45mm
- Weight: Approx 160g

Product Codes

SURFLARAD003 Dynamo Torch with Radio

6mm multi purpose cord



Disposable dust mask



Features

Features

SURMPC6

Product Codes

Industrial quality FFP2 disposable masks. AS/NZS 1716:2012 approved. Strong durable design, very comfortable. Available with or without filter, carbonated charcoal model available also.

Product Codes

HI8620	Help-It FFP2 Moulded Mask - Box of 20
HI8622	Help-It FFP2V Moulded Mask with Valve - Box of 10
HI8626	Help-It FFP2CV Carbon Valved Moulded Mask - Box of 10

High visibility vests - adult and child sizes



Features

Available in Orange or Hi Vis Yellow. These vests are available in a full range of sizes - both adult and children. Custom labelling available on request. Day vest (no reflective tape) also available.

Product Codes

	VESHIVISY_	Hi Vis Reflective Vest - Yellow
	VESHIVISO_	Hi Vis Reflective Vest - Orange
	VESHIVISY-CHILD_	Children's Hi Vis Reflective Vest - Yellow
	VESHIVISO-CHILD	Children's Hi Vis Reflective Vest - Orange

Hi Vis orange multi-function knife



Silver multi-function knife



· Compass

Features

Features

- Stainless
- Knife
- Corkscrew
- Can Open
- Small Saw
- Scale & Ho

Product Co

Hi Vis survival whistle



Long Rang

- Thermome

Product Co SURWHI6IN1

Hi Vis economy survival whistle

Features Hi Vis orange colour

Product Codes

SURWHISTLE





Features				
• Knife	 Signal Mirror 			
Corkscrew	Hole Punch			
 Bottle Opener 	 Phillips Screwdriver 			
 Can Opener 	 Blade Screwdriver 			
Compass	Scissors			
Product Codes				
SURKNIORANGE Hi Vis Orange Mu	ulti Tool			
Features				
Stainless Steel	Scissors			
Knife	Hole Punch			
Corkscrew	Nail File			
Can Opener	Phillips Screwdriver			
Small Saw	Blade Screwdriver			
Scale & Hook Removal Tool				
Breduct Codes				
Product Codes				
SURKNISILVER Silver Steel Mult	i Tool			
Features				
 Long Range Whistle 	 Signal Mirror 			
Thermometer	 Small storage compartment 			
Compass	Neck Lanyard			
 Magnifying Glass 				
Product Codes				
SURWHI6IN1 Hi Vis Survival W	/histle			

Hi Vis Survival Whistle - Economy



first aid & medical products






Why choose a QSi Help-it first aid & medical...

As per our Help-It philosophy; "Protect and Heal" - we take our role very seriously in the medical and first aid arena.

Importing and assembling pharmaceutical grade products is the key to our success.

We won't compromise on quality, and sell products that are fit for purpose and have been tried and tested in the market for years.

Don't compromise on your worker's or family's health and safety - ask for Help-It products.



Wall-mountable plastic boxes



Features

Product Codes FABWMGR FABWMCL

Plastic containers



Features

Product Codes FABCL2L FABCL3L FABCL5L

Metal box



Features

Product Codes FACABWM FACABWMG

First aid small red plastic box



Features

Product Codes FABSMR

Green: 27 x 18.5 x 11.5cm. Clear: 24.5 x 18 x 9cm. Green box features clear plastic compartments to keep your first aid products organised, visible, and easy to access.

Green First Aid Box - wall-mountable Clear First Aid Box - wall-mountable

Air tight and water tight click-shut containers in three sizes.

2L Air-tight / Water-tight container
3L Air-tight / Water-tight container
5L Air-tight / Water-tight container

Large, robust, metal first aid cabinet. Compartments for easy storage options. 44 x 29 x15cm

White Empty Metal Wall Mountable First Aid Box
Green Empty Metal Wall Mountable First Aid Box

Compact and stylish first aid box. Ideal for travellers and backpackers, when space is limited. 10.5 x 9cm

First Aid Small Red Plastic Box

Premium first aid bags



Responder first aid bag

Economy first aid bags

Features

Features With fold-out compartments.

With fold-out compartments.

First Aid Soft Packs

Product Codes

FABNH

FABH

FABDB

Small: 20 x 14 x 6cm. Large: 25 x 19 x 9.5cm

Small Bag - no handles

Large Bag - with handles

Double first aid bag - 2x FABHs sewn back to back

Product Codes

FABRES Responder First Aid Bag

Crepe bandages



Features

Product Codes

BANCRE5	5cm x 4.5m* Crepe Bandage
BANCRE7.5	7.5cm x 4.5m* Crepe Bandage
BANCRE10	10cm x 4.5m* Crepe Bandage
BANCRE15	15cm x 4.5m* Crepe Bandage

Bandage clips



Features

Product Codes BANCLIP10 BANCLIP50

Trauma bandage



Features Specially designed first aid device that is used to stop bleeding from hemorrhagic wounds caused by traumatic injuries. The bandage consolidates numerous treatment pieces into a single, easy to use unit. Available in 3 sizes.

Product Codes BANTRAUMA

BANTRAUMA BANTRAUMA



Features	
Small 20 v 11 v Fam	Large 24 v

Small: 20 x 11 x 5cm. Large: 24 x 6 x 7cm

Product Code	es
FABECOSM	Small Economy First Aid Bag
FABECOLG	Large Economy First Aid Bag

Budget clear plastic first aid bags



FABCLESM	Small Clear Plastic First Aid Bag
FABCLELG	Large Clear Plastic First Aid Bag

Triangle bandages



Features pins.

Product Codes BANTRIDIS2P BANTRIDIS2P

Stretchy cotton bandage, offering support to strains, sprains, and providing compression to alleviate swelling.

* length when stretched

Use in place of safety pins for quick and easy securing of bandages. Comes in packs of 10 or 50.

Pack of 10 Bandage Clips	
Pack of 50 Bandage Clips	

	The Israeli Military (Trauma) Bandage 4 inch
6	The Israeli Military (Trauma) Bandage 6 inch
.8	The Israeli Military (Trauma) Bandage 8 inch

The Help-It triangular bandage is a square piece of cloth that can be folded into triangle and used as a sling, or can be rolled up and folded to be used as a bandage. Comes with two safety

P Regular size - 96 x 96cm	

Cohesive bandages



Conforming bandage



Features

Easy tear - no scissors needed. Sticks to itself - no glue, pins or knotting required! When ordering please indicate which colour you would like: Black=Bl; Blue=B; Red=R; Beige=Be; Yellow=Y; White=W

Product Codes

BANCOH2.5_	2.5cm x 4.5m* Cohesive Bandage
BANCOH5_	5cm x 4.5m* Cohesive Bandage
BANCOH7.5_	7.5cm x 4.5m* Cohesive Bandage
BANCOH10_	10cm x 4.5m* Cohesive Bandage

* length when stretched

Features

This stretchy bandage is ideal for joints as it contours itself to the body without creasing.

Product Codes

	BANCON2.5	2.5cm x 4.5m* Conforming Bandage
	BANCON5	5cm x 4.5m* Conforming Bandage
	BANCON7.5	7.5cm x 4.5m* Conforming Bandage
	BANCON10	10cm x 4.5m* Conforming Bandage

* length when stretched

Elastic adhesive bandage



Features

Ideal for relieving sprains, strains, and supporting joints.

Product Codes

BANADH5	5cm x 4.5m* Elastic Adhesive Bandage
BANADH7.5	7.5cm x 4.5m* Elastic Adhesive Bandage
BANADH10	10cm x 4.5m* Elastic Adhesive Bandage

* length when stretched

Fabric plasters - boxed



Features

Product Codes

PLAFAB100 PLAFAB50 PLAFAB100W

Fabric plasters - bagged





Product Co DRES1MFABB

Plastic plasters



Features

Product Codes PLAPEF50 PLAPEF1000 PLAPE100

Fabric plaster shapes - assorted packs

>help-it	>hel	
fobric fingertip	first aid asso breathal	rt
Include the Area		1
		1

PLAFAB20AS PLAFABFE50 PLAFABFE10

Product Codes PLAFABFT50 PLAFABKN50



fabric



Help-It fabric plasters are flexible, durable, breathable, washresistant and feature a non-stick island dressing.

	72mm x 19mm, Box of 100
	72mm x 19mm, Box of 50
1	76mm x 25mm (Extra Wide), Box of 100

Product Codes

PLAFAB20BAG	72mm x 19mm, Bag of 20
PLAFAB50BAG	72mm x 19mm, Bag of 50

Dressing strips

des	
-----	--

DRES1MFABBAG 7.2cm x 1m Fabric Dressing Strip in bag	
DRES1MFAB5PK 1m Fabric Dressing Strips 5-pack in bag	
DRES10X6FAB	10cm x 6cm Fabric Dressing Strip
DRES10X6NW 10cm x 6cm Non-Woven Dressing Strip	

At last, plastic plasters that actually stick! Help-It premium clear waterproof plasters and standard water resistant skin-tone plasters are flexible and breathable, and feature island dressings.

	Help-It Classic Plastic Skin-tone Plasters - Box of 50
)	Help-It Flesh Coloured Plastic Plasters - Box of 1000
	Clear Waterproof Plasters - Extra Wide, 76mm x 25mm, Box of 100

Product Codes	
PLAFAB20ASS	Assortment - Box of 20 (3 knuckle, 3 fingertip, 14 regular plasters)
PLAFABFE50 Finger Extension Plasters, Bag of 50	
PLAFABFE100	Finger Extension Plasters, Bag of 100

Finger tip & knuckle plasters

)	Finger Tip, Box of 50
)	Knuckle, Box of 50

Blue metal detectable plasters







Features

We have the broadest range of food industry first aid products. Help-It blue metal detectable plasters have market-leading adhesive qualities and conform excellently to your skin, giving you improved confidence.

Product Codes

BLUPLA100 72mm x 25mm Plasters, Box of 100

Blue metal detectable plaster shapes

Product Codes

BLUPLAFE50 160mm x 20mm Finger Extension Plasters, Pack of 5	
BLUPLAFT100	Box of 100 Fingertip Plasters
BLUPLAKN100	Box of 100 Knuckle Plasters

Blue metal detectable plaster assortments

Product Codes	i
BLUPLAMIX1	Blue Plaster Assortment, Box of 100: Mix 1 (80 standard, 10 fingertip, 10 knuckle)
BLUPLAMIX2	Blue Plaster Assortment, Box of 100: Mix 2 (60 standard, 20 fingertip, 20 knuckle)
BLUPLAMIX3	Blue Plaster Assortment, Box of 100: Mix 3 (90 standard, 5 fingertip, 5 knuckle)
BLUPLAMIX4	Blue Plaster Assortment, Box of 100: Mix 4 (50 fingertip, 50 knuckle)
BLUPLAASS40	Shapes Assortment, Bag of 40 (20 Fingertip, 20 Knuckle)

Blue metal detectable dressing strips



	Product	Codes
--	---------	-------

BLUDRESTR1M 1m x 7.5cm Detectable Dressing Strip

Blue visually detectable tape



Product Codes	
BLUSTETAPE	5m x 25mm Blue Stero Tape on Spool
BLUPVCTAPE	20m x 18mm Blue PVC Insulation Tape

Blue visually detectable cohesive bandage



Blue metal detectable corded ear plugs



Blue visually detectable hair net



Product Codes BLUHAIRNET

Blue visually detectable finger cot



Product Codes SPLCOTBL

JUES	
3	Blue 2.5cm x 4.5m Cohesive Bandage
	Blue 5cm x 4.5m Cohesive Bandage
	Blue 7.5cm x 4.5m Cohesive Bandage
	Blue 10cm x 4.5m Cohesive Bandage

QTECH blue metal detectable corded ear plugs. Soft and easy to use. Comes in individually packaged plastic bags.

- Disposable metal detectable PU foam
- Hearing protection for noise levels up to 110 dB(A)
- Contains 100 corded pairs
- Lightweight and comfortable

EARPLUGBLUBOX Blue Metal Detectable Disposable Ear Plugs With Cord

Blue Visually Detectable Hair Net - 53cm

Blue Visually Detectable Finger Cot

White paper tape on dispenser



TAPPAPERDIS25	25mm x 9.1m Paper Tape Dispenser
TAPPAPERDIS12.5	12.5mm x 9.1m Paper Tape Dispenser

Sports rigid strapping tape



White translucent paper tape



Product Codes	
TAPPAPER12.5	12.5mm x 9.1m Paper Tape Roll - White
TAPPAPER25	25mm x 9.1m Paper Tape Roll - White

Clear easy tear tape



stick adhesive.

Features

Product Codes TAPCLEAR12

TAPCLEAR25

Skin colour translucent paper tape



Features
Blends in with most natural skin tones. Two sizes available.

Product Codes

TAPFLE12.5	12.5mm x 9.1m Paper Tape Roll - Skin
TAPFLE25	25mm x 9.1m Paper Tape Roll - Skin

Fabric roll on spool - skin colour



Product Codes	
TAPFAB12.5SP	12.5mm x 5mm fabric roll on spool
TAPFAB25SP	25mm x 5m fabric roll on spool

Gauze swabs



Features

Product Codes GS001PK5NW GS001PK10N GS001NWB0X

Wound dressings



>help-it.

Product Co DRESLG18X18 DRESMED12X DRESWD013 DRESWD014 DRESWD015

odes	
25	25mm x 13.7m single
25P	25mm x 13.7m single, wrapped
25PK5	25mm x 13.7m 5-pack
38	38mm x 13.7m single
38P	38mm x 13.7m single, wrapped
38PK5	38mm x 13.7m 5-pack
чıх	Assorted Pack: 2x 38mm, 1x 25mm

Perforated design makes tearing in both directions easy. Super

2.5	12.5mm x 9.1m Clear Tape Roll
5	25mm x 9.1m Clear Tape Roll

Cotton non-woven swabs. 7.5cm x 7.5cm. Sterile.

v	Non woven Gauze Swab 2's, pack of 5
W	Non woven Gauze Swab 2's, pack of 10
x	Gauze Swabs 2's Sterile Non Woven - 7.5 x 7.5cm (Box of 50)

odes	
8	18cm x 18cm pad on sterile bandage
X12	12cm x 12cm pad on sterile bandage
	No.13 BPC Wound Dressing 7.5x10cm
	No.14 BPC Wound Dressing 10x15cm
	No.15 BPC Wound Dressing 15x20cm

Gauze squares

>help-it. gauze squares 7.5 x 7.5 cm Safety disaster managements Bply 100pt

Features Packs of 100	
Product Codes	i
GSNS05	5cm x 5cm Non-Sterile 8-Ply
GSNS075	7.5cm x 7.5cm Non-Sterile 8-Ply
GSNS10	10cm x 10cm Non-Sterile 8-Ply
GSNS10V	10cm x 10cm Non-Sterile Vet 12-Ply

Product Codes

DRESNAD5PKSM

DRESNAD10PKSM

DRESNAD5PKLG

DRESNAD10PKLG

DRESNADSM

DRESNADLG

Non adherent dressings

>help-it.	1pc
non-adherent dressing large 7.5 x 10cm	Ger main
non-skik, ideal for one under bandagen skelle unders indeklad wegger is opened er derenged	

Comb

>help-it.	Ge
combine dressing	Qu ===
20 x 20cm	III OR OTHER
and the second s	. HILL

Product Codes	
DRESCOM10X9	10cm x 9cm Dressing
DRESCOM5PK	10cm x 9cm Dressing, pack of 5
DRESCOM20X20	20cm x 20cm Dressing
DRESCOM3PK	20cm x 20cm Dressing, pack of 3
DRESCOM20X10	20cm x 10cm Dressing
DRESCOM20X30	20cm x 30cm Dressing

5cm x 7.5cm Dressing

7.5cm x 10cm Dressing

5cm x 7.5cm Dressing, pack of 5

5cm x 7.5cm Dressing, pack of 10

7.5cm x 10cm Dressing, pack of 5

7.5cm x 10cm Dressing, pack of 10

Adhesive island dressing (non-woven)



Product Co DRESISLA7.5 DRESISLA8X DRESISLA10X

Transparent waterproof dressing



Product Co

DRESCLE4X5 DRESCLE6X7 DRESCLE10X1

Alcohol prep pads



Product Co WIPEALCOSIN

WIPEALCO10P WIPEALCO200

Povidone-iodine prep pad





WIPEPOV10P

WIPEPOV100



WIPEPOVSIN

QSi Catalogue

48

ine dressings		
> help-it.	nelp-it.	

	Product Codes	
1	DRESCOM10X9	10cm
sing and a	DRESCOM5PK	10cm
	DRESCOM20X20	20cm
	DRESCOM3PK	20cm
	DRESCOM20X10	20cm
	DBESCOM20VZO	200m

Wound closure strips



Product Co	des
SCS001	6mm x 75mm Pack of 3
SCS002	3mm x 75mm Pack of 5
SCS003	6mm x 38mm Pack of 6

odes	
X5B	7.5cm x 5cm Dressings, box of 50
10B	8cm x 10cm Dressings, box of 50
X15B	10cm x 15cm Dressings, box of 20

Can also be purchased as a single item.

hd	6 5
u	63

5B	Transparent Waterproof Dressing 4x5cm - Box of 50
′В	Transparent Waterproof Dressing 6x7cm - Box of 50
(12B	Transparent Waterproof Dressing 10x12cm - Box of 25

Can also be purchased as a single item.

Alcohol Wipe - Single
Alcohol Wipes - Pack of 10
Alcohol Wipes - Box of 200

odes	
	Povidone-Iodine Prep Pad - Single
к	Povidone-lodine Prep Pad - Pack of 10
	Povidone-Iodine Prep Pad - Box of 100

Antiseptic wipes



Clinical wipes



Features

Features

Product Codes

WIPEANTSING

WIPEANT10PK

WIPEANT50

QSI's medical grade, antibacterial surface disinfecting wipes have been specifically created to clean and disinfect most surfaces by eliminating 99% of bacteria. Clinical wipes render bloodborne pathogens inert.

Fold out to a large (195 x 105mm) antiseptic towelette. Beware

of other brands whose wipes are small and impractical.

Antiseptic Wipe - Single

Antiseptic Wipes - 10 Pack

Antiseptic Wipes - Box of 50

Product Codes

WIPEMEDI02 Clinical Wipes medical grade moist towelettes - Tub of 160

Cotton wool range



Product Codes COTPAD80S

Product Codes COTTIP100

Cotton wool balls

Product Codes COTWB100

Cotton wool roll

Product Codes COTWR50G COTWR100G COTWR400G

Pleated cotton

Product Co COTWPLE100

Disposal bag



Product Codes	
BAGCLEUP02	Help-It Clean Up/Contaminant Bag 22x32cm

Saline solution



Chlorhexidine



Product Codes FLUCHLOR30

Round Cosmetic Pads - Pack of 80

Cotton tip applicators

Cotton Tip Applicators - Pack of 100

Cotton wool balls - Pack of 100

Help-It Cotton Wool Roll 50g
Help-It Cotton Wool Roll 100g
Help-It Cotton Wool Roll 400g

odes	
)	Pleated cotton wool - 100g

	15ml Saline Ampoule
	30ml Saline Ampoule
250	Help-It Eye Wash Bottle Clear Empty 250ml
500	Help-It Eye Wash Bottle Clear Empty 500ml

Chlorhexidine Ampoules, 30ml, Box of 30

Eye drops Product Codes EYEDROP30 Refresh Eye Drops, 0.4ml Ampules, Box of 30

Optrex eye wash



Product Codes	
FLUOPT110	Optrex Eye Wash with Eye Bath - 110ml
FLUOPT300	Optrex Eye Wash with Eye Bath - 300ml

Eye wash



Product Codes	

SAL500BOT Help-it Saline 500ml Bottle With Eye Bath Attached

Eye wash kits



Product Codes

YEBOT500SAL	Eye Wash Bottle 250ml with Saline 500ml
YEBOT500SALLG	Eye Wash Bottle 500ml with Saline 500ml

Eye wash stations



Product Codes	
EYESTATION1	Wall Mountable Shelf with Saline and Bottle
EYESTATION2	Eye Wash Kit in Plastic Wall Mountable Box

Paracetamol





Product Co

Anti bacterial tablets



Product Co

Water purification tablets



Product Co

TABPURI50

odes	
MG	Paracetamol Capsules 500mg - Box of 20
٩G	Paracetamol Tablets 500mg - Box of 20

odes	
MLG	Ibuprofen Tablets - Box of 20

odes	
К30	Milton Tablets - Box of 30

odes	
ĸ	Aquatabs Water Purification Tablets - 10's
	Water Purification Tablets - Box of 50

Betadine antiseptic products



Product Codes		
CREBET25	Betadine Antiseptic Ointm	
BETLIQ100	Betadine Liquid - 100ml	

nent - 25g

Arnica cream





Product Codes

CREARN90 CREARN100

Anti-flamme cream



Product Codes CREANF90 CREANF100

CREANF450

Deep heat



Product Codes CREDEHEAT

Warm-up cream



Features

Product Codes CREWUP2KG

Cold spray



Product Codes

SPRCOLD



HealthE antiseptic cream & liquid



With Tea Tree Oil. Cleanses and helps protect against infection from cuts, abrasions and insect bites. Contains Chlorhexidine Digluconate Cetrimide.

Medipulv Antiseptic Powder - 12.5g

Features

MAF approved.

CREHEAANT	HealthE Antiseptic Cream - 30g tube
FLUHEAANT	HealthE Antiseptic Liquid - 100ml spray bottle

Econo-range hand sanitiser



Product Codes

d Sanitiser - 237ml
1

Help-it hand sanitiser



Product Codes		
HANSAN500	Help-It Hand Sanitiser - 500ml	
HANSAN5LTR	Help-It Hand Sanitiser - 5L	





Features

Product Codes

POWMEDPUL

Product Codes

CREHEAANT	HealthE Antiseptic Cream - 30g tube
FLUHEAANT	HealthE Antiseptic Liquid - 100ml spray bottle

54 QSi Catalogue

Assists the body's natural response to shock, injury, fatigue, bruising, and aids muscle recovery after strenuous exercise.

Naturo Pharm Arnica Cream - 90g tube Martin & Pleasance Arnica Cream - 100g jar

Herbal cream for bumps, bruises, aches and pains.

Anti-Flamme Cream - 90g tub	
Anti-Flamme Cream - 100g tube	
Anti-Flamme Cream - 450g tub	

Deep Heat - 100g

Used to warm up muscles prior to sport or massage.

Warm Up Cream - 2kg

Medi-First Cold Spray 113g

Reusable hot & cold packs



Instant ice packs



Features

Product Codes

HOTCOLPRE

Features

Instant Ice Packs - Strike, Shake and Use. Small: Dimensions: 140mm x 110mm, Weight (approx.): 12g Large: Dimensions: 210 x 140mm, Weight (approx.): 26g

Reusable hot & cold medium sized pack. Heat in the microwave

Premium Reusable hot/cold pack

or cool in the freezer. Comes with quality soft terry-towel.

Product Codes

ICEPACDISL	Large Instant Ice Pack - Disposable	
ICEPACDISS	Small Instant Ice Pack - Disposable	

Kinesiology sports tape



Features

Kinesiology Tape is used to help support muscles ligaments and tendons that have been injured or are prone to injury, including: Back pain Wrist pain Hamstring pain Ankle sprains Knee pain Achilles tendon Neck pain Elbow pain Shin Splints Joint support Shoulder pain Carpal tunnel When ordering please indicate which colour you would like: Black=BI; Blue=B; Beige=Be; Pink=P

Product Codes

KTAPE5_	Kinesiology Tape 5cm
KTAPE2.5_	Kinesiology Tape 2.5cm

Sterile latex surgical gloves



Features

Product Codes GLOSTERILE

Bastion standard latex gloves



Features

Product Codes

GLOLATPBAS GLOLATNPBA

QTECH black nitrile gloves



Features Medical grade, textured grip gloves that work on touch screens. Sizes S, M, L, XL, XXL. Dispenser box of 100 (90 for XXL).

Р	roduct Co
G	LONITBLAS
G	LONITBLAM
G	LONITBLAL
G	LONITBLAX
G	LONITBLA2

Help-It doctors surgical procedure masks



Features 3 Ply, 99% efficient.

Product Codes MASKNZ3PLY

MASKIMP3PL

Sterile Powder Free Latex Glove. One size fits most.

Sterile Latex Gloves - powder free

Sizes S, M, L, XL. Dispenser box of 100. Note: when ordering gloves, please add the size you require to the end of the product code.

S_	Bastion Latex Gloves - powdered
AS_	Bastion Latex Gloves - powder free

odes

100	Black Nitrile Gloves (Box of 100) Size S
100S	Black Nitrile Gloves (Box of 100) Size M
100S	Black Nitrile Gloves (Box of 100) Size L
L100S	Black Nitrile Gloves (Box of 100) Size XL
XL	Black Nitrile Gloves (Box of 90) Size 2XL

TIES	Mask with Ties - Box of 50
YEL	Mask with Ear Loops - Box of 50

Tweezers



Safety pins



Product Codes	
TWESHARPL	Sharp Pointed Tweezers - 13cm
TWE1STAID	First Aid Quality Tweezers
TWEPLASTIC	Disposable Plastic Tweezers

Product Codes SAFPINS10 Pack of 10 Safety Pins SAFPINS1000 Pack of 1000 Safety Pins

Splinter probes



Product Codes		
SPLPR0B5	Blister-pack of 5 Splinter Probes	
SPLPROB100	Box of 100 Splinter Probes	

High efficiency protective masks



Military shears
Large Rescue Shears - 19cm
Blue-handle Nurse's Mini Shears - 15cm
Sharp/Blunt/Nursing Tip Scissors - 13cm
Wire Scissors - 10cm

Help-it rescue blankets



Product Codes	
BLARECSS	Silver Rescue Emergency Disposable Blanket
BLARECSSBAG	91cm x 213cm Silver Rescue Sleeping Bag
EMERGBLANKET	Heavy Duty Emergency Blanket 120x150cm

Emergency glow stick



8-12 hour light duration

Product Codes

GLOWSTG Emergency Glow Stick - Green

Adjustable moldable foam splints





Product Codes SPLADJFIN

SPLADJMOL

Tubular bandage applicator



Product Codes SPLPLAFIN

Adjustable neck collar

Product Co COLNECADJE COLNECADJF

Sling



Features

Product Codes COL&CUF

Fold to create gutter, place limb inside and bandage in place. Can be easily cut to size. These products are radiolucent.

Moldable Finge	r Splint	
Large Moldable	Splint	

Tubular Bandage Applicator

odes	
в	Adjustable Neck Collar - Adult
Р	Adjustable Neck Collar - Pediatric

Comfortable, padded collar and cuff sling, ready to use.

Sling - Collar and Cuff

Tongue depressors

Hand suction unit



Product Codes

TONDEP Tongue Depressors - Box of 100

Burn gel pack



Features

Product Codes BURNGELP

Burn gel dressings



BURNDRES5 BURNDRES10

help-i

help-2

BURNDRES20 BURNDRES3

Burn gel



Product Co BURNGELSAC BURNGELSAC

BURNGEL59

BURNGEL120



Product Codes

PARA01 Hand Suction Unit

Kidney dish



Product Codes

DISHKID Kidney Dish - 200ml

Sharps container



Features

Other sizes available on request.

Product Codes

	SHACON1.4L	Sharps Container - 1.4L capacity
	SHACON5L	Sharps Container - 5L capacity
	SHACON10L	Sharps Container - 10L capacity

A great supplement to any first aid kit when the risk of burn injuries is higher. Consists of one 10cm x 10cm Help-It burn gel dressing and three Help-It burn gel sachets.

РАСК	Burn Dressing Pack
ACK	Duill Diessing Fack

odes	
X15	Help-It Burn Dressing 5x15cm
0X10	Help-It Burn Dressing 10x10cm
0X45	Help-It Burn Dressing 20x45cm
0X40	Help-It Burn Dressing 30x40cm Face Mask

odes	
СНЕТ	Help-It Burn Gel Sachet 3.5g - Individual or box of 250
свох	Help-It Burn Gel Sachet 3.5g - Box of 6
	Help-It Burn Dressing 59ml Bottle
)	Help-It Burn Gel Bottle 120ml Spray

First aid signs



QSI3446

QSI3560

QSI3683

QSI3412

QSI3693

QSI3748

Product Codes

FLUAER050ML

FLUODCAN

FLUODSPR

FLUTROCAN

FLUTROSPR

Product Codes

FAREGL

Stingoes stop itch



Insect repellent



Accident register book



Fire extenguisher



Features
Other sizes available on request. See pg. 76.

Product Codes

FIREXTV01 Fire Extinguisher - 1kg

Product Codes Emergency Shower PVC Sign 340mm x 240mm Emergency Eye Wash PVC Sign 340mm x 240mm Blue First Aid Cross PVC Sign 180mm x 180mm First Aid Cross PVC Sign 340mm x 240mm First Aid Cross Sticker 120mm x 140mm

Wash Your Hands PVC Sign 340mm x 240mm

Product Codes	
FLUSTING25	Stingose Stop Itch Spray - 25ml
CRESTING25	Stingose Stop Itch Gel - 25g

Aerogard Roll-On Insect Repellent - 50ml

Aerogard Odourless - Aerosol Can 150g

Aerogard Odourless - Pump Spray 135ml

Aerogard Tropical - Aerosol Can 150g

Aerogard Tropical - Pump Spray 135ml

Accident Register Book - Large A4

Flat thermometers



Digital thermometer



Batteries inc
Product Co
THEDIG

Features

THEDIG	Digital Thermometer
THEDIGCOV200S	Covers - pack of 200
THEDIGCOV100S	Covers - pack of 100
THEDIGCOV100S	Covers - pack of 100

Infrared ear thermometer





Product Codes

THEDIGEAR

Infrared ear thermometer



Features of the device.

Product Codes

THEDIGEAR-PROBCOV

Flat Thermometer

cluded.

odes

Simple to use, ideal for the family, easy to clean.

Infrared Ear Thermometer

Our new Infrared Ear Thermometer comes with 20 disposable tips, no cleaning required. This ensures that ear infections are not spread and wax does not build up and affect the operation

A	Infrared Ear Thermometer ET-100A with Disposable Probe
	Disposable tips, pack of 20.

Sunscreen SPF 30+



	T	
	Respect	5
ĸ	BLOCK	help-it
	9 9 19	
	0	5

Product Codes

Product Codes	
SUN002	Sunscreen 1L (SPF 30+)
SUN003	Sunscreen 500ml (SPF 30+)
SUN008	Sunscreen 75ml Tottle Bottle with Carabiner (SPF50+)

First aid tips sheet



Features

It has the basic info you need for most situations in a concise and easy-to-read format. It also includes a step-by-step CPR guide, with specific information when treating children and infants.

Our research indicated that information is slower to find in a booklet format. Instead, we designed ours to fold out into a single, A4 sized, double-sided page so you can see at a glance the info you need. It folds up small enough to fit in your wallet or even the smallest of first aid kits.

Product Codes FATIP





Sunscreen SPF 50+



Product Codes	
SUN005	Sunscreen 1L (SPF 50)
SUN006	Sunscreen 500ml (SPF 50)
LIPBALMSPF50	Lip Balm Moisturising 12gm (SPF 50)

Help-It Kids sunscreen SPF 50+



Product Codes	
SUN009B	Lip Balm SPF50+ 5gr BLUE
SUN009P	Lip Balm SPF50+ 5gr PINK
SUN010	KIDS SPF50+ Sunscreen 75ml Roll On
SUN011	KIDS SPF50+ Sunscreen 75ml Tottle Bottle with Carabiner
SUN012	KIDS SPF50+ Sunscreen 1L

When you're confronted with a medical emergency, you need to be able to respond quickly and accurately. We designed our first aid tips booklet with this in mind.

First Aid Tips









paramedic & rescue equipment

We've got your back.

In an emergency, your focus is on the patient, one hundred percent. There's no time to think about your gear, no time to wonder if it's going to work as it should; when lives are at risk, your gear just has to work period!

At QSi, we worry about the details for you. We source and manufacture high quality, affordable paramedic and rescue equipment so our customers can rest assured their gear will do its job, no questions asked.



Scoop stretcher



Features

Product Codes

PARA26

Features

Flat folding stretchers



Folded size: 93cm x 52cm x 23cm Expanded size: 185cm x 52cm x 23cm Weight: 5kg | Max Load: 159kg

Product Codes

PARA26A

Double folding stretcher



Features Lightweight alloy-framed stretcher that folds to half its length and one third its width. Comes with sturdy carry bag. Folded size: 110cm x 18cm x 11cm Expanded size: 221cm x 53cm x 15cm Weight: 5kg | Max Load: 159kg

Product Codes PARA23

Quad folding stretcher



Features Super-compact stretcher that folds down to only a quarter of its full size. Comes with sturdy carry bag. Folded size: 56cm x 22cm x 20cm Unfolded size: 215cm x 55cm x 14cm Weight: 10kg | Max Load: 159kg

Product Codes

PARA23A

Adjustable, lightweight aluminium stretcher designed for easy transfer of patient in emergency situations. Comes complete with patient restraint straps. Folded size: 167cm x 42cm x 7cm Expanded size: 214cm x 42cm x 7cm Weight: 8kg | Max Load: 159kg

Scoop Stretcher

Compact, alloy-framed stretcher with wheels at one end to aid movement. Wheels and feet can be folded in and locked in place for storage. Comes complete with patient restraint straps.

Flat Folding Stretcher - Model A

Double Folding Stretcher

Quad Folding Stretcher



- Sturdy attachment points for ropes and carabiners
- Multiple hand grips around edge of the stretcher
- Four safety belts for securing patient
- Adjustable foot plate

Features

Basket stretchers provide a more secure solution; their high sides and ends help keep your patient stable, especially when being transported in steep terrain, and they have special attachment points for winch, belay or helicopter rescues. Size: 219cm x 64cm x 18cm Weight: 16kg Max Load: 159kg

Product Codes

PARA37 Basket Stretcher

Break apart basket stretcher

Features

All the same great features of our standard basket stretcher but in a compact, break apart design for easy transport and storage. Assembled size: 219cm x 64cm x 18cm Disassembled size: 130cm x 67cm x 29cm Weight: 16kg Max Load: 159kg

Product Codes

PARA37A Break apart basket stretcher

Lifting bridle - adjustable legs




Features


Four-legged, adjustable lifting bridle designed to attach to stretchers and basket stretchers to help with safe extrication from difficult positions.

Product Codes

PARA91 Lifting bridle - adjustable legs

Spine boards







PARA29A

Features

Weight: 7kg

Rescue recovery stretcher

Features

The rescue recovery stretcher is an ultra-portable extremely flexible system. Ideal for search and rescue teams, it is particularly useful in situations where a fast recovery from difficult terrain is required.

- Weight: 8kg Max Load: 200kg

Product Codes

PARA40R

These durable polyethylene (PE) plastic spine boards can be used with safety belts and head immobilisers, and can also be x-rayed. Various options of stretcher straps available, ask us for details.

Dimensions: 184cm × 45cm × 7cm

Max Load: 159kg

Product Codes

Spine board
Spine board
Spine board

• Our lightweight, PE plastic spine boards are compact, easy to store, and X-ray translucent.

• Inert to all conditions and body fluids

• Rolls up for easy storage and carrying in a backpack

Extensive strapping to secure patient

Rescue recovery stretcher

Complete immobilisation system

Features

This kit contains everything you need to safely immobilize and move a patient. Ideal for situations where neck and back injuries are a possibility. The kit includes:

- Spine board (PARA29C)
- Head Immobilizer (PARA14)
- Spiderharness (PARA007)
- Bag can also be used as a body bag (PARA005B)

Naturally, each component can also be purchased separately.

Product Codes

PARA27 **Complete Immobilisation System**



Manual handheld sunction device



Features

This simple, compact suction device can be used in emergency situations to extract fluids from a patient. Includes a removable 300ml capacity container.

Product Codes

PARA01 Manual Handheld Suction Device

Head immobiliser




Features Easy to clean. Weight: 0.7kg

Product Codes

PARA14

Standard cervical collar



Product Codes

COLNECADJ



Ambu® Perfit ACE[™] premium cervical collar

Features

change after fitting.

Product Codes

COLNECADJ COLNECADJ

Features

The body splint enables you to stabilise the patient's central body using a system of rigid bars and straps. Can be adjusted to fit a wide variety of body shapes.

Product Codes

PARA32 Body Splint



Body splint

- High-density foam head block, designed to be used with spine boards and scoops. Features include:
- Large ear holes to improve communication with patient and enable monitoring of ear canal.
- Multiple straps for securing to stretcher.
- Waterproof plastic coating.
- X-ray, CAT and MRI compatible materials.
- Dimensions: 42cm × 26cm × 18cm

Head Immobiliser

- Adjustable collar designed to be used on a wide range of patient head and neck sizes. Features include:
- X-ray, CAT and MRI compatible materials.
- Locking system to ensure the set position will not change

A	Standard Cervical Collar

- Premium adjustable collar. Features include:
- Four standard adult size settings plus 16 precise settings.
- X-ray, CAT and MRI compatible materials.
- Twin locking system to ensure the set position will not

B	Adult Premium Cervical Collar
IP	Pediatric Premium Cervical Collar

Evaluation rescue stair chair



Features

Designed for patients with minor injuries that may prevent them from walking unaided. Makes easy work of moving patients down stairs and over obstacles. Folded size: 90cm x 54cm x 17cm Expanded size: 70cm x 52cm x 91cm Weight: 8kg Max Load: 159kg

Product Codes

PARA26CHAIR **Evacuation Rescue Stair Chair**

Key ring seatbelt cutter + window breaker



Features

Each sold separately. Note: available colours subject to change without notice.

Product Codes

PARA71 Key Ring Seat Belt Cutter + Window Breaker

Help-it 'Blaze Breaker' fire blanket



Features

Product Codes

BLABURN1.2N BLABURN1.8N

Fire extinguisher



Features Wall mountable.

Product Codes

_	FIREXTV0.3
	FIREXTV01
-	FIREXTV1.5
	FIREXTV02
	FIREXTV03
	FIREXTV04

Our burn blankets measure 1.2m x 1m and 1.8m x 1.2m. Compact for easy storage. Wall hangable. (Pull release tabs to deploy.)

MX1.2M	Fire Blanket 1.2m x 1.2m
MX1.2M	Fire Blanket 1.8m x 1.2m

- ABE Powder Fire Extinguisher.
- Available in multiple sizes.
- Ideal for your vehicle or boat.
- Great addition to your camping equipment
- Our standard size is 1kg. Other sizes available on request.

Fire Extinguisher - 0.3kg Dry Powder
Fire Extinguisher - 1kg Dry Powder
Fire Extinguisher - 1.5kg Dry Powder
Fire Extinguisher - 2.5kg Dry Powder
Fire Extinguisher - 4.5kg Dry Powder
Fire Extinguisher - 9kg Dry Powder

High visibility orange day/night vest



Features

Our High Visibility Orange Day/Night vests feature retroreflective 50mm silver tape, sturdy plastic front zip and breast pocket.

Complies with AS/NZS 4602.1:2011 and TTMC-W17 transit standards.

QSI offer a range of standard labelled reflective vests (see below), as well as a custom graphics service. We can apply the text of your choice to the front and/or back of the vest in a range of colour options including reflective silver.

Vests also available in lime yellow, and in day-only without reflective tape.

Sizes available: Small to 6XL. Also available in 8XL.

Product Codes

VESHIVISO-MA	Orange Hi-Viz Marshal Vest
VESHIVISO-FA	Orange Hi-Viz First Aid Medic Vest
VESHIVISO-SM	Orange Hi-Viz Site Manager Vest
VESHIVISO-V	Orange Hi-Viz Visitor Vest
VESHIVISO-W	Orange Hi-Viz Warden Vest



Custom reflective text and graphics



Features

QSi want you and your team to stand out from the competition and be noticed.

We offer a flexible customising service, allowing your logo and the text of your choice to be heat set onto your team's garments in durable reflective vinyl.

Talk to us today about the various options available.

Flame retardant reflective tape



Features Available in Silver a washable and wat Silver: 500 cd/lux Yellow/Silver Strip Compliant with: N

Product Codes

TAPREFYELS

Reflective sew-on tape



Features Available in reflective fa 500 cd/lux 65% Polyes Compliant v

Product Codes TAPREFSIL50

Arm bands



MAREHAL

Product Codes

ARMBANDRE

ARMBANDYE (BUILDINGWA

ARMBANDGR

(EMERGENCY

ARMBANDYE

- ARMBANDGR
- ARMBANDRE
- ARMBANDYE

Available in Silver and Striped Yellow/Silver. Fire resistant, washable and water resistant. 50mm wide. Silver: 500 cd/lux

Yellow/Silver Striped: 380-410 cd/lux

Compliant with: NFPA, EN469, EN14116, EN471, ANSI

R50	Flame Retardant Tape - Silver
FR50	Flame Retardant Tape - Yellow/Silver

Available in Silver. Washable, water resistant, highly reflective fabric. 50mm wide.

65% Polyester, 35% Cotton Compliant with: ANSI, ISEA 107 2004

0 Reflective Sew-On Tape

QSi has a range of Velcro adjustable armbands designed to help identify specific people and roles within your organisation. We offer a unique customising service and can supply armbands with your specified wording and size. See below for our range of standard stock armbands.

ED(FIRSTAIDMEDIC)	First Aid Medic arm band
REEN(FIREWARDEN)	Fire Warden arm band
ELLOW ARDEN)	Building Warden arm band
REEN YSUPERVISOR)	Emergency Management Supervisor arm band
ELLOW(VISITOR)	Visitor arm band
REEN(WARDEN)	Warden arm band
ED(MEDIC)	Medic arm band
ELLOW(MARSHAL)	Marshal arm band



>help-it. spill solutions



Be prepared with Help-it **Spill Solutions**

When emergencies happen, you need to be prepared. No matter where you are, you need to know you can respond when faced with a spill.

Help-It Spill Solutions include a choice of natural or synthetic absorbent products. We have a wide variety of booms, socks, pads and pillows in various sizes and lengths to suit most types and sizes of spill. We also supply loose absorbent material.

Help-It Spill Kits contain the products and tools you need to safely contain a spill, including basic safety equipment for the user and enough absorbent product to deal with a specific size of spill, ranging from 25 to 240 Litres.



Help-It ANA-Fibre - the ultimate environmentally friendly spill solution.

Oil and chemical spills are some of the worst disasters man can inflict on the planet. Thankfully, mother nature has provided us with a perfect antidote: Help It Activated Natural Absorbent Fibre, or ANA-Fibre.

Key Features:

Highly absorbent - absorbs up to 4 times its dry weight in volume. One kilogram of fibre will absorb 3-5 litres of hydrocarbons.

Highly versatile - absorbs a vast range of pollutants including oils, pesticides, solvents, alcohol, effluents, heavy metals, inks, dyes, algae and a wide range of other chemicals and industrial wastes.

Fast acting - absorption for most hydrocarbons is almost instantaneous on contact. Some chemical spills may take a little longer.

Water resistant - can be used on water and in wet areas.

Suppresses vapours - helps prevent fire and explosions, and reduces risk to personnel from inhalation of toxic fumes.

Will not leak - the fibre will not leach or discharge the absorbed pollutant making it clean and easy to handle.

Environmentally Friendly - as well as being made from a natural, renewable source, ANA-Fibre can be incinerated or disposed of in landfills without damaging the environment. It can even be made into compost! Over time, ANA-Fibre slowly breaks down the absorbed contaminants and gradually releases them harmlessly

ANA-Fibre filled socks



Features These socks are designed to encircle spills, both absorbing the contaminant and ensuring the spill does not spread. They can also be floated on water.

Product Codes ABSFIBSK1.2 ABSFIBSK2.4

ABSFIBSK3.0 ABSFIBSK3.6

into the environment. When incinerated, the resulting residue is only 4% of its original volume.

Light Weight - allows the user to carry more product, clean up more spill, and save on transportation and disposal costs.

Why it works:

Help-It ANA-Fibre is harvested in New Zealand and is naturally occurring. After treatment the natural moisture content is reduced to around 10-15% and the cellular structure of the fibre is altered to become completely hydrophobic (water resistant) while becoming highly absorbent of hydrocarbons and chemicals.

The refined fibre is then packaged loose in carry-bags, distributed in bulk, or used in our unique socks, pillows and booms for instant spill containment.

2	1.2m x 6cm Sock
1	2.4m x 6cm Sock
כ	3m x 6cm Sock
5	3.6m x 6cm Sock

ANA-fibre filled pillows



ANA-fibre filled booms

Features

Our pillows are perfect for taking care of drips (and lining drip trays) or soaking up pooled spills.

Product Codes

ABSFIBPW35X20	Small Pillow (35x20cm)
ABSFIBPW60X40	Large Pillow (60x40cm)

Granular absorbent



Features Granular absorbent packaged in sturdy plastic bags. Designed to be poured onto a spill to soak up oil or chemicals. Will absorb up to 70% of its dry body-weight.

Product Codes

ABSGRAN5KG

ABSGRAN15K



ANA-fibre

Features

Big brother to the socks, ANA-Fibre filled booms can be used to dam large spills on water ways while absorbing vast amounts of contaminant.

Product Codes

ABSFIBBM3X13	Thin Boom (3m x 13cm)
ABSFIBBM3X18 Thick Boom (3m x 18cm)	

Large plastic shovel



Large plastic shovel designed for cleanup of spill absorption products such as ANA-Fibre and Granular Absorbent.

Product Codes

Features

PLASSHOVEL



Features

Loose ANA-Fibre packaged in sturdy plastic bags. Designed to be poured onto a spill to soak up oil or chemicals.

When placed on hydrocarbon-contaminated water, it will float and naturally clump together as it absorbs the spill, making it easy to scoop from the water.

Will absorb up to five times its dry body-weight in litres of contaminant.

Product Codes

ABSFIB3	ANA-Fibre - 15Lt approx absorption capacity (Bag volume approx 10Lt)*
ABSFIB5	ANA-Fibre - 25Lt approx absorption capacity (Bag volume approx 16.5Lt)*
ABSFIB15	ANA-Fibre - 75Lt approx absorption capacity (Bag volume approx 50Lt)*
ABSFIB25	ANA-Fibre - 125Lt approx absorption capacity (Bag volume approx 100Lt)*

G	7.9L Standard Loose Granular Absorbent (approx 5kg)
KG	22L Standard Loose Granular Absorbent (approx 15kg)

L	Large Plastic Shovel

Synthetic pads - oil



Features

These absorbent pads are used to soak up surface spills, contain drips, etc. They are available in packs of five, or in bulk and come in two weights.

Product Codes

ABSPADOIL200G5PK	Light Synthetic Absorbent Pad 200gsm (5-Pack)
ABSPADOIL200GB0X	Light Synthetic Absorbent Pad 200gsm (Box 200)
ABSPADOIL400G5PK	Heavy Synthetic Absorbent Pad 400gsm (5-Pack)
ABSPADOIL400GB0X	Heavy Synthetic Absorbent Pad 400gsm (Box 100)

Designed to encircle, dam and absorb spills. Suitable for boat

1.2m x 7cm Sock

2.4m x 7cm Sock

3m x 7cm Sock

bilges, around drums and other containers.

Synthetic roll - oil



Features of the roll.

Product Codes

ABSSYNOIRO ABSSYNOILRO ABSSYNOILR

Oil drum top absorbent pad

Features

for filler and breather holes.

Product Co

ABSSYNOILD

Features

Features

Product Codes

ABSSYNOILSK1.2M

ABSSYNOILSK2.4M

ABSSYNOILSK3M

These pillows will soak up large spills and can be used as temporary plugs.

Product Codes

ABSSYNOILPILLMD	Medium Synthetic Absorbent Pillow (35 x 25 x 2cm)
ABSSYNOILPILLLG	Large Synthetic Absorbent Pillow (40 x 50 x 5cm)

Wheelie bin cover



Features of oil wheelie bins.

Product Codes

WHLBIN120C WHLBIN240C



Features

Help-It synthetic absorbent booms feature robust stainless steel clips making it easy to join up multiple overlapping booms.

Product Codes

ABSSYNOILBM12X3M	Medium Synthetic Absorbent Boom (12cm x 3m)
ABSSYNOILBM20X3M	Large Synthetic Absorbent Boom (20cm x 3m)





Synthetic booms - oil

Synthetic pillow - oil

Synthetic socks - oil



Same

Perforated at 25cm intervals for easy tearing - no scissors required. Also perforated at 30cm and 60cm across the width

Ideal for use under vehicles by mechanics, on table tops, and anywhere oil spillage is possible.

LL250	Absorbent Synthetic Oil Roll 50cm x 40m 250gsm
0LL400	Absorbent Synthetic Oil Roll 50cm x 40m 400gsm
OLL	Absorbent Synthetic Oil Roll 90cm x 40m 400gsm

A perfect solution for the chronic mess that collects on the top of oil drums, these pads keep them clean and easy to use. Designed to fit standard 44 gallon drums, with spaces pre-cut

Mini pads for filler and breather holes included.

odes	
RUM	Oil Drum Top Absorbent Pad

A perfect solution for the chronic mess that collects on the top

Custom branding also available.

Available colours: Yellow, green, red

ov	120L Wheelie Bin Cover
COV	240L Wheelie Bin Cover

Synthetic pads - chemical



Features

These absorbent pads are used to soak up surface spills, contain drips, etc. They are available in packs of five, or in bulk.

Product Codes

Features

Product Codes

ABSSYNCHEMSK1.2M

ABSSYNCHEMSK2.4M

ABSSYNCHEMSK3M

ABSPADCHEM400G5PK	Large Synthetic Absorbent Pad - 400gsm (5- Pack)
ABSPADCHEM400GBOX	Large Synthetic Absorbent Pad - 400gsm (Box of 100)

Synthetic pad - general purpose



ABSPADGE

ABSPADGEN

Synthetic socks - general purpose

Features

Product Codes ABSSYNGE ABSSYNGE

Synthetic pillows - general purpose

Features

Product Codes ABSSYNGE

Synthetic socks - chemical



Synthetic pillow - chemical

86

QSi Catalogue



Features

Designed to absorb chemical spills.

Designed to encircle, dam and absorb spills.

1.2m Sock

2.4m Sock

3m Sock

Product Codes

ABSSYNCHEMPILLMD Absorbent Chemical / GP Pillow Medium - 35 x 25cm ABSSYNCHEMPILLLG Absorbent Chemical / GP Pillow Large - 40 x 50cm





Features

These absorbent pads are used to soak up surface spills, contain drips, etc. They are available in packs of five, or in bulk.

Product Codes

N400G5PK	Large Synthetic Absorbent Pad - 400gsm (5- Pack)
N400GBOX	Large Synthetic Absorbent Pad - 400gsm (Box of 100)

Designed to encircle, dam and absorb spills.

NSK3M 3m Sock	NSK1.2M	1.2m Sock
	NSK3M	3m Sock

Designed to absorb general purpose spills.

NPILLLG	Large Synthetic Absorbent Pillow (40 x 50 x 5cm)
	-

ANA-fibre & granular absorbency rates chart

Product Code	Product Description	*Absorbency (Approx. Litres)
ABSFIBSK1.2	ANA-Fibre 1.2m x 6cm sock	5L
ABSFIBSK2.4	ANA-Fibre 2.4m x 6cm sock	10L
ABSFIBSK3.0	ANA-Fibre 3m x 6cm sock	12.5L
ABSFIBSK3.6	ANA-Fibre 3.6m x 6cm sock	15L
ABSFIBPW35X20	ANA-Fibre Small Pillow (35 x 20cm)	2L
ABSFIBPW60X40	ANA-Fibre Large Pillow (60 x 40cm)	7L
ABSFIBBM3X13	ANA-Fibre Thin Boom (3x13cm)	8.5L
ABSFIBBM3X18	ANA-Fibre Thick Boom (3x18cm)	17L
ABSFIB3	ANA-Fibre bag volume approx 10L	15L
ABSFIB5	ANA-Fibre bag volume approx 16.5L	25L
ABSFIB15	ANA-Fibre bag volume approx 50L	50L
ABSFIB25	ANA-Fibre bag volume approx 100L	125L
ABSGRAN5KG	Granular Absorbent 7.9L Standard Loose	50L
ABSGRAN15KG	Granular Absorbent 22L Standard Loose	150L

Oil & fuel absorbency rates chart

Product Code	Product Description	*Absorbency (Approx. Litres)
ABSSYNOILBM12X3M	Absorbent Synthetic Oil Boom 12cm x 3m	33L
ABSSYNOILBM20X3M	Absorbent Synthetic Oil Boom 20cm x 3m	75L
ABSPADOIL400GBOX	Absorbent Oil Pad 400gsm (Each=1/Box=100)	1.5L per pad, 150L per box
ABSPADOIL200GBOX	Absorbent Oil Pad 200gsm (Each=1/Box=200)	0.75L per pad, 75L per box
ABSSYNOILSK1.2M	Absorbent Synthetic Oil Sock 1.2m	6.4L
ABSSYNOILSK2.4M	Absorbent Synthetic Oil Sock 2.4m	12.8L
ABSSYNOILSK3M	Absorbent Synthetic Oil Sock 3m	16L
ABSSYNOILPILLLG	Absorbent Synthetic Oil Pillow Large 40x50cm	8L
ABSSYNOILPILLMD	Absorbent Synthetic Oil Pillow Medium 35x25cm	3.5L
ABSSYNOILDRUM	Absorbent Oil Drum Top Pad	1L
ABSSYNOILROLL250	Absorbent Synthetic Oil Roll 50cm x 40m 250gsm	90L
ABSSYNOILROLL400	Absorbent Synthetic Oil Roll 50cm x 40m 400gsm	140L
ABSSYNOILROLL	Absorbent Synthetic Oil Roll 90cm x 40m	260L


Chemical absorbency rates chart

Product Code	Product Description	*Absorbency (Approx. Litres)
ABSPADCHEM400BOX	Absorbent Chemical Pads 400gsm (Each=1/Box=100)	1.2L per pad, 120L per box
ABSSYNCHEMSK1.2M	Absorbent Synthetic Chemical Sock 1.2m	5.5L
ABSSYNCHEMSK2.4M	Absorbent Synthetic Chemical Sock 2.4m	11L
ABSSYNCHEMSK3M	Absorbent Synthetic Chemical Sock 3m	16L
ABSSYNCHEMPILLLG	Absorbent Chemical Pillow Large 40x50cm	7L
ABSSYNCHEMPILLMD	Absorbent Chemical Pillow Medium 35x25cm	2.9L

General purpose absorbency rates chart

Product Code	Product Description	*Absorbency (Approx. Litres)
ABSPADGEN400BOX	Absorbent General Purpose Pads 400gsm (Each=1/Box=100)	1.2L per pad, 120L per box
ABSSYNGENSK1.2M	Absorbent Synthetic General Purpose Sock 1.2m	5.5L
ABSSYNGENSK3M	Absorbent Synthetic General Purpose Sock 3m	16L
ABSSYNGENPILLLG	Absorbent General Purpose Pillow Large 40 x 50cm	7L

* Note - Absorption capacity can vary according to the viscosity of the liquid to be absorbed, physical location of the spill and relative humidty.



Spill drain guard



Features

Product Codes DRAINGUARD

Robust PVC sock containing heavy particulate. Designed to block and direct the path of spills, not absorb them. Can be made to order at any size.

2	Spill Block PVC Sock - 1.2m x 6cm
4	Spill Block PVC Sock - 2.4m x 6cm

These mats are designed to be placed over storm water (and other) drains to prevent contamination of water ways etc.

3.5	Thin Spill Block Drain Mat 750 x 1000 x 3.5mm

Robust carry bag for Spill Block Socks and Drain Mats.

Spill Block Carry Bag

Plug and control the leak at the source. A non-toxic material which forms a seal when used to plug a punctured storage or transport container. Seals off gasoline, diesel, solvents and

Plug & Dike in container 500g

Designed to be placed over drain inlets to catch any residual debris not caught by pads and drain mats.

DS Drain Guard 1.2 x 1.2m	
---------------------------	--

Help-it spill kits


These kits are packed with everything you need for the efficient containment of spills. We have a range of sizes to suit varying levels of risk and types of contaminant. Most kits contain the following tools to aid the user: clean-up bags, basic personal protection equipment, gloves, basic instructions.

Unlike some of our competitors, we have measured the absorption of the products in each kit to ensure they will absorb up to the number of litres indicated on the kit. This figure does not represent the physical volume of the kit container.

Every spill kit purchased comes with our comprehensive Spill Kit Guide booklet that contains information on the best products and methods to prepare for, clean up, and dispose of your spills.



NOTE - Contents of our spill kits may vary in contents and branding from time to time, however we will never compomise on quality and absorption rates.



15L oil (hydrocarbon) spill kit



Features

This kit is designed to absorb up to 15 litres of contaminant. The kit is compact enough to fit behind the seat of a truck or ute and makes a great first line of defence.

Product Codes ASKVEH ASKVEHRF

25L oil (hydrocarbon) spill kit



Features

Product Codes ASK250IL ASK250ILWPE ASK250ILRF

50L oil (hydrocarbon) spill kit



Features This kit is designed to absorb up to 50 litre spills.

Product Codes ASK500IL ASK500ILRF

80L oil (hydrocarbon) spill kit



Features This kit is designed to absorb large spills up to 80 litres.

Product Codes ASK800IL ASK800ILRF

15L oil vehic	cle spill kit
Refill pack	

This kit is designed to absorb spills up to 25 litres. It is compact enough to fit behind the seat of a truck or ute. The 'WPB' version comes in a yellow waterproof dry-bag.

	25L oil (hydrocarbon) spill kit
В	25L oil spill kit in waterproof bag
	Refill pack

50L oil (hydrocarbon) spill kit
Refill pack

80L oil (hydrocarbon) spill kit
Refill pack

120L oil (hydrocarbon) spill kit



Features

This kit is designed to absorb large spills up to 120 litres. Wheelie bin provides storage of the kit before use, aids transport of kit to spill site and makes disposal of used items easy.

Product Codes

ASK1200IL	15L oil vehicle spill kit
ASK1200ILRF	Refill pack

240L oil (hydrocarbon) spill kit - economy



Features

This kit is designed to absorb extra large spills up to 240 litres. Wheelie bin provides storage of the kit before use, aids transport of kit to spill site and makes disposal of used items easy.

Product Codes

ASK240E0IL	240L oil spill kit - economy
ASK250ILWPB	Refill pack

30L chemical spill kit



Features

Product Codes ASK30CHEM ASK30CHEMR

50L chemical spill kit



Features

Product Codes ASK50CHEM ASK50CHEMR

120L chemical spill kit

240L oil (hydrocarbon) spill kit - premium



Features

This premium kit is designed to absorb a wide range of different sized spills up to 240 litres. Added extra socks and pillows, plus smaller bags of loose fibre so a number of smaller spills can be contained without having to open and use everything in the kit at once.

Product Codes

ASK240POIL	240L oil spill kit - premium
ASK240POILRF	Refill pack



Features

Product Codes ASK120CHEM ASK120CHEM

240L chemical spill kit



Features This kit is designed to absorb up to 240 litres of chemicals. Wheelie bin provides storage of the kit before use, aids transport of kit to spill site and makes disposal of used items easy.

Product Codes ASK240CHE

ASK240CHE

This kit is designed to absorb up to 30 litres of chemicals.

	30L chemical spill kit
RF	Refill pack

This kit is designed to absorb up to 50 litres of chemicals.

RF Refill pack		50L chemical spill kit
	RF	Refill pack

This kit is designed to absorb up to 120 litres of chemical spills. Wheelie bin provides storage of the kit before use, aids transport of kit to spill site and makes disposal of used items easy.

1	120L chemical spill kit
1RF	Refill pack

M 240L chemical spill kit	
MRF Refill pack	

30L general purpose spill kit



50L general purpose spill kit



Features

Features

ASK50GPS

ASK50GPSRF

Features

Product Codes

ASK120GPS

ASK120GPSRF

Product Codes

spills.

This kit is designed to absorb up to 30 litres of general liquid spills.

This kit is designed to absorb up to 50 litres of general liquid

50L general purpose spill kit

This kit is designed to absorb up to 120 litres of general liquid spills. Wheelie bin provides storage of the kit before use, aids transport

120L general purpose spill kit

of kit to spill site and makes disposal of used items easy.

Refill pack

Refill pack

Product Codes

ASK30GPS	30L general purpose spill kit
ASK30GPSRF	Refill pack

2 drum workfloor



4 drum workfloor



Features Low-profile workfloor designed to catch spillage from drums. Can be fitted with ramp to aid access. (Ramp sold separately.) Fits up to four standard oil drums. Dimensions: 1600 x 1600 x 150mm Sump size: 239L | Load rating: 2700kg

Product Codes

SPCWF-4D

2 drum spill pallet

Features

Product Codes

SPCP-2D

4 drum spill pallet

Work floor ramp



Features The spill pallet is designed to be lifted and moved safely and easily by forklift, while catching spillage from drums. Fits up to four standard oil drums. Dimensions: 1380 x 1290 x 280mm Sump size: 250L | Load rating: 2700kg

Product Codes

SPCP-4D

Features

Allows hassle-free access to the Work Floor units. Features integrated locking pins and an easy gradient with a non-slip surface. (Ramp only)

Load rating: 300kg

Product Codes

SPCWF-RAMP Work floor ramp

120L general purpose spill kit



240L general purpose spill kit



Features

This kit is designed to absorb up to 240 litres of general liquid spills. Wheelie bin provides storage of the kit before use, aids transport of kit to spill site and makes disposal of used items easy.

Product Codes

ASK240GPS	240L general purpose spill kit
ASK240GPSRF	Refill pack



Low-profile workfloor designed to catch spillage from drums. Can be fitted with ramp to aid access. (Ramp sold separately.) Fits up to two standard oil drums. Dimensions: 800 x 1600 x 150mm Sump size: 121L | Load rating: 1350kg

2 Drum Workfloor

4 Drum Workfloor

The spill pallet is designed to be lifted and moved safely and easily by forklift, while catvg spillage from drums. Fits up to two standard oil drums. Dimensions: 1300 x 750 x 440mm Sump size: 250L | Load rating: 1350kg

2 Drum Spill Pallet

4 Drum Spill Pallet

Dimensions: 810 x 1290 x 180mm



premium height safety equipment

Quality born from experience


QSi has been designing and manufacturing premium quality height safety equipment for over 40 years, drawing on over 70 years of safety experience. Our many years of experience in manufacturing has given us a reputation for innovative product development.

We manufacture many of our height safety products right here in New Zealand, in our ISO9001 approved factory, so we have direct control over the quality and can easily scale our output to meet demand with the minimum of lead time.

Many other customer benefits are achieved by manufacturing and testing in New Zealand, including work-specific products, current dates, and ongoing surveillance of products.

We also source directly from the world's best manufacturers, made to our own exacting standards.

All QSI products are certified to either the AS/NZS 1891 or equivalent industry acceptable standards where applicable.





Customising is our speciality. We love to work alongside our customers to develop tailor-made products that meet their unique requirements. We're not here to tell you what you need, we're here to listen, collaborate, and find solutions.

This begins with custom printed bags, lanyard and harness labels with your company logo, and extends through to custom designed harnesses specific to the needs of you and your industry.

Manufactured & tested in New Zealand

QSi are accredited by IANZ to test height safety gear to the AS/NZS 1891.1:2007, AS/NZS 1891.3 and AS/NZS 5532 standards. This means every product we make has been tested to the most stringent standards.

We also have Telarc ISO 9001 certification, BSI product benchwork certification (on various products), as well as CASA approval as a manufacturing facility for aviation harnesses

It also means we're more than just a "visual inspector" we don't just look at gear, we put it through its paces to ensure it's fit for purpose and won't let you down.

Having our own testing facility on site gives us the unique opportunity to take our products to the limit multiple times throughout the development process instead of relying on fewer, more expensive tests in a foreign lab.

This allows us to identify and solve problems quickly, greatly reducing development costs, resulting in a better and more affordable product for our customers.

Flexibility & affordability

Understanding New Zealand's height safety standards

Height safety is largely a matter of trust. As users, we trust that our equipment has been subjected to rigorous testing and meets the required safety standards. Understanding height safety equipment standards can be difficult for distributors, resellers and consumers alike.

There has been much confusion and misunderstanding of the AS/NZS 1891 group of standards relating to height safety products in New Zealand. It has become apparent that some manufacturers have been marking product to non-existing testing standards, and possibly misleading consumers as a result. Added to this, WAHA Australia have recently uncovered issues with roof anchors and fixed life line systems not meeting the new AS/NZS 5532:2013 standard.

QSI has been working hard to become one of the first IANZ accredited facilities in New Zealand to test to the AS/NZS 1891.1:2007 and AS/NZS 1891.3 standards. This has taken over 3 years to achieve, but has given us much insight into the testing and marking of products to this set of standards.

EN versus AS/NZS Standards

Some importers of product mark their harnesses, shock absorbing lanyards and pole straps to both the EN and AS/NZS 1891.1:2007 standards on the same product. We are often asked, "what is the difference between the AS/NZS 1891.1:2007 standard and the equivalent EN standards?"

The table on the following page details some distinct differences.

It will not be possible for an EN labelled product's test certificate to pass the AS/NZS 1891.1:2007 standard as they could not possibly meet the labelling and marking requirements, just as it would not be possible for the AS/NZS 1891.1:2007 product to meet the EN standard because the marking, labelling and instructions are different.

There is nothing wrong with EN certified product and we at QSI sell and use EN product ourselves. The only difference is that we market it as having the 5 year life span it conforms to, unless we have a UV certificate showing the webbing complies to the AS/NZS UV testing requirements.

AS/NZS 1891.4 is not a Testing Standard

Another big area of concern is the tendency of some companies to mark products to the AS/NZS 1891.4 standard. Although this falls under the family of testing standards, it in itself is not actually a testing standard, but rather a user selection and maintenance guide.

The most common products marked with this standard are anchor points and slings, but we have also seen some harnesses and pole straps marked this way.

The 1891.4-2009 standard clearly states it is for selection, use, and maintenance. If you asked QSI Testing Laboratory to test to this standard we would tell you it is impossible as there are no testing specifications and methods of testing laid out in this document. Furthermore, Section 1.5 of the standard states that compliance to the standard cannot be claimed on any product. The criteria of section 1.5 of AS/NZS 1891.4 2009 is as follows:

1.5 PERFORMANCE REQUIREMENTS

This Standard does not include product performance requirements for height safety equipment. Compliance to this Standard of any such equipment cannot be claimed.

Performance requirements with which items of equipment dealt within this Standard shall comply are specified in AS/NZS 1891, Parts 1, 2 and 3.

If you have product marked or bearing the mark of the AS/NZS 1891.4 standard, or claiming to be tested to and complying to the AS/NZS 1891.4 standard, the product should be examined carefully as it is not possible to test to this standard. Any document claiming to be a test certificate to this standard is likely to be incorrect.

The new AS/NZS 5532:2013 standard is a part of the AS/NZS 1891 group and deals with tripods, davit arms, and both temporary and fixed anchor points. The standard was published in late 2013.

It is important that distributors, resellers, endusers and their employers are educated on what the standards cover. The difficulty of obtaining information about the standards has resulted in some users being misled into thinking certain products meet a nonexistent standard. If anyone feels a product is not up to standard they have the right to ask for the testing certificates, and each model of height safety equipment is required to have its own testing certificate. As users, resellers and distributors become more savvy and better educated on the details of the AS/NZS and EN standards, we hope to see a greater level of compliance for all height safety equipment sold in New Zealand. In the meantime, we advise consumers to be vigilant and not take any manufacturer's claims at face value. Ask questions, ask for certificates, double-check, and get educated; after all, your life and your business could depend on it.



Key differences between EN and AS/NZS hight safety standards

Test criteria	AS/NZS 1891.1:2007 Standard	EN Standard
UV Testing and Lifespan	We are required to conduct a determination of resistance of webbing to light test as per Appendix A of AS/NZS 1891.1:2007. This gives us our 10-year life span on webbing products certified to the AS/NZS 1891.1:2007 standard. Actual certificate is needed on the webbing, not the thread.	EN standards do not require UV testing as the product is only required to last 5 years.
Dynamic Drop Testing	The AS/NZS 1891.1:2007 dynamic drop test is conducted on a 2m x 12mm diameter, three- strand, polyester hawser-laid rope. Each harness will have a 'head-up' and 'head-down' drop on the fall arrest attachment points. On a head-up drop it will generate over 12kN of force during the drop and the head-down could be as much as 16kN to 18kN. The AS/NZS standard does not specify a force requirement that the harness needs to be exposed to, but the force generally exceeds the 12kN load due to the lack of stretch in the polyester rope. Thus, most of the energy ends up in the harness.	The EN 364 standard requires a single mountaineering rope of 11mm diameter. This is known as kernmantle rope and has more stretch in it than the 12mm polyester rope. The EN test also requires a head-up and head-down drop on the fall arrest attachment points. If the testing facility uses dynamic mountaineering rope, this has a lot of stretch to allow for some shock absorption during a climber's fall, this is why the EN standard specifies a minimum force requirement of 7.5kN that needs to be achieved on the first drop.
Marking and Labelling	The marking and labelling requirements as per AS/NZS 1891.1:2007 section 6.1 (Instructions for use) and section 6.2 (marking) are very specific on font size, label layout, and details that need to be included in the warning labels as well as the instruction book. The AS/NZS 1891.1:2007 product needs a clear date of withdrawal.	The EN requirements are vastly different in terms of labelling and instructions for use, even to the point of using an "A" symbol to indicate the fall arrest attachment point. The EN product only requires a date of manufacture. The 5 year life is standard unless specified differently by the manufacturer on the basis of a UV certificate.

Height safety training & gear inspection

Our drop test tower and classroom space are regularly used by external training organisations as a venue for height safety training courses.


If you or your team members need to attend an accredited training course but are not sure where to start, feel free to contact us and we'll put you in touch with an appropriate provider.

All height safety gear must be inspected by a competent person on a regular basis as required by the AS/NZS 1891.4 standard:

- Harnesses, lanyards, pole straps, etc: six monthly. (All products covered by the AS/NZS 1891.1 standard)
- Retractable lanyards: Annually. (All products covered by the AS/NZS 1891.3 standard)

If a suitable person cannot be found in your organisation, or if you prefer to leave this up to the experts, we recommend you take advantage of QSI's visual inspection service.*

Email **info@qsisafety.com** for more information.



Selecting the correct fall Calculating fall protection equipment

The A, B, C, D of fall protection covers all the fundamental points of personal fall protection, but before you can use or select the correct equipment you need to be adequately trained. There are dedicated NZQA and AQTF training courses focusing on height safety as well as best practice guidelines for working at height and on roofs in New Zealand and Australia.

A – Anchor

The anchor point is one of the critical elements of the fall arrest system. TheAS/NZS 1891.4 guidelines state a single anchor point needs to be 15kN, and 21kN if two users are attached to the same point.

B – Body support

Full body harnesses are what connects the user to the fall arrest system and they come in a variety of styles. The AS/ NZS 1891.1:2007 standards differ from other international standards as they have been written to ensure the product conforms to the higher UV levels experienced in Australasia as well as having a minimum of two fall arrest attachment points (sternal and dorsal).

C - Connectors

Connectors are used to make the link between the body support and the anchor device, they come in various styles and configurations.

D – Descent and Rescue

In the event of a fall there must be a system or plan in place to allow the user to descend safely to the ground or be rescued without endangering the user or other colleagues.


clearance

Fall Clearance is the distance needed to safely arrest a fall so that the user does not strike an object below or the ground.

General Calculation:

(FC)	Fall Clearance	FC = FFD + SA + WH + SF
(FFD)	Free Fall Distance	Maximum length: 2m
(SA)	Maximum Length of Extended Shock Absorber	1.75m for standard unit 1.95m for 150kg unit
(WH)	Height of Worker	Average: 1.7m
(SF)	Safety Factor	Minimum: 1m

As per AS/NZS 1891.4 the Fall Clearance (FC) can be reduced by limiting the free fall distance (FFD) and reducing the amount of shock absorber tear out (SA). FFD - Free SA – Shock Fall Distance Absorber Ext. 600mm 300mm 1000mm 500mm 1500mm 600mm 2000mm 900mm



Fall Factor 0 Indicates that you have reduced as much free fall distance as possible by attaching your lanyard above you.

Fall Factor 1 Indicates your anchor point is at the same level as your attachment point on the harness. This means that you will potentially fall the full length of your lanyard (2m on a 2m lanyard).

Fall Factor 2 Is the worst case scenario, where you are anchored at your feet. This means you will fall up to twice the length of your lanyard. A total of 6.75m clearance would be required when using a 2m lanyard.

What's in the box?

Congratulations, you've made a great decision to invest in your safety with QSI height safety gear.

Before you make your purchase, check the sticker on the front of the box to make sure you've picked the product that's right for you.

Inside the box you'll find more than just great height safety gear. There are two important items that you must not throw away: The Product Instructions Booklet and Certificate of Conformity.





NCE		Qs
RMA	This Certificate confirms on this document is man comply with AS/NZS star international standards.	
ONFORMANCE	conforming to AS/NZS ISO 900 Also assessed by IANZ as a me	o operate a management system 2008 Telarc registered No:10387 chanical testing laboratory No for AS/NZS 1891.1:2007. AS/NZS
ö	PRODUCT NAME	MODEL NUMBER
ЦO	SERVI NUMBER	MANUFACTURE DATE:
쁜	APPLICABLE STANDARDS	SERVICEABLE V/N
CATE	INSPECTED BY:	INSPECTION DATE:
1.1	INSPECTION CYCLE	WITHORNIAL DATE:
RTI		Quality Safety New Zealand (QS) t 5 Pacific Park, Pacific Place, Wanganu
Ξ.		info@qaisafety.com www.qaisafety.com



Product instructions booklet

This booklet contains donning and safe use instructions for QSI harnesses, lanyards and metal hardware. Find your product and read the instructions carefully - your life may depend on it.

Store the booklet with the equipment so anyone else who needs to use it can learn how to do so safely.

Certificate of conformity

This certificate is your guarantee that the product has been manufactured and tested to the appropriate AS/NZS or other applicable international standard.

All the key information for your particular product is recorded on the certificate including how often it should be inspected and when it should be withdrawn from service and disposed of.

Inspection record

On the reverse side of the certificate you'll find an Inspection Record table, essential for the safe, long-term use of your equipment. AS/NZS 1891.4 requires that your gear is inspected regularly:

- Six-Monthly: Harnesses, lanyards, pole straps, etc (all products covered by the AS/NZS 1891.1 standard)
- Annually: Retractable lanyards (all products covered by the AS/NZS 1891.3 standard)

These inspections must be recorded in the Inspection Record on the back of the Certificate of Conformity as proof you comply with the standards and are adhering to workplace safety legislation.



Full body harness - SBE2 series







SBE2KQRPRO is pictured with optional extension strap.

Features

Our standard Full Body Harnesses feature two attachment webbing loops and a dorsal attachment D-Ring for fall-arrest. The sternal attachment points are particularly suitable for use with rope or cable grabs and offer a comfortable position to work from as well as for rescue.

High strength, easy adjustment webbing buckles are used on both legs and chest. Other features include easy-grip shoulder adjustment buckles, webbing fall arrest loops and high strength stitch pattern.

The SBE2 is available in sizes 3XL and above for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

Optional Extras:

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)
- Certified to: AS/NZS 1891.1:2007

Product Codes

SBE2	Full Body Harness
SBE2K	Full Body Harness with Lower Chest Loops
SBE2KQR	Full Body Harness with Lower Chest Loops and Quick Release Buckles
SBE2KQRPRO	Same specs as KQR model above, plus X-Factor Shoulder Padding

Optional accessories



**

on request

D-Ring Harness backpack extension strap



X-Factor shoulder





Features This harness takes all the great features of the SBE2 Full Body Harness and adds confined space loops to the shoulder straps to make it suited for workers in confined spaces. The loops can be used with a spreader bar during emergency retrieval situations to comfortably raise or lower the user.

The SBE3 is available in sizes 3XL and above for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

Optional Extras:

SBE3KQR

General U: Construction

~

SBE3KQRPR0

Product Codes	
SBE3	Full Body Harness with Confined Space Loops
SBE3K	Full Body Harness with Confined Space Loops and Lower Chest Loops
SBE3KQR	Full Body Harness with Confined Space Loops, Lower Chest Loops and Quick Release Buckles
SBE3KQRPRO	Same specs as KQR model above, plus X-Factor Shoulder Padding

SMALL & sizes available on request



padding system

SBE3KQR is pictured.







premium height safety equipment basic harnesses

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)

Certified to: AS/NZS 1891.1:2007

Optional accessories



Harness backpack



D-Ring extension strap





X-Factor shoulder padding system

Full body harness with waist belt and work positioning D-rings - SBE4 series



Features

SBE4

**

bile Platfo

This harness is the perfect choice for workers needing more stability, support and a hands-free solution.

QSI have added a sturdy waist belt and lateral D-Rings to allow the user full control over their positioning using a pole strap.

The SBE4 is available in sizes 3XL and above for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

Optional Extras:

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)

Certified to: AS/NZS 1891.1:2007

Product Codes

SBE4

Full Body Harness with Waist Belt and D-Rings, plus Lower Chest Loops and Quick Release Buckles.

Optional accessories













Optional Extras:

Product Codes

SBE4KQR

SBE4KQRPRO



Harness backpack

D-Ring extension strap

X-Factor shoulder padding system

The SBE4KQR model adds Quick Release Buckles in place of the standard buckles on chest, waist and leg straps, and gives you lower chest loops by swapping the position of the loops and shoulder strap adjustment buckles.

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)

Certified to: AS/NZS 1891.1:2007

	Full Body Harness with Waist Belt and D-Rings, plus lower Chest Loops and Quick Release Buckles
ט	Same specs as KQR model above, plus X-Factor Shoulder Padding

Optional accessories



Harness backpack



extension strap





X-Factor shoulder padding system

Full body harness with waist belt, D-Rings and confined space loops - SBE5 series



premium height safety equipment **basic harnesses**



optional extension strap (confined space loops removed).



Features

The SBE5 combines all the great features of the SBE3 and SBE4, and adds a full padded waist belt for increased user comfort and support. Large D-Rings provide lateral stability and a handsfree solution using Work Positioning Lanyards, while confined space loops on the fully adjustable shoulder straps allow easy extraction from tight spaces.

The SBE5 and SBE5Rig are available in sizes 3XL and above for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

Optional Extras:

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)

Certified to: AS/NZS 1891.1:2007

Product Codes

I I Oudet Oode	3
SBE5	Full Body Harness with Padded Waist Belt, D-Rings and Confined Space Loops
SBE5KQR	Full Body Harness with Padded Waist Belt, D-Rings and Confined Space Loops, plus Lower Chest Loops and Quick Release Buckles
SBE5KQRPR0	Same specs as KQR model above, plus X-Factor Shoulder Padding and Confined Space Loops removed
SBE5RIG	Full Body Harness with Padded Waist Belt, D-Rings, Confined Space Loops and Restraint Points

Optional accessories

SMALL & 3XL sizes available



D-Ring backpack extension strap



X-Factor shoulder padding system



on request





Full body self-conforming adjustable harness with dorsal and sternal D-Rings - SBE8



SBE8QRPRO is pictured with

optional extension strap.



The harness includes dorsal and sternal attachment D-Rings for fall-arrest. High strength, easy adjustment webbing buckles are used on both legs and chest. Other features include easy-grip shoulder adjustment buckles and high strength stitch pattern.

The SBE8 is available in sizes 3XL and above for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

Optional Extras:

- SBE8QRPRO

Product Codes

SBE8 SBE8QR

SBE8QRPR0





SBE5KQRPR0

Our SBE8 Full Body Harness sets the bar for comfort and flexibility with a new innovation from QSI: the Ring Junction. Shoulder, chest and side straps meet at rings just below the chest where they can each slide and rotate to conform to the user's body shape. The end result is a simple harness that fits more people more comfortably than ever before.

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- · Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)

Certified to: AS/NZS 1891.1:2007

Full Body Self-Conforming Adjustable Harness
Full Body Self-Conforming Adjustable Harness with Quick Release Buckles
Same specs as QR model above, plus X-Factor Shoulder Padding

Optional accessories



Harness backpack



D-Ring extension strap





X-Factor shoulder padding system

Full body cross link harness - SBE9 series



SBE9PRO is pictured.

Features

The SBE9 is a new crosslink design featuring floating shoulder and leg straps. The harness includes two attachment points located on the centre front and centre back.

For general use, construction, mobile platforms and roofing.

Suitable for fall arrest from both front and rear 'D' rings.

The standard harness is a one-size-fits-all covering M - 2XL.

Larger 3XL+ are available for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

Certified to: AS/NZS 1891.1:2007

Product Codes

SBE9	Full Body Cross Link Harness
SBE9PR0	Full Body Cross Link Harness, plus X-Factor Shoulder Padding

Optional accessories



Harness D-Ring backpack extension strap



X-Factor shoulder padding system





Features

spaces.

The SBE7 is available in sizes 3XL and above for use in conjunction with a 150kg rated fall arrest block. See pg. 130 for more information.

NOTE: SBE7 comes standard with X-Factor shoulder padding. Certified to: AS/NZS 1891.1:2007

Product Codes

SBE7



Pictured tools not included.

The SBE7 has been developed in conjunction with the construction industry. The shoulder padding, single centre chest D-Ring and quick release buckle make for increased user comfort and support.

Large D-Rings provide lateral stability and a hands-free solution when used with Pole Straps. Confined space loops on the fully adjustable shoulder straps allow easy extraction from tight

The padded waist belt includes handy tool loops.

Full Body Harness with Padded Waist Belt, D-Rings and Confined Space Loops

Full body multitask harness - SBEMT



Features

The SBEMT Multitask Harness is an innovative design allowing the user full adjustment on the chest, legs and position of the Dorsal D-Ring. The result is a harness that fits more users more comfortably.

A standard harness will fit from a medium to a 2XL sized worker. We believe the webbing-to-buckle adjustment relationship is critical to happy users, as well as the ease of putting on the harness. With this in mind we designed our Multitask Harness to be what the workforce is looking for.

In the event of a fall the durable Polyester webbing in our design evenly distributes the impact over the thighs, torso and buttocks. Polyester is known for being wear resistant and nonstretch when compared to other materials, so the harness does not stretch dangerously out of shape when subjected to a fall, reducing the risk of slipping out of the harness.

Our arrest products are designed to meet the high demands of the industry, and the high-quality fittings and easy adjustability of the SBEMT model ensures high user acceptance.

Our harnesses have been specifically designed to meet the AS/ NZS 1891.1:2007 standard.

- Superior webbing to buckle relationship, effortlessly slides through the buckle for easy adjustment.
- Shoulder adjustment allows harness to fit people of different heights.
- Standard harness fitting is from M to XXL, accommodating a larger workforce.
- Easy no-tangle donning.
- The sternal point is particularly suitable for use with rope or cable grabs. It offers a comfortable position to work from.
- Ideally positioned sit-strap for extended comfort.
- Lateral D-Rings: For attachment with pole straps, to enable the worker to work comfortably, with both hands free.
- Padded Belt: Increases support and worker productivity.

SMALL & 3XL+ sizes available on request

Certified to: AS/NZS 1891.1:2007

Product Codes

SBEMT Full Body Multitask Harness



Premium full body harness range



A range of colour options available on request. Lead times for manufacture may vary.





Supplied in our high quality colour scopic backpack

SBE3² shown

Lightweight, high strength

Colour-coded

shoulder and

back padding

aluminium D-Rings

Premium full body harness - SBE2²



Premium full body harness with confined space loops - SBE3²

Constructi

<u>___</u>



Features

This harness takes all the great features of our SBE2² Full Body Harness and adds confined space loops to the shoulder straps to make it suited for workers in confined spaces. The loops can be used with a spreader bar during emergency retrieval situations to comfortably raise or lower the user.

Product Codes SBE32

SMALL 8 3XL+ Our Premium Full Body Harness features two attachment webbing loops and a dorsal attachment D-Ring for fall-arrest. The sternal attachment points are particularly suitable for use with rope or cable grabs and offer a comfortable position to work from as well as for rescue.

High strength, easy adjustment webbing buckles are used on both legs and chest. Other features include easy-grip shoulder adjustment buckles, webbing fall arrest loops and high strength

Certified to: AS/NZS 1891.1:2007

Colour Scopic Full Body Harness

Certified to: AS/NZS 1891.1:2007

Premium Full Body Harness with Confined Space Loops

Premium full body harness with padded waist belt, D-rings and confined space loops - SBE5²



Features

The SBE5² combines all the great features of the SBE3² and SBE4, and adds a full padded waist belt for increased user comfort and support. Large D-Rings provide lateral stability and a hands-free solution using Work Positioning Lanyards, while confined space loops on the fully adjustable shoulder straps allow easy extraction from tight spaces.

Certified to: AS/NZS 1891.1:2007

Product Codes

SBE52

Premium Full Body Harness with Padded Waist Belt, D-Rings and Confined Space Loops

Premium full body multitask harness - SBEMT²

SMALL &

3XL+

on request



Features

Takes the same great design of the standard SBEMT and adds more comfort features with Quick Release buckles and Easy Waist Adjustable Buckle.


Certified to: AS/NZS 1891.1:2007

Product Codes


SBEMT2 Premium Full Body Multitask Harness



Evo standard rig restraint harness - SBEEVORIG



Evo arborists sit harness - SBEEVOARB





SBEEVOARB

QSi Catalogue 120

The QSI Evo Harness is an innovative design allowing the user full adjustment of the chest, legs and position of the Dorsal D-Ring. As a result, the QSI Evo Harness range fits more users,

The standard harness will fit from a medium to a 2XL worker. QSI believe that webbing to adjustment relationship is critical to happy users, as well as the ease of putting on the harness. With this in mind we designed the Evo to be what the workforce is

In the event of a fall, the durable polyester webbing distributes the impact evenly over the thighs, torso and buttock region. Polyester is known for being wear resistant and non-stretch when compared to other materials, so the harness does not stretch dangerously out of shape when subjected to a fall, therefore the wearer does not risk slipping out of the harness.

Certified to: AS/NZS 1891.1:2007

	Evo Tower Harness
-	Evo Full Body Harness (not pictured)
	Evo Standard Rig Restraint Harness (not pictured)

The SBEEVOARB was designed by local arborists who needed a working harness that combined safety and flexibility like never

The extra-wide, semi-rigid waistbelt offers exceptional support. The harness is easy to don with FAST buckles on the waistbelt and

An attachment bridge provides lateral mobility. This is attached to the waistbelt and to the leg loops by a locking buckle to increase hang time, in order to distribute the pressure evenly between the waistbelt and leg loops.

The two lateral attachment points transfer the weight evenly around the waistbelt for comfort while leaning back in the belt (when feet are supported). Eight adjustment points means the user can customize the fit more easily for a greater level of comfort

Other features include:

- Three equipment loops with protective sheaths
- One ring for attaching a hand saw
- Note: pictured rope, carabiner and rope grab not included

Product Codes

Evo Arborists Sit Harness

Kevlar full body harness with confined space loops - SBE3NZKEV



Features SBE3NZKEV

This harness is made with Kevlar webbing and Kevlar thread to help keep welding and grinding sparks damage to a minimum.

Taking all the great features of the SBE3K Full Body Harness, with confined space loops on the shoulder straps to make it suiteable for workers in confined space environments.

The shoulder loops can be used with a spreader bar during emergency retreival situations to comfortbaly raise or lower the user.

Certified to: AS/NZS 1891.1:2007

Product Codes

SBEMT2 Premium Full Body Multitask Harness



Flame retardant harness vest



Features

exorbitant.

The FR Harness Vest is comprised of a 100% FR treated cotton vest with an integrated SBE2KQR full body harness. The vest provides thermal and burn protection to the harness webbing and the wearer, and features several flaps that allow easy access to the dorsal D-Ring and chest loops.

The FR Harness Vest is also available to order with many other harnesses in our range. Please contact us for more information.

The vest detaches from the harness, allowing either item to be replaced as required, and makes the harness available for inspection. This combination makes donning the harness easy.

Other features include:

Note: Although the FR Harness Vest will not catch alight, large pieces of welding splatter or similar may penetrate the garment if left in contact.

Product Codes

FRHARNVEST FRHARNVEST

6mm Steel cable shock absorbing lanyard

Features

Product Codes

S041





One of the biggest challenges facing construction companies is keeping welding and grinding sparks off the harness webbing. High tech Kevlar/Nomex harnesses are available but the cost is

QSI brings you the solution: The FR Harness Vest.

· Self extinguishing fabric, will not catch alight.

• Protection against arcing.

· Adjustable sides for a secure fit.

· Lightweight and easy to wear.

· Handy chest pockets.

Harness certified to: AS/NZS 1891.1:2007

-	FR Harness Vest + SBE2KQR
01	FR Harness Vest Only

This lanyard features 6mm steel cable and a flame resistant sleeve over the webbing shock absorbing block. It is ideal for use when welding or grinding, where sparks or fire are a risk.

Certified to: AS/NZS 1891.1:2007

2m Long - 6mm Cable Shock Absorbing Lanyard, Triple Locking Carabiner and Scaffolding Hook

Y-Tech[™] Pro Tower Harness - YTECH-PRO







Features

The Y-Tech™ Pro Tower Harness has been developed following extensive consultation with our power utility end-users, giving them the features they desire most.

This permium harness has been designed to eliminate restriction on the shoulders, allowing total upper body movement.

Features include:

- · Alloy components.
- · Webbing dorsal ring.
- Pole strap attachment points.
- Glove and barriered from waist up.
- Free fall arrest attachment points. Chest straps raise or lower seat for comfort.
- Easy donning & doffing due to the quick release buckles and specialised design.
- Y-shaped back reduces the pressure on the upper torso allowing more freedom to reach out.
- Bright colours with reflective stitching built into the webbing allows for higher visibility under work lights.
- Reduced obstructions on the top of the harness help prevent entanglement while working through power lines.
- · Flexible, water-resistant padding on waist and seat allows continued comfort for long periods of time, even while sitting in a vehicle.
- Rear buckle to allow for adjustment of the back webbing ring (this allows for users of different heights to be comfortable).
- · Adjustable seat that can be adjusted to allow for comfortable seating during pole strap work. This unique feature allows the user to customise the seat to their work style.

Certified to: AS/NZS 1891.1:2007 **Design Registration Number: 201815478**

Product Codes

YTECH-PRO Premium Y-Tech tower harness

Harness includes



Supplied in our high quality Colour Scopic Backpack





See pg 189 for details of

safety helmet



Live Wire Pro Cross Over Tower Harness - SBELW-PRO







SBELW-PRO

Supplied in our high quality Colour Scopic Backpack



Quick release aluminium leg and waist buckle

QSi's plugged



sizes available on request

The Live Wire Pro gives you a new level of comfort, flexibilty and

Combining elements of our SBE9 Crosslink Harness, SBETH Tower Harness and Arborists Harness, the Live Wire Pro is a premium harness you can comfortably work in for hours.

Features include:

Features

safety.

- Webbing dorsal ring.
- Front and rear fall arrest D-rings.
- Fully padded lower back and seat for extra comfort.
- · Fully insulated dielectric upper body hardware.
- · Alloy components lighter and less prone to corrosion.
- · Crosslink design to take stress off the shoulders and provide a greater range of movement.
- Pole strap attachment points that guide the forces through the buttocks instead of the back.
- The unique design helps eliminate suspension trauma when the user is suspended from the front D-ring or side pole strap rings.
- The leg fastening straps do not pass through the groin area which helps relieve pressure and circulation problems in fall situations.
- · The adjustable seat and wide back padding provides comfortable support when working under work-position tension for long periods of time.

Certified to: AS/NZS 1891.1:2007

Product Codes

Live Wire Pro harness

Harness includes



Quick release aluminium leg and waist buckle



See pg 189 for details of QSi's plugged safety helmet



Full body tower harness - SBETH²



premium height safety equipment electrical work harnesses

Features

The Tower Harness takes height safety to a whole new level. Specially designed for high voltage electrical situations, the harness is gloved from the waist up to make it suitable for linesman work.

It features insulated chest buckles and polyester webbing Dorsal D-Ring to reduce the risk of electric shock, as well as a padded waist belt and lateral D-Rings for hands free stability.

The built-in Support Seat gives added comfort and enables the user to work from the harness for extended periods of time.

Our colour options upgrade makes an already excellent harness even better.

Certified to: AS/NZS 1891.1:2007

Product Codes

SBETH² Full body tower harness

Harness includes







Supplied in our high quality Colour Scopic Backpack

Quick release aluminium leg and waist buckle

safety helmet

See pg 189 for details of QSi's plugged

on request

Dielectric full body harness - SBE2KDE



126 QSi Catalogue

Features

Designed for line workers operating from cherry picker buckets, The Dielectric Harness is based on our standard SBE2K full body harness with the added safety of fully insulated steel hardware across the entire harness. The buckles, adjusters and dorsal D-ring are all coated in a strong, non-conductive plastic for total peace of mind when working near live wires.

Product Codes

SBE2KDE Dielectric full body tower harness



Glove and barrier harness - SBE3GB



for line work.

Features

Product Codes SBE3GB

SMAL 3 sizes available on request

Glove and barrier harness - SBE5GB

SBE5GB Features

for line work.

Product Codes SBE5GB



00 Several of our standard harnesses are available in Glove and Barrier versions with insulated chest buckles, suitable

Certified to: AS/NZS 1891.1:2007

	Full Body Glove and Barrier Harness with Confined Space Loops
.L &	

Several of our standard harnesses are available in Glove and Barrier versions with insulated chest buckles, suitable

Certified to: AS/NZS 1891.1:2007

Full Body Glove and Barrier Harness with Padded Waist Belt, D-Rings and Confined Space Loops



Suspension trauma strap







Features

The Suspension Trauma Strap is designed to prevent suspension trauma while a worker is awaiting rescue.

What is Suspension Trauma?

This condition can occur when a person remains suspended at height (after a fall) for even short periods of time.

Suspension in a harness may cause blood to pool in the veins of the legs which can result in unconsciousness; if not rescued promptly, serious injury or death may occur.

Product Codes

SBESTS Suspension trauma strap

Add your branding to QSi height safety gear



1.060

Your logo printed and sealed under the heat shrink plastic of

your shock absorbing block.

Block Label

We understand the importance of brand recognition but unfortunately most height safety gear tends to cover up any branding you might have on your clothing. We've found the

As a local manufacturer we have the unique ability to offer you custom branded harnesses and lanyards. These additions have been tested rigorously to ensure the equipment continues to comply with the appropriate safety standards, giving you brand recognition without compromising the safety of your team.

Both monochrome and full colour options are available.

Custom Branding Codes SETUP

CUSTBRAND CUSTBRAND CUSTBRAND CUSTBRAND

AirTech[™] breathable padding system

premium height safety equipment **harnesse accessories**



Stitching Pattern allows airflow around and through the Foam Padding



Features

Our new padding material is perfectly suited to hot environments, with breathable foam and fabric to keep you cooler for longer.

Available as an option in place of standard padding on all our padded harnesses including the SBE5, SBE7, SBEMT, SBETH and the entire ColourScopic range.

AirMesh Polyester Outer Skin

Open-Cell Foam Padding

AirMesh Polyester Lining

X-Factor shoulder padding system



	.
Product	Codes

SBEXFP X-Factor Shoulder Padding





Harness Cross Piece A strong Cordura panel attached to both rear straps of the harness, screen printed with your logo.

Harness Label Wallet Our standard Cordura label wallet printed with your logo.

D Ring Extension Strap (does not include maillon)



Product Codes

SBEXS





	Artwork Setup Fee
01	Harness Cross Piece
12	Harness Label Wallet
13	Branding Patch
)4	Block Label



Branding Patch A simple length of Cordura printed with your logo and sewn onto the webbing of your harness or lanyard.

D Ring Extension Strap (does not include maillon)


Triple action talon hooks

Our triple-action Talon Hook™ is the latest evolution in snap hooks. This product requires three separate actions to open the gate, greatly reducing the potential for accidental release. Much like the eagle depends on its talons for survival, you can depend on the Talon Hook[™] for a new level of safety while working at height.

The talon shape and wide gate opening of this hook means it clips on to a wider variety of attachment points, while still being compact and lightweight.

Why Talon Hooks™?

- Robust Steel Construction
- Secure Triple Action Mechanism
- Versatile Hook Design



Pole straps

We develop and produces our own webbing pole straps using the highest quality polyester webbing and synthetic stitching. Our unique stitching pattern prevents the hook folding back on itself, maintaining the strength of the webbing without the need for a plastic keeper. Available in custom lengths over 2.5m.

Pole strap with talon hooks[™]




Features

Designed to be attached to user's belt at the waist and slung around a pole for work positioning. Talon Hooks™ at both ends with an adjustable stainless steel buckle. Certified to: AS/NZS 1891.1:2007

Product Codes

SBL11STAL	Pole Strap with Talon Hooks™ - 2.5m
SBL11S2TAL	Pole Strap with Talon Hooks™ - 2.2m
SBL11S3TAL	Pole Strap with Talon Hooks™ - 1.8m
SBL11S4TAL	Pole Strap with Talon Hooks™ - 1.5m

Pole strap



Pole strap with swivel hook



Product Codes

SBL11S4

SBL14AS	Pole Strap with Swivel Hook - 2.5m
SBL14AS2	Pole Strap with Swivel Hook - 1.8m
SBL14AS3	Pole Strap with Swivel Hook - 1.5m

Kernmantle rope pole strap with rope grab



Features

The combination of AS/NZS approved Kernmantle rope and rope grab allows the user to quickly adjust the length of the strap on the fly. Available with either a Double Action Hook or Swivel Hook. Certified to: AS/NZS 1891.1:2007

Product Codes

SBL12A	Kernmantle Pole Strap with Rope Grab and DA Hook - 2.5m
SBL12A2	Kernmantle Pole Strap with Rope Grab and DA Hook - 1.8m
SBL12A3	Kernmantle Pole Strap with Rope Grab and DA Hook - 1.5m
SBL12AS	Kernmantle Pole Strap with Rope Grab and Swivel Hook - 2.5m
SBL12AS2	Kernmantle Pole Strap with Rope Grab and Swivel Hook - 1.8m
SBL12AS3	Kernmantle Pole Strap with Rope Grab and Swivel Hook - 1.5m

Kernmantle rope pole strap with SIR adjuster



Features

Product Codes

SBL12ASIR

Designed to be attached to user's belt at the waist and slung around a pole for work positioning. Double Action Hooks at both ends with an adjustable stainless steel buckle.

Certified to: AS/NZS 1891.1:2007

Pole Strap - 2.5m
Pole Strap - 2.2m
Pole Strap - 1.8m
Pole Strap - 1.5m

Designed to be attached to user's belt at the waist and slung around a pole for work positioning. Carabiner at one end and Swivel Hook at the other end.

Certified to: AS/NZS 1891.1:2007

This premium pole strap allows the user to set the length quickly and easily with the SIR adjuster.

Certified to: AS/NZS 1891.1:2007

Adjustable 12mm Rope Pole Strap with SIR adjuster & MH009 Hook - 2.5m

Triple locking carabiner lanyards

Triple Locking Carabiners combine a higher level of safety with a fast, easy to use action.

Unlike screw-gate carabiners that must be manually locked and unlocked, the triple locking carabiner automatically locks in place as the gate closes, so you never have to worry about whether you or your colleague remembered to do it.

It also requires three distinct movements to open, helping prevent accidental release while still being easy to operate with a single hand.



Webbing - Fixed-length

Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. If you intend to use your lanyard with a D-Ring Extension Strap, be sure to choose the 1.5m lanyard.

Single leg lanyard



Features

Shock absorbing lanyard with triple locking carabiner and double action hook. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

Product Codes	

S001C	1.5m Single Leg - 1 Triple Action Carabiner and 1 double action hook
S002C	2m Single Leg - Triple Action Carabiner and 1 double action hook

NOTE - Our standard range of lanyards are suitable for up to 120kg user limit. For user weights over 120kg, please refer to page 146 onwards.

Single leg lanyard with scaffolding hook



Double leg lanyard with twin scaffolding hooks



S007C

S008C

Double leg 25mm shock absorbing lanyards



1m Ladder climbing lanyard



Features

Short, double leg shock absorbing 25mm webbing lanyard with triple locking carabiner and twin scaffold hooks. Designed to provide fall protection while working on ladders.

Note: ensure your ladder is of sufficient strength to take your weight in a fall and is securely attached to a permanent structure. Certified to: AS/NZS 1891.1:2007

S075C

Shock absorbing lanyard with scaffolding hook and triple locking carabiner. Available in 1.5m and 2m lengths.

Certified to: AS/NZS 1891.1:2007

1.5m Single Leg - 1 Triple Action Carabiner and 1 scaffolding hook
2m Single Leg - 1 Triple Action Carabiner and 1 scaffolding hook

Double leg shock absorbing lanyard with twin scaffolding hooks and triple locking carabiner. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

Product Codes

1.5m Double Leg - 1 Triple Locking Carabiner and twin scaffolding hooks
2m Double Leg - 1 Triple Locking Carabiner and twin scaffolding hooks

These lanyards feature 25mm webbing with carabiner and twin scaffolding hooks and come in three lengths.

Certified to: AS/NZS 1891.1:2007

1.5m Double Leg 25mm - 1 Triple Locking Carabiner and twin scaffolding hooks
1.75m Double Leg 25mm - 1 Triple Locking Carabiner and twin scaffolding hooks
2m Double Leg 25mm - 1 Triple Locking Carabiner and twin scaffolding hooks

Product Codes

1m Ladder Climbing Lanyard

Webbing - Adjustable

Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. When using an adjustable lanyard with a D-Ring Extension Strap, ensure the combined length of strap and lanyard never exceeds 2m.

Adjustable single leg lanyard



Features

Adjustable shock absorbing lanyard with triple locking carabiner and double action hook. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

Product Codes

S014C 2m Adjustable Single Leg - 1 Triple Action Carabiner and 1 Double Action Snap Hook

Adjustable double leg lanyard



Features

Adjustable double leg shock absorbing lanyard with twin double action snap hooks and triple locking carabiner. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

Product Codes

S015C 2m Adjustable Double Leg - Triple Locking Carabiner and Twin Double Action Snap Hooks

Adjustable double leg lanyard with twin scaffolding hooks



Features

Adjustable double leg shock absorbing lanyard with twin scaffolding hooks and triple locking carabiner. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S016C

2m Adjustable Double Leg - 1 Triple Action

Carabiner and Twin Scaffolding Hooks

Adjustable single leg lanyard with scaffolding hook



Features

Adjustable shock absorbing lanyard with scaffolding hook and triple locking carabiner. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

Product Codes

S017C

2m Adjustable Single Leg Lanyard w/ Carabiner & Scaff Hook

Kernmantle rope shock absorbing lanyards

Our kernmantle rope lanyards use high quality, static, 11mm AS/NZS approved rope. Precision sewn ends ensure the highest user safety.

Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. When using an adjustable lanyard with a D-Ring Extension Strap, ensure that the combined length of strap and lanyard never exceeds 2m.

Kernmantle single leg lanyard with scaffolding hooks - non-adjustable





Product Codes

S025C

Features

S027C

Kernmantle double leg, double action and twin scaffolding hooks - non-adjustable



Kernmantle adjustable single leg lanyard with triple locking carabiner and double action hook - adjustable



Features Certified to: AS/NZS 1891.1:2007

Product Codes S069

Kernmantle adjustable single leg lanyard with triple locking carabiner and scaffolding hook - adjustable



Product Codes S069S

Features

Kernmantle rope shock absorbing lanyard with scaffolding hook and triple locking carabiner. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

2m Kernmantle Single Leg - 1 Triple Locking Carabiner and 1 scaffolding hook

Kernmantle rope double leg shock absorbing lanyard with twin scaffolding hooks and triple locking carabiner. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

2m Kernmantle Double Leg - 1 Triple Locking Carabiner and twin scaffolding hooks

Adjustable Kernmantle rope shock absorbing lanyard with double action hook and triple locking carabiner. Available in 2m length.

Kernmantle Adjustable Single Leg Lanyard with Triple Locking Carabiner and Double Action Hook

Adjustable Kernmantle rope shock absorbing lanyard with scaffolding hook and triple locking carabiner. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

Kernmantle Adjustable Single Leg Lanyard with Triple Locking Carabiner and Scaffolding Hook

Elasticated webbing shock absorbing lanyards

Our elasticated webbing shock absorbing lanyards provide a compact and flexible lanyard system that expands and contracts with the user's every move, reducing the chances of snagging.

Note: to comply with AS/NZS 1891.1:2007, only lanyards 1.5m or shorter can be used with a D-Ring Extension Strap.

Elasticated single leg, double action and scaffolding hooks



Features

Elasticated shock absorbing lanyard with scaffolding hook and triple locking carabiner. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

Product Codes

S031C	2m Elasticated Single Leg - 1 Triple Locking Carabiner and 1 steel scaffolding hook
S039C	2m Elasticated Single Leg - 1 Triple Locking Carabiner and 1 aluminium scaffolding hook

Elasticated double leg lanyard with twin hooks



Features

Elasticated double leg shock absorbing lanyard with twin scaffolding or giant hooks and triple locking carabiner.

Two lengths available: 2m (with steel scaffolding or giant hooks) and 1.8m (with giant aluminium hooks).

Certified to: AS/NZS 1891.1:2007

Product Codes

S033C	2m Elasticated Double Leg - 1 triple locking carabiner and twin steel scaffolding hooks
S035C	2m Elasticated Double Leg - 1 triple locking carabiner and twin giant steel hooks
S040C	1.8m Elasticated Double Leg - 1 triple locking carabiner and twin giant alloy hooks

Hook opening comparison



Scaffolding Scaffolding Hook (Steel) Hook (Alloy)

Giant Hook (Steel)

(Alloy)

Giant Hook

Webbing shock absorbing lanyards

Our webbing shock absorbing lanyards are made from the highest quality polyester webbing with synthetic stitching. A tear-out section is employed to reduce the forces and limits the effects on a user in a fall below 6kN. These lanyards come standard with double action hooks but most models are also available with triple locking carabiners. All of our Webbing Shock Absorbing Lanyards are AS/NZS 1891.1:2007 compliant.

Fixed-length

Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. If you intend to use your lanyard with a D-Ring Extension Strap, be sure to choose the 1.5m lanyard.

Single leg lanyard




Product Codes

Features

S001 S002

Single leg lanyard with scaffolding hook





Features

S003 S004

Double leg lanyard with 3 double action hooks



Features

Product Codes

S005 S006

Double leg lanyard with twin scaffolding hooks



Features Double leg shock absorbing lanyard with twin scaffolding hooks and double action hook. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

Product Codes

S007

S008

136 QSi Catalogue Shock absorbing lanyard with double action hooks. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

1.5m Single Leg - 2 Double Action hooks
2m Single Leg - 2 Double Action hooks

Shock absorbing lanyard with double action hooks. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

1.5m Single Leg-1 Double Action hook and 1 scaffolding hook
2m Single Leg - 2 Double Action hook and 1 scaffolding hook

Double leg shock absorbing lanyard with double action hooks. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

1.5m Double Leg - 3 Double Action hooks 2m Double Leg - 3 Double Action hooks

1.5m Double Leg - 1 Double Action hook and twin scaffolding hooks
2m Double Leg - 1 Double Action hook and twin scaffolding hooks

Adjustable

Adjustable single leg lanyard



Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. When using an adjustable lanyard with a D-Ring Extension Strap, ensure the combined length of strap and lanyard never exceeds 2m

Features

S014

Adjustable Shock absorbing lanyard with double action hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

2m Adjustable Single Leg - 2 Double Action hooks

Adjustable double leg lanyard



Features

Adjustable double leg shock absorbing lanyard with double action hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S015 2m Adjustable Double Leg - 3 Double Action hooks

Adjustable double leg lanyard with twin scaffolding hooks



Features

Adjustable double leg shock absorbing lanyard with twin scaffolding hooks and double action hook. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S016

2m Adjustable Double Leg - 1 Double Action hook and twin scaffolding hooks

Adjustable single leg lanyard with scaffolding hook



Features

Adjustable shock absorbing lanyard with scaffolding hook and double action hook. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S017	2m Adjustable Single Leg - 1 Double Action hook and 1 scaffolding hook
	-

Adjustable double leg lanyard with double action and twin giant hooks



Features

Adjustable double leg shock absorbing lanyard with a double action hook and a choice of either steel or aluminium giant hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S045	2m Adjustable Double Leg - 1 Double Action hook and twin giant hooks - steel
S046	2m Adjustable Double Leg - 1 Double Action hook and twin giant hooks - aluminium

Kernmantle rope shock absorbing lanyards

Our kernmantle rope lanyards use high quality, static, 11mm AS/NZS approved rope. Precision sewn ends ensure the highest user safety.

Note: to comply with AS/NZS 1891.1:2007, only lanyards 1.5m or shorter can be used with a D-Ring Extension Strap.

Kernmantle single leg, 2 double action hooks



Features Kernmantle rope shock absorbing lanyard with 2 double action hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes S024

Kernmantle single leg lanyard with scaffolding hooks



Features Kernmantle rope shock absorbing lanyard with scaffolding hook and double action hook. Available in 2m length.

Product Codes S025

Kernmantle double leg, 3 double action hooks



Features Kernmantle rope double leg shock absorbing lanyard with double action hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes S026

Kernmantle double leg, double action and twin scaffolding hooks



Features Kernmantle rope double leg shock absorbing lanyard with twin scaffolding hooks and double action hook. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S027



2m Kernmantle Single Leg - 2 Double Action hooks

Certified to: AS/NZS 1891.1:2007

2m Kernmantle Single Leg - 1 Double Action hook and 1 scaffolding hook


2m Kernmantle Double Leg - 3 Double Action hooks

2m Kernmantle Double Leg - 1 Double Action hook and twin scaffolding hooks

Bucket Lanyards

These lanyards are designed specifically for cherry-picker and scissor-lift work, providing great security and peace of mind when working in a bucket or other mobile platform.

Note: to comply with AS/NZS 1891.1:2007, only lanyards 1.5m or shorter can be used with a D-Ring Extension Strap.



Wear Sheath

Our Bucket Lanyards come with an integrated wear sheath to prevent damage to the lanyard caused by contact with the bucket edge.

Adjustable 2m bucket lanyard



Features

Standard adjustable shock absorbing bucket lanyard with integrated wear sheath and twin triple locking carabiners. Certified to: AS/NZS 1891.1:2007

Product Codes

Adjustable 2m Bucket Lanyard

150kg adjustable 2m bucket lanyard



Features

S076C

The same great features as the standard lanyard but with heavy duty shock absorbing block for use by larger workers up to 150kg. Certified to: AS/NZS 1891.1:2007

Product Codes

S075150C 150kg Adjustable 2m Bucket Lanyard

Elastic webbing shock absorbing lanyards

Our elasticated webbing shock absorbing lanyards provide a compact and flexible lanyard system that expands and contracts with the user's every move, reducing the chances of snagging.

Note: to comply with AS/NZS 1891.1:2007, only lanyards 1.5m or shorter can be used with a D-Ring Extension Strap.

Elasticated single leg, 2 double action hooks



Elasticated single leg, double action and scaffolding or giant hooks



Elasticated double leg, 3 double action hooks



Features

Product Codes

S032

Elasticated shock absorbing lanyard with 2 double action hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

2m Elasticated Single Leg - 2 Double Action hooks

Elasticated shock absorbing lanyard with scaffolding hook and double action hook. Certified to: AS/NZS 1891.1:2007

2m Elasticated Single Leg - 1 Double Action hook and 1 scaffolding hook
1.2m Elasticated Single Leg - 1 Double Action Hook and 1 aluminium scaffolding hook
2m Elasticated Single Leg - 1 Double Action hook and 1 aluminium scaffolding hook
1.8m Elasticated Single Leg - 1 Double Action hook and 1 giant aluminium hook

Elasticated double leg shock absorbing lanyard with double action hooks. Available in 2m length. Certified to: AS/NZS 1891.1:2007

2m Elasticated Double Leg - 3 Double Action hooks

Elasticated double leg lanyard with twin scaffolding hooks



S033



S033A



S033-ANSI





Features

Elasticated double leg shock absorbing lanyard with twin scaffolding hooks and double action hook. Two lengths available: 2m (with standard scaffolding hooks or aluminium rebar hooks) and 1.8m (with giant aluminium hooks). **Certified to: AS/NZS 1891.1:2007**

Product Codes

S033	2m Elastic Double Leg Shock Lanyard w/ 1D/A Hook & 2 Steel Scaff Hooks	
S033A	2m Elastic Shock Lanyard Dbl Leg -1 D/A Hook & 2 Alloy Scaff Hooks	
S033-ANSI	2m Elastic Double Leg Shock Lanyard w/ 1 D/A Hook + 2 x MH011. 16 kN gate strength	
S035	2m Double Leg Elastic Shock Lanyard w/ 1 D/A & 2 Giant Steel Scaff Hooks	
S040	1.8m Twin Leg Shock Lanyard w/ 1 D/A Hook & 2 Giant Alu- minium Scaffhook	

Hook opening comparison



Product Codes


MH011	Aluminium Rebar Hook
MH004	Scaffold Hook - Double Action - Steel
MH007	Scaffold Hook - Double Action - Alloy
MH005	Giant Steel Double Action Hook
MH2084A	Giant Aluminium Scaffold Hook - 23kN



It's not about the harness, it's all about the block

When it comes to ensuring your safety in fall-risk situations, it is crucial that the Energy Absorbing Block attached to the harness is rated to your weight. In the same way that trucks require stronger brakes than cars, heavier people need stronger blocks to absorb the energy of their falls. Although our harnesses can hold many times the weight of an average person, the energy generated in a fall varies greatly depending on the weight of the person, so choose the block that's right for you.

Use this chart to determine which block is suitable for you:



Energy absorbing blocks

Easy to add to your own safety system, these are the same top quality energy absorbing blocks we use in all our shock absorbing lanyards. Also available with carabiners.

Please note: your choice of block is dependent on the weight of the user. Please see overleaf for more information.

Mini energy absorbing block



Features

Features

A compact block for when space is tight. Rated for users up to 120kg. Blocks - Energy Absorbing.

Product Codes

S009KMINI	Mini Energy Absorbing Block
S009KCMINI	Mini Energy Absorbing Block with Carabiners

Energy absorbing block



-10	Rated for use	ers up to 120kg.
197	Product Co	des
	S009K	Energy Abso
<i>y</i>	S009KC	Energy Abso

Customisable energy absorbing block



Features

When our standard blocks don't meet your requirements, you can choose from the following custom options:

Energy Absorbing Block with Carabiners

Energy Absorbing Block

- A variety of webbing colours
- Your logo printed on the label (see page 130.)

· Attachment hardware including double action and scaffold hooks. Rated for users up to 120kg.

Product Codes

S009	Energy Absorbing Block
S009C	Energy Absorbing Block with Carabiners
S009C	Energy Absorbing Block with Carabiners

Energy absorbing block cover



Features

This detachable cover is made of hard-wearing Cordura fabric and is designed to protect energy absorbing blocks from dirt & abrasive surfaces. When used correctly, the loops of the block protrude from each end so it is still easy to attach to your lanyard. The cover is held in place by strong Velcro.

Product Codes

HS03

Energy Absorbing Block Cover

Fixed-length Lanyards

Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. If you intend to use your lanyard with a D-Ring Extension Strap, be sure to choose the 1.5m lanyard.

- Tested to AS/NZS 1891.1:2007 at 100kg.
- Additional test conducted at 150kg.
- Total deployment may be achieved at fall factor 2 and a mass of 150kg.

Heavy duty single leg lanyard



Heavy duty single leg lanyard with scaffolding hook



Features Heavy duty shock absorbing lanyard with 150kg rated Fall Arrest Block, scaffolding hook. Available in 1.5m and 2m lengths.

Product Codes S003-150 S004-150

Heavy duty double leg lanyard with double action hooks



Heavy duty double leg lanyard with twin scaffolding hooks



Heavy duty shock absorbing lanyard with 150kg rated Fall Arrest Block. Available in 1.5m and 2m lengths. Certified to: AS/NZS 1891.1:2007

1.5m Heavy Duty Single Leg Lanyard 2m Heavy Duty Single Leg Lanyard

Certified to: AS/NZS 1891.1:2007

1.5m Heavy Duty Single Leg Lanyard with Scaffolding Hook 2m Heavy Duty Single Leg Lanyard with Scaffolding Hook

Heavy Duty double leg shock absorbing lanyard with two double action hooks, triple locking carabiner and 150kg rated Fall Arrest Block. Available in 2m length. Certified to: AS/NZS 1891.1:2007

2m Heavy Duty Double Leg Lanyard with Twin Double Action Hooks

Heavy Duty double leg shock absorbing lanyard with two scaffolding hooks, triple locking carabiner and 150kg rated Fall Arrest Block. Available in 2m length.

Certified to: AS/NZS 1891.1:2007

2m Heavy Duty Double Leg Lanyard with Twin Scaffolding Hooks

Adjustable Lanyards

Note: to comply with AS/NZS 1891.1:2007, lanyards can be no more than 2m in length. When using an adjustable lanyard with a D-Ring Extension Strap, ensure the combined length of strap and lanyard never exceeds 2m.

Heavy duty adjustable single leg lanyard



Features

Adjustable Heavy duty shock absorbing lanyard with double action hook, triple locking carabiner and 150kg rated Fall Arrest Block. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S014-150 Heavy Duty Adjustable Single Leg Lanyard

Heavy duty adjustable single leg lanyard with scaffolding hook



Features

Adjustable Heavy duty shock absorbing lanyard with scaffolding hook, triple locking carabiner and 150kg rated Fall Arrest Block. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S017-150

Heavy Duty Adjustable Single Leg Lanyard with Scaffolding Hook

Heavy duty adjustable double leg lanyard with double action hooks



Features

Heavy Duty Adjustable double leg shock absorbing lanyard with two double action hooks, triple locking carabiner and 150kg rated Fall Arrest Block. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S015-150 Heavy Duty Adjustable Double Leg Lanyard with Twin Double Action Hooks

Heavy duty adjustable double leg lanyard with twin scaffolding hooks



Features

Heavy Duty Adjustable double leg shock absorbing lanyard with two scaffolding hooks, triple locking carabiner and 150kg rated Fall Arrest Block. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes

S016-150	Heavy Duty Adjustable Double Leg Lanyard with Twin
	Scaffolding Hooks

Heavy duty adjustable double leg lanyard with double rebar hooks



Features Heavy Duty Adjustable double leg shock absorbing lanyard with two aluminium rebar hooks and a 150kg rated Fall Arrest Block. Available in 2m length. Certified to: AS/NZS 1891.1:2007

Product Codes S033C-150

Heavy duty 170kg single leg lanyard



Features

Available in 1.7m length.

Product Codes

S001-170

150kg - 2m Elastic Twin Leg - 1 Triple Lock Carabiner and Twin MH011

Heavy Duty Adjustable single leg shock absorbing lanyard with two triple locking carabiners and a 170kg rated Fall Arrest Block. Certified to: AS/NZS 1891.1:2007

170kg 1.7m Single Leg lanyard W/- 2x MC004

Retractable Lanyards

We have a range of retractable lanyards with either internal braking mechanisms or shock absorbing blocks, using either webbing or steel cable.

All retractable lanyards conform to EN 360.

The AS/NZS 1891.3 standard stipulates any material supplied from overseas that complies with EN 360, EN 353-2 and EN 353-1 is acceptable for use in Australia and New Zealand.

(EN 360: Retractable Type Fall Arresters; EN 352-2: Guided type fall arresters – Flexible Anchorage Line; EN 353-1: Guided Type Fall Arresters - Rigid Anchorage Line and Rails).

2m webbing retractable lanyard



2.5m retractable lanyards



Features

SRLWB02

Features

This retractable webbing lanyard extends to 2.5m and has a shock absorbing block which will deploy in the event of a fall, limiting forces to below 6KN.

This light-weight 2m Webbing Retractable unit has an internal

2m Retractable Lanyard

braking system to reduce the fall forces.

Fully serviceable at the QSI facility.

Certified to: EN 360:2002

Product Codes

The lanyard has been manufactured with triple locking carabiners at both ends, giving a far superior level of safety than what screwgate carabiners offer.

Available with swivel attachment at anchorage end, with fall indicator.

- Retractable Webbing 47mm wide.
- Maximum length: 2.5m
- · Integrated energy absorbing block.
- · Steel triple locking carabiners at anchorage and attachment ends.


Certified to: EN 360:2002

Product Codes SRL2002

2.5m Retractable Lanyard SRL2002SW

2.5m Retractable Lanyard with Swivel

2m micron block retractable lanyard



SCALE DIAGRAM SHOWING RELATIVE SIZE OF THE 2M MICRON BLOCK COMPARED TO A TRIPLE LOCKING CARABINER.



Servicing

Many of our retractable lanyards and cable blocks are serviceable, meaning they can be disassembled by an expert following a fall, checked for damage and made usable again.

All retractable lanyards must be inspected on an annual basis according to the AS/NZS 1891.1:2007 standard. When necessary, they can be inspected by QSI's technical department.





HS170(Y)

The Micron Block is a compact, lightweight retractable lanyard with integrated shock absorbing block. At only 800g, it's very easy to

To give you an idea of how small it really is, we've included an approximate scale image of our triple locking carabiner.

Retractable 21mm width webbing.

Maximum length: 2m

· Comes with your choice of 16kN gate steel snap hook or 16kN gate aluminium scaffold hook.

MBL: 15kN

Features

carry.

Weight: 0.8kg

· Fully serviceable at the QSI facility.

Certified to: EN 360:2002

NOTE - All microns work in sharp-edge and horizontal useage.

Product Codes

MIC02	2m Micron Block Retractable Lanyard with Snap Hook
MIC02SCAFF	2m Micron Block Retractable Lanyard with Scaff Hook
MIC03.5	3.5m Micron Block Retractable Lanyard with Snap Hook
HS169	Twin SRL Connector
HS170(Y)	Single SRL Connector







Features

The new 3.5m unit gives extra reach and has an internal braking system to reduce the fall forces.

- · Webbing and Stainless Steel Cable versions available.
- Fully serviceable at the QSI facility.
- Certified to: EN 360:2002

Product Codes

SRLSS3.5 3.5m Retractable Lanyard - Stainless Steel Cable

Cable blocks





Product C	
SRLS10	
SRLS15	

SRLS30

Features



6m retractable lanyard



Features

Casing is made of light Aluminium Alloy and comes with 25mm wide webbing. Swivel action eye prevents rope from twisting while working or in the event of a fall.

• Fully serviceable at the QSI facility.

Certified to: EN 360:2002

Product Codes

SRLWB06 6m Webbing Retractable Lanyard

These retractable cable blocks extend to 10m, 15m and 30m lengths and come in a tough, robust plastic casing.

Swivel hook attachment reduces twist problems while in use and helps the user when they need to turn around, etc. The hook also has a load indicator which shows green when safe to use and red when unit has had a substantial loading and should be inspected.

Unique to this unit is a spring at the base of the cable to stop it locking permanently if accidentally fully retracted. The user can simply push in against the spring to release the cable again, unlike other models which require the entire unit to be disassembled.

See also: "30m Retractable Block with Retrieval Winch" on page 185. • Fully serviceable at the QSI facility.

Certified to: EN 360:2002

odes

10m Cable Block
15m Cable Block
30m Cable Block




The spring at the base of our blocks prevents the cable from locking permanently when fully retracted accidentally. This allows the user to release the cable lock quickly and easily, unlike other brands which require the expensive disassembly of the entire block.

Cable blocks allow users a wide range of movement while maintaining a high level of safety. They can be positioned at the top of ladders or scaffolds, gently retracting and extending up to 30m as the user climbs and moves around, safe in the knowledge that any fall will be broken in a split second.

Slings

QSI designs and produces its slings using only the highest quality polyester webbing and synthetic stitching. Slings are used to create temporary anchor points where permanent anchor points are not available. Ideal for use around large pipes, beams, pylons, and other structures where normal hooks are not suitable.

Webbing Width Chart (1:1 scale)



Note on Standards:

Our slings conform to EN 795 as there is no comparable AS/NZS standard for slings. However, AS/NZS 1891.1:2007 requires attachment points to have a 15kN MBL rating, which our slings exceed with a 24kN MBL.

Beware of manufacturers claiming their slings are AS/NZS 1891.4 compliant as this is merely a labelling and documentation standard, not an actual equipment standard.

20mm webbing endless round sling



Features Made with 20mm webbing. MBL: 24kN. Certified to: EN 795

Product Codes

HS807(10)	1 metre 20mm Webbing Endless Round Sling
HS807(15)	1.5 metre 20mm Webbing Endless Round Sling
HS807(20)	2 metre 20mm Webbing Endless Round Sling

38mm webbing endless round sling




Features

Made with 38mm webbing. MBL: 24kN.

Product Codes

SLIWEBRY6	Webbing Endless Round Sling - 0.6m
SLIWEBRY12	Webbing Endless Round Sling - 1.2m
SLIWEBRY24	Webbing Endless Round Sling - 2.4m

Webbing endless round sling - with wear protection sheath



Features

QSI's industrial strength webbing endless round sling includes a wear protector ensuring long life and increased user safety.

This makes it perfect for anchorage around poles, beams and other high-friction areas where regular slings would wear out much faster. A safe working load of 2000kg gives you a level of security far greater

than standard industrial slings.

Product Codes

SLIWEBRG1	Webbing Endless Sling - Industrial Strength - 1m
SLIWEBRG2	Webbing Endless Sling - Industrial Strength - 2m

How to use a sling





Step 1 Drape sling over anchor point, hold both ends.

Step 2 Bring both end loops of sling together.

Personal adjustable sling - 1.5m



Features

as 620mm. MBL: 17kN

Product Codes

SLIADJPN

Features

Cross arm sling









Product Codes

SLICARM	Cross Arm Sling
SLICARMLR	Cross Arm Sling with Large Ring
SLICARMPS	Cross Arm Sling with Protective Shield
SLICARMLRPS	Cross Arm Sling with Large Ring and Protective Shield

Carabiner can pass through large ring

- Available with protective wear shield to prevent damage to webbing from abrasive surfaces
- MBL: 24kN





Step 3 Feed carabiner through both loops.


Step 4 Ensure sling is not caught in gate before locking carabiner.

Personal Adjustable Sling adjusts from as long as 1.5m to as small

Personal Adjustable Sling 1.5m

- Anchor sling designed to thread around anchorage point and back through itself.
- Three layers of webbing give extra security.
- Standard length: 84cm
- Customised lengths also available on request, but please
- remember that longer lengths add to the overall fall distance.
- **NOTE:** While the carabiner can pass freely through the large ring, the standard model requires that the carabiner be removed before threading sling through the ring. It takes a little longer to set up but cannot feed back through itself once carabiner is reattached.

Daisy chain sling



Features

Made with 20mm webbing.

Stitched loops allow quick changes in length by simply moving carabiner between loops. Each loop is rated to 3kN.


Product Codes

HS807-DC Daisy Chain Sling - 20mm Webbing 1.4m

Connectors

Our connectors can be used for a variety of tasks and come in several lengths to suit a customer's requirements. They are made from UV stable, AS/NZS approved webbing and kernmantle rope.


Quick draw connector



Available in various lengths, with or without carabiners.

Features

Quick Draw Length Chart (1:10 scale)




Product Codes	
CONQD250	Quick Draw Connector - 250mm
CONQD250C	As above, with carabiners
CONQD350	Quick Draw Connector - 350mm
CONQD350C	As above, with carabiners
CONQD450	Quick Draw Connector - 450mm
CONQD450C	As above, with carabiners

NOTE: Length excludes carabiners. Each carabiner adds approx 100mm to total length of Quick Draw.

Short lanyard connector



Short Draw Length Chart (1:10 scale)



Features

Sturdy, short webbing lanyard with a carabiner and a double action hook. Available in various lengths.

Product Codes

S0103	Short Lanyard Connector - 300mm
S0105	Short Lanyard Connector - 500mm
S0106	Short Lanyard Connector - 600mm

NOTE: Length is measured to the inside edges of attachment hardware as illustrated above.

Three-way lanyard connector



Rope lanyard connector, 21kn



(800mm pictured). MBL: 21kN

Features

des	
Rope Lanyard Connector 360mm	
Rope Lanyard Connector 800mm	
Rope Lanyard Connector 1600mm	
	Rope Lanyard Connector 360mm Rope Lanyard Connector 800mm

Chest connectors



Restraint lanyard



The Three-way Lanyard Connector is designed for use with a backup line, providing extra stability and security when ascending and

The 60cm arm to be used on ascender, the short 30cm arm used to connect to back-up line rope grab and/or chest ascender.

Three-way Lanyard Connector 13mm wide (30cm/60cm)
Three-way Lanyard Connector 38mm wide (30cm/60cm)

Strong 11mm kernmantle rope lanyard, available in various lengths

Our Chest Centre Lanyards are available in several lengths.

Product Codes

Chest Centre Lanyard
390mm Chest Centre Lanyard
490mm Chest Centre Lanyard
590mm Chest Centre Lanyard
Chest Centre Lanyard with Shock Block

600mm Twin Aluminium Scaffold Hook Restraint Lanvard

Gear Bags

Height safety gear can often be heavy and cumbersome, so it makes sense to use a suitable bag to carry it in. Not only that, when you have invested a lot of money in gear that could save your life, you would be wise to protect that investment.

We stock a wide range of bags from lightweight backpacks through to heavy duty, reinforced PVC tote bags, all hand picked to be robust enough for our ropes, lanyards, harnesses and hardware.

Note: Colours and styles are subject to availability, and may change from time to time.

QSi gear bag - medium



Features

Size: 51cm w x 28cm h x 28cm d Capacity: 35 litres

- Light-weight reinforced PVC fabric
- Large zip flap opening to main compartment
- Large inside zip mesh pocket
- Fully adjustable shoulder strap
- Additional handles on each end
- 100% PVC coated polyester

Product Codes

BAGGEARWRMBL	Gear Bag - Medium - Black
BAGGEARWRMOB	Gear Bag - Medium - Orange/Black
BAGGEARWRMRBL	Gear Bag - Medium - Bold Red/Black
BAGGEARWRMRB	Gear Bag - Medium - Royal Blue/Black

Custom branding available on all

gear bags

Note: Colours and Styles are subject to availability, and may change from time to time.

QSi gear bag - large





Features

Size: 61cm w x 38cm h x 38cm d Capacity: 88.5 litres

- Heavy-duty reinforced PVC fabric
- Fully adjustable padded shoulder straps allow you to carry the bag as a backpack
- Large zip flap opening to main compartment
- Large inside zip mesh pocket
- ID pocket on side
- · Additional handles on each end
- 50% PVC/50% Polyester with double-gauge polypropolene webbing

Product Codes

BAGGEARWRLY	Gear Bag - Large - Yellow/Black
BAGGEARWRLRBL	Gear Bag - Large - Royal Blue/Black
BAGGEARWRLRB	Gear Bag - Large - Bold Red/Black

Note: Colours and Styles are subject to availability, and may change from time to time.

QSi barrel bag



QSi basic sports bag





Baseboard Product Codes SPORTSBAGE SPORTSBAGE SPORTSBAGE

Features

Note: Colours and

Features

- 600D Polyester
- · Elastic mesh water bottle pocket
- Shoulder strap
- Grab handles

Product Codes

BAGDUFFLEB	Royal Blue Duffle Bag
BAGDUFFLEOB	Orange and Black Duffle Bag
BAGDUFFLERB	Red and Black Duffle Bag

Note: Colours and Styles are subject to availability, and may change from time to time. Accessories not included.









- 600 D Polyester
- Zip main compartment
- · Long carry handles so can go over shoulder
- · Zip end pocket

Product Codes

R	Red Barrel Bag
в	Black Barrel Bag
N	Navy Blue Barrel Bag
RB	Royal Blue Barrel Bag

Note: Colours and Styles are subject to availability, and may change from time to time.

Size: 51cm w x 34cm h x 35cm d

- Capacity: 60 litres
- 600D polyester with PVC backing
- U-shaped main entry
- · Generous end pockets-one wet pocket
- Strengthened carry handles
- Removable, adjustable shoulder strap
- Plastic feet on base

В	Black Basic Sports Bag
BL	Blue Basic Sports Bag
R	Red Basic Sports Bag
d Styles are subject to availability, and may change from time to time.	

Size: 46cm w x 28cm h x 23cm d

- Capacity: 29 litres
- Large zip main compartment with pull cord

QSi kit bag



Note: Colours and Styles are subject to availability, and may change from time to time.

QSi backpack



Note: Colours and Styles are subject to availability, and may change from time to time.

OSi waterproof backpack



Note: Colours and Styles are subject to availability, and may change from time to time.

Features

Size: 28.5cm dia x 49cm h Capacity: 27 litres

- 600D polyester with PVC backing
- Deep duffel bag
- Nylon drawstring
- · Zip shoulder strap converts to backpack straps

Product Codes

BAGKITBL	Black Kit Bag
BAGKITRB	Red Kit Bag
BAGKITRBLUE	Royal Blue Kit Bag

Features

Size: 38cm w x 43cm h x 17cm d Capacity: 28 litres

- 600D polyester with PVC backing
- Compression straps
- Bungee with reflective tape for safety
- Padded back and straps
- Large front zip pocket
- 2 side mesh pockets
- · Hidden hole for headphones with cord tidy velcro loops inside
- Moulded plastic handle

Product Codes

BACKPACKBLACK	Black Backpack
BACKPACKBY	Yellow Backpack
BACKPACKBRB	Blue Backpack
BACKPACKRB	Red Backpack

Features

Size: 32cm w x 64cm h x 19.5cm d Capacity: 35 litres

- 100% waterproof heat welded seams
- Lightweight reinforced PVC fabric
- Roll-Top closure with cinch straps
- · Padded, adjustable shoulder straps with adjustable chest straps
- · Large waterproof zip pocket
- · Contrast zips and webbing
- 100% PVC coated polyester 250D

Product Codes

BACKPACKWPSB	Black Waterproof Backpack
BACKPACKWPRB	Black and Bold Red Waterproof Backpack
BACKPACKWPYB	Black and Yellow Waterproof Backpack



Note: Colours and Styles are subject to availability, and may change from time to time.

HARBAGRB HARBAGN HARBAGRC

HARBAGB

Capacity: 2 litres

- Fluoro polyester
- Draw closure

Product Codes BACKSACK

Features

straps.

Note: Colours and Styles are subject to availability, and may change from time to time.

QSi Hi Vis backpack



Note: Colours and Styles are subject to availability, and may change from time to time.

Product Codes BACKPACKHIVIS



QSi basic sports bag

- Size: 39cm w x 49cm h
- Capacity: 2 litres
- 210D polyester
- Drawstring closure
- Back cords to use over the shoulder or as a backpack
- · Reinforced eyelets at base

Product Codes

Black Drawstring Bag
Royal Blue Drawstring Bag
Navy Blue Drawstring Bag
Red Drawstring Bag
Orange Drawstring Bag

- Size: 39cm w x 49cm h
- Reflective material
- Use back cords as shoulder bag or backpack
- · Reinforced reflective eyelets at base

Hi Vis Drawstring Bag with Reflective Tape

- Size: 30cm w x 46cm h x 25cm d
- Capacity: 35 litres
- 600D polyester
- 3M Scotchlite reflective material on front, sides and shoulder
- Large double zip main compartment.
- · Padded back and adjustable shoulder straps.
- · Front zip pocket with internal zip pocket
- 2 side elastic top mesh pockets and 2 metal air vents.
- · Strong moulded plastic handle
- · Rubber feet on base.

Hi Vis Backpack with Reflective Tape



PVCBAB 25cm ø x 50cm l



PVCBOB 26cm h x 32cm w x 50cm l



PVCGBXL 32cm h x 32cm w x 100cm l

Features

Our tote bags are robust, roomy and designed to hold all your height safety gear. The strong PVC fabric, nylon webbing and heavy duty stitch patterns work together to ensure your bag can cope with a lot of weight.

Product Codes

PVCBAB(COLOUR)	Barrel Bag
PVCB0B(COLOUR)	Boot Bag
PVCGBS(COLOUR)	Small Gear Bag
PVCGB	Medium Gear Bag
PVCGBL(COLOUR)	Large Gear Bag
PVCGBXL	Extra Large Bag
PVCGBPRE	Premium Gear Bag

Note: Colours and Styles are subject to availability, and may change from time to time.



PVCGBS 32cm h x 32cm w x 66cm l



PVCGBPRE 32cm h x 32cm w x 65cm l

PVCGBL 32cm h x 32cm w x 80cm l

PVC rope bags



36cm e x 102cm h 30cm e x 90cm h 30cm e x 50cm h

Note: Colours and Styles are subject to availability, and may change from time to time.

with the rope. Many colours available

Features

Because longer ropes are much heavier, the 200m bag also includes easy carry handles on the side at the top of the bag to enable two people to lift it easily.

Product Codes

RB50	Standard Rope Bag - 50m
RB100	Standard Rope Bag - 100m
RB200	Standard Rope Bag - 200m

Glove bags



Features

Product Codes

GLOVELG GLOVEBSM

Features

Lifting bags



 80kg work load limit **Product Codes** LIFTBAG01

LIFTBAG02 LIFTBAG03 LIFTBAG04

Note: Colours and Styles are subject to availability, and may change from time to time.

Our Rope Bags come in sizes to suit a wide variety of rope lengths up to 200m. They have many great features to make hauling your height safety equipment so much easier. There are also customising options to give your bags the personal touch. Colours can be made to order. Features include:

- Robust adjustable shoulder straps
- Draw string toggle closing
- · Eyelets in bottom for rope to be tied through
- Wear-webbing to protect rope
- · Generous capacity allows a helmet or harness to be carried along
- Customised printing on bags available (POA)

Designed for storage of electrical workers' gloves. Available in two sizes:

Large: 32cm w x 32cm h x 80cm d

• Small: 32cm w x 32cm h x 66cm d

Large Glove Bag	
Small Glove Bag	

Note: Colours and Styles are subject to availability, and may change from time to time.

- Designed for heavy duty lifting of tools and equipment.
- Available in various sizes
- Made of heavy duty PVC material and webbing
- Break load limit is tested to 10 x times the work load limit.

Lift Bag Open Top Yellow/Black 32cm x 32cm x 66cm
1.8m Pole Bag Navy
Square Bag Navy/Red 40cm x 70cm x 60cm
Square Bag Black/Red 50cm x 30cm x 44cm

Scaffold height safety kit

premium height safety equipment ktis





Construction height safety kit



Features

This kit gives you everything you need to work safely at height on industrial scaffolding. The 2m adjustable shock absorbing lanyard clips onto scaffold tubing quickly and easily, and allows the user to work in restraint. The sling can create a safe anchor point when you are unable to clip onto the scaffolding itself. Also available with a premium full body Harness, see pg. 119.

Kit Contents:

- 1 x SBE2KQR Full body harness with quick release buckles
- 1 x HS807-15 1.5 metre 20mm Webbing Endless Round Sling
- 1 x S017 2m Adjustable Single Leg 1 Double Action hook and 1 scaffolding hook
- 1 x HELMETQTECHCO Industrial Safety Helmet
- 1 x BAGKITRB Gear Bag
- 1 x MC001 Carabiner

Product Codes

SK01

Scaffold Height Safety Kit

Features

This kit is designed to provide height safety protection for construction workers. The large anchor sling allows the user to create a safe anchor point from beams and other structural members, and the retractable block allows a wide range of movement without compromising safety.

Also available with a premium full body Harness, see pg. 119.

Kit Contents:

- 1 x SBE2KQR Full body harness with quick release buckles
- 1 x HS807-15 1.5 metre 20mm Webbing Endless Round Sling
- 1 x SRL2002 2.5m Retractable Block
- 1 x BACKPACKRB Backpack
- 1 x MC001 Carabiner

Product Codes

CK01

Construction Height Safety Kit

Using a Roof Kit

Roof kits are designed to provide a simple, secure, temporary safety line on pitched roofs. All they require is a secure anchor point and a roof ridge-line above where the user will work. There are several ways to create a safe anchor point for your rope, such as attaching a sling to an existing solid structure or using a QSI Temporary Roof Anchor or Ground Anchor. Always ensure the anchor point is on the opposite side of the roof from where you wish to work, and always follow instructions supplied with your equipment.

All QSI Ropes and Rope Grab combinations are tested and certified to AS/NZS 1891.3



1.


















Step 1: Setting up Anchor Point



Anchor Point using Temporary **Roof Anchor**

- Remove row of four roof fixings and position anchor on roof so holes are aligned.
- Fix Anchor to roof with supplied screws through existing holes.



Anchor Point using Endless Sling

- 1. Locate a suitable object such as a sturdy tree, the wheel or axle of a car or truck, or a large, concreted fence post.
- 2. Loop sling around object and back through itself.

Step 2: Setting up Rope



- Fix rope to anchor point using supplied carabiner.
- Using the bagged rope as a dolly, throw bag over roof. Alternatively, use a QSI Throw Dolly to toss a draw line across the roof, attach rope to line and pull across roof.



3. Attach Rope Grab to rope and tie tail end of rope to a suitable attachment point to prevent lateral movement.

Step 3: Attaching to Rope



- Attach chest connector to harness and rope grab before you leave the ground.
- Always work from a position below the apex of the roof. Only use short lanvard connectors of 450mm or less (inc hooks/ carabiners).



Refer to instruction manual 1. supplied with roofing kit for specific safety and bestpractice instructions

Economy roofing kit - kernmantle



Recommended accessories



Temporary Roof Anchor

```
Throw Dolly
```

Commercial roofing kit - kernmantle



Recommended accessories



Temporary Roof Anchor

Throw Dolly

Features

Our Economy Roofing Kit is a simple roof kit intended for basic roof work. It is anchored on the opposite side of the roof to where the work is done.

A manual rope grab keeps the user attached to the rope.

Rope and Rope Grab combinations are certified to AS/NZS 1891.3.

Kit Contents:

- 1 x 20 meters of 11mm kernmantle rope with 1 x sewn eye loop and 1 x stop knot (SKR11/20-SELSK)
- 1 x RG011 Manual rope grab
- 1 x S009KC Mini energy absorber block with carabiners
- 1 x MC001 carabiner
- 1 x HS807-15 1.5 metre 20mm Webbing Endless Round Sling
- 1x SBE2K Full body harness
- 1 x 50m rope bag (BAGKITRB)

Product Codes

RKE10

Economy Roofing Kit - Kernmantle











Temporary Roof Anchor



SBE2K Full Body Harness



HS20 Edge Anchor

• 1 x HS807-10 1 metre 20mm Webbing Endless Round Sling

having sufficient stretch to reduce the fall force. The kit is

1 x 30 meters of 11mm kernmantle rope with 1 x sewn eye loop

1 x HS807-20 2 metre 20mm Webbing Endless Round Sling

and 1 x stop knot (SKR11/30-SELSK)

- 1 x SBE9 Full body harness
- 1 x 50m rope bag (BAGKITBL)

Product Codes

2 x MC001 carabiner

RKE07 Commercial Roofing Kit



QSi Catalogue 164

Our Priority Roofing Kit is a practical kit that makes it easier to work on roofs without anchor points. The key is the QSI anchor knot in the middle of the rope, this will not give no matter which way the force is applied.

Rope and Rope Grab combinations are certified to AS/NZS 1891.3.

Kit Contents:

Features

- 1 x 50 meters of Kernmantle rope with QSI anchor knot in centre with rope shield protector
- 1 x RG004 Micro rope grab
- 1 x S009KC Mini energy absorber block with carabiners
- 2 x MC002 carabiners
- 2 x SLIWEBRG1 industrial strength slings
- 1 x RB50 Heavy Duty PVC rope bag

Product Codes

Priority Roof Kit

Recommended accessories



2.5m Retractable




SRLWB06 6m Retractable Lanyard



Temporary anchor points

Most commercial buildings are not built with height safety in mind, so it can be difficult to find a safe, secure anchor point for your rope or lanyard. With this in mind, we supply a range of innovative permanent and temporary anchor systems that allow you to utilize the natural features of commercial buildings to create a safe working environment.

Parapet anchor



Features

- Material: High strength steel galvanized to provide corrosion protection.
- MBL: 5000 lbs/23kN
- Flange width adjustable from 60 mm to 360 mm.
- Net Weight: 8575g

Certified to: EN 795: 2012 Type B and ANSI Z 359.1: 2007

Parapet Anchor

Product Codes

Beam anchor trolley

Features

HSSA11

Mount the Beam Anchor Trolley onto an I-Beam to create an instant rolling anchor point that will follow the user as they work. Must be mounted on a level horizontal beam to ensure the user does not travel in the event of a fall.

- Material: Aluminium and Stainless Steel
- MBL: 5000lbs/23kN
- Flange width adjustable from 80mm to 250mm.
- Net Weight: 4.155 kgs ±100g

Certified to: EN 795: 2012 Type B and ANSI Z 359.1: 2007

Product Codes

MHA005 Beam Anchor Trolley

Edge anchor



Features

The Edge Anchor is adjustable for depth to suit a variety of roof cladding profiles. An optional large cladding insert enables the anchor to be fitted onto deeper roof profiles. It is robust, lightweight, collapsible & portable for easy transport, storage and usage. The energy absorbing arm with fall indicator provides additional safety for the user.

- Material: High Strength Aluminium Alloy.
- Minimum Breaking (System) Strength: 15 kN.

Edge Anchor

- Net Weight: 3000gm ± 10gm.
- Conforms to EN 795 : 2012 Type B

Product Codes

HS20



Features

0 070 • MBL: 13 kN

Product Codes

HS802

Semi-permanent anchor points

Concrete anchor



protection.

Features

Net Weight: 8575g

Product Codes

Features

HSSA16

Aluminium point anchor



X-AXIS

Y-AXIS

Z-AXIS

- Net Weight: 308g

Product Codes

HSSA09





166 QSi Catalogue



Create a safe, temporary anchor point for up to two users using most single door frames. Designed to be installed on frames from 60cm to 125cm wide. Comes complete with a carry bag.

Material: Aluminium Alloy

Door frame width range: 60cm - 125cm

• Net Weight: 4.73 kg ±100g

Certified to: EN 795: 2012 Type B,TS 16415: 2013 Type B and ANSI Z 359.1:2007

Door Anchor

Material: High strength steel galvanized to provide corrosion

• MBL: 5000 lbs/23kN

• Flange width adjustable from 60 mm to 360 mm.

Certified to: EN 795: 2012 Type B and ANSI Z 359.1: 2007

Concrete Anchor

· Suitable for use with carabiners only.

Material: Aluminium Alloy

MBL: 5000lbs/23kN

Finish: Natural Silver

• Product is not supplied with mounting bolts. Refer to instruction manual for more information.

Certified to: EN 795: 2012 Type B and ANSI Z 359.1: 2007

Aluminium Point Anchor

Steel point anchor



Features

- · Material: Steel
- MBL: 5000lbs/23kN
- Net Weight: 450±10g
- · Process: Forged
- · Product is not supplied with mounting bolts. Refer to instruction manual for more information.

Certified to: EN 795: 2012 Type B,TS 16415: 2013 Type B and ANSI Z 359.1:2007

Product Codes

HSSA10	Steel Point Anchor
HOUAIU	Officer Found Anomor

Steel point anchor



Features

- Material: Steel
- MBL: 5000lbs/23kN
- Net Weight: 529±10g
- Process: Forged
- Certified to: EN 795:2012 and ANSI Z 359.1:2007

Product Codes

HSSA10A	Steel Point Anchor

QSi's temporary roof anchor: simple, safe and versatile

QSI's patented Temporary Roof Anchor provides a secure attachment point by fixing directly to the timber joists and purlins through corrugated roofing iron. The patented design and heavy duty steel construction spreads any potential load across the roof structure, and the foam padding protects the corrugated roofing from damage.

Temporary roof anchor





- This roof anchor should only be used on roofs that are structurally sound.



Product Codes RAQTECHV1





above you



168 QSi Catalogue

- Temporary roof anchor designed for single person use.
- Designed to be attached onto AS/NZS certified New Zealand Wooden Roof structures.
- In order to safely arrest a fall, ensure that the minimum clearance distance is provided.
- The roof anchor must be installed by a competent person who is trained to work at height.
- New Zealand Patent Application No. 713603
- Australian Patent Application No. 2015246153
- New Zealand Registered Design Application No. 419489
- Certified to: AS/NZS 5532:2013

Temporary Roof Anchor

Safe to attach the roof anchor



NEVER attach the roof anchor below you

Temporary vertical anchor line systems

Once your anchor point is in place, you need a line system to attach yourself to. These systems mount easily on a variety of permanent and temporary anchor points to provide a safe line to work from. Anchorage lines are available in lengths of 30m.

Guided fall arrester with energy absorbing block on flexible anchorage line



Features

The fall arrester is made of stainless steel and works on 12mm diameter Kernmantle rope.

Certified to: EN 353-2:2002

- The Arrester is incorporated permanently on the anchorage line, and comes with an energy absorbing block.
- The anchorage line has one side loop for connector and the other side a stop knot.

Product Codes

RG2004	Guided Fall Arrester with Energy Absorbing Block on
	Flexible Anchorage Line

Guided fall arrester on flexible anchorage line with energy absorbing block



Comprised of a 12mm diameter Kernmantle rope anchorage line with an removable rope grab made of high strength aluminium Alloy.

Certified to: EN 353-2:2002

· The anchorage line has an energy absorber at the anchorage end and a stop knot at the other end.

Product Codes



Guided Fall Arrester on Flexible Anchorage Line with Energy Absorbing Block

How to build your own rope kit

Step 1. Choose your rope diameter



Product Codes

SKR11	11mm Kernmantle rope
SKR12	12mm Kernmantle rope

Step 3. Choose your rope end options

Sewn Eye Loop

Stop Knot




Available on one end only

Product Codes

	Rope only (blank ends)
-SEL	1 x Sewn eye loop
-SELSK	1 x Sewn eye loop & 1 x stop knot
-2SEL	2 x Sewn eye loops

Each of these options requires an additional 0.5m of rope which will be added to the total length.

Ordering your kit. Create your own rope kit



Step 2. Choose your rope length

Product Codes

SKR11/	Available sizes - 5, 10, 15, 20, 25, 30, 35, 40, 45, 50 meter lengths
SKR12/	Available sizes - 5, 10, 15, 20, 25,

Available sizes - 5, 10, 15, 20, 25, 30, 35, 40, 45, 50 meter lengths

Step 4. Choose your optional extras

Gear Bags Grab one of our gear bags for your kit. See our bag range from page 157.


Rope Grabs

Add a rope grab to your kit. See our rope grab range from page 176.

Carabiners or Hooks

Add carabiners of hooks to your kit. See our range from page 195.

NOTE - If you require a rope grab, carabiner or hook fitted to a rope, please contact us *before* manufacture starts.



Note - If this all seems a little overwhelming and you need some assistance in choosing the best kit for your needs, just give our sales team a call, and we'll be happy to explain the options!

Kernmantle rope









Features

All QSI's Kernmantle ropes have a high strength polyester sheath to protect the rope against sharp edges during a fall. Sold by the metre (or see next page for ready-made rope kits) Certified to: AS/NZS 4142.3: 1993 or EN Standard also available

Product Codes

SKR11	11mm Kernmantle Rope (Orange) AS/NZS Standard
SKR12	12mm Kernmantle Rope (Black and Yellow) AS/NZS Standard
SKR13BC	13mm Kernmantle Rope (Black with Cyan Fleck) AS/NZS Standard
SKR130	13mm Kernmantle Rope (Orange) AS/NZS Standard

Kernmantle prussic rope

Product Codes	

SKR08

8mm Kernmantle Prussic Rope

Throw dolly



structure. **Product Codes** TD001

Features

TD002 TD003

Ready-To-Go rope

Optional Accessories

Custom bag branding

• Stop Knot.

• Rope Grab attached to line



Features

Package includes:

- Rope Ready to go

Product Codes

- READY20G0
- READY30G0
- READY40G0

READY50G0

The QSI Throw Dolly makes it much easier for users to throw a rope accurately over a beam, tree branch or other supporting

250g Throw Dolly - 20m rope and bag
300g Throw Dolly - 20m rope and bag
350g Throw Dolly - 20m rope and bag

These ready-made rope packages are an ideal starting point for those who are new to height safety.

- Rope is Certified to: AS/NZS 4142.3:1993.
- EN Standard also available.
- A length of kernmantle rope.
- Sewn and labelled with a captive eye and stopknot.
- A carabiner through the loop.
- A robust bag to carry it in.

	20m 11mm Kernmantle Rope with sewn eye+stopknot & sewn label & Carabiner in Bag
I	30m 11mm Kernmantle Rope with sewn eye+stopknot & sewn label & Carabiner in Bag
	40m 11mm Kernmantle Rope with sewn eye+stopknot & sewn label & Carabiner in Bag
	50m 11mm Kernmantle Rope with sewn eye+stopknot & sewn label & Carabiner in Bag

Rope shield



Features

Our PVC Rope Shield edge protector has Velcro closing making it easy to fit after rope has been set up. To fit 8-16mm rope.

Product Codes

SRS01 PVC Rope Shield edge protector - 450mm

Rope eye protectors



Features

Two models suitable for 8-11mm and 11-14mm diameter rope. Used on rope loops as a wear protector.

Product Codes

RP2087	Rope Eye Protector - 8-11mm
RP2088	Rope Eye Protector - 12-16mm

Webbing protective sleeve



Features

Designed to protect flexible anchorage lines against abrasion on sharp edges.

- · Made of 44mm polyester tubular webbing.
- · Moveable along the length of the anchorage line.
- Non-detachable.
- Standard length is 30cm, other lengths available on request.

Polyester Protective Sleeve

Product Codes

PR01

PVC removable protective sleeve



Features

Designed to protect flexible anchorage lines against abrasion due to friction.

- · Made of flexible PVC.
- · Detachable from line thanks to hook and loop fastening.
- Open width: 130mm. Folded width: 50mm.
- Standard length: 55cm.

Product Codes

PR02

PVC Removable Protective Sleeve

Rope grabs

These devices allow users to safely ascend and descend ropes. When the user puts weight on their harness, either intentionally or in a fall, the Rope Grab mechanism binds with the rope to prevent the user from falling. There are various types of rope grabs that operate in different ways.

How to choose a Rope Grab

There are several features to consider when choosing a rope grab. Use the icons to help you choose the most suitable for you:




Removable or Fixed to the Rope

Icon indicates whether or not the rope grab is fixed to the rope or removable without having to slide it off the end of the rope. Fixed rope grabs are permanent if the rope has a stop knot or loop at each end.

Manual or Automatic Fall Arrest

Icon indicates whether rope grab has an automatic or manual fall arrest mechanism. Manual rope grabs grip the rope by default and must be manually released to enable the user to move. Automatic rope grabs slide freely until a fall causes them to lock onto the rope.



Steel rope grabs

Features

Our steel rope grabs are tested to the AS/NZS 1891.3 and EN standards. Be sure to choose the model that suits the type of rope you wish to use. Contact us for more information.

Certified to: AS/NZS 1891.3 and/or EN567 depending on rope grab.

RG013

RG001

RG009

RG011

RG012





Polyamide or Kernmantle Rope

Icon indicates whether the rope grab is suitable for Polyamide or Kernmantle rope. Note: all rope grabs on Polyamide rope must be used with a shock absorbing block.



Steel or Alloy Construction

Icon indicates whether rope grab is of steel or aluminium alloy construction. Choose steel for added strength and long life, or alloy when light weight is important.

Product Codes

VUC5
Fixed Steel Rope Grab - Manual Fall Arrest - for 12-16mm Polyamide rope
Fixed Steel Rope Grab - Automatic Fall Arrest - for 16mm Polyamide rope
Fixed Steel Rope Grab - Manual Fall Arrest - for 11-12mm Kernmantle rope
Fixed Steel Rope Grab - Automatic Fall Arrest - for 11-12mm Kernmantle rope
Removable Steel Rope Grab

- Automatic and Manual Fall Arrest - for 11-12mm Kernmantle rope



Alloy rope grabs

Features

Strong, light weight alloy rope grabs tested to the AS/NZS 1891.3 and EN standards. Suitable for use on a wide diameter range of kernmantle rope.

Certified to: AS/NZS 1891.3 and/or EN341 Class A depending on rope grab.

Product Codes	
RG004	Removable Alloy Rope Grab - Manual Fall Arrest - 11mm to 16mm Kernmantle
RG005	Fixed Alloy Rope Grab - Automatic Fall Arrest - 12mm Kernmantle
RG006	Removable Alloy Rope Grab - Automatic and Manual Fall Arrest - 11mm to 12mm Kernmantle

Note: QSI Rope Grabs have been tested on QSI supplied rope only and we cannot guarantee that they will work correctly on rope from other manufacturers.

Attaching an RG006 Rope Grab

Step 2



Step 1







Step 6

Step 3

Step 4

Step 5

Ascenders - alloy





Product Codes RG8088L RG8088R RG8088C

2-way stop descender - alloy



Features • SWL 150Kg • Weight: 465g

Product Codes MP219911

2-way stop grip descender - alloy



Features

• Net Weight: 335.5g

Product Codes MP401

Robust alloy rope ascender in left and right handed, and chest versions. Suitable for use with 8-13mm kernmantle rope.

Left Handed Ascender
Right Handed Ascender
Chest Ascender

The unique feature of this descender is the double-stop action. When under load, the descender automatically stops, locking onto the rope; if the user panics and either squeezes handle too hard or lets go, it will also stop. For use on 11mm kernmantle rope.

Certified to: EN341 Class A

Descending Device - Alloy

Works in a similar way to the standard 2-way Stop Descender, but with a more ergonomic grip handle. Ideal for descent on a single rope, it is equipped with a unique Self Braking System which initiates the brake as soon as the handle is released, or clasped too tightly. Works on 10mm to 12mm diameter Kernmantle rope

· Finish: Coloured, Anodized

Certified to: EN341 Class A

Grip Descender - Descender Device for 10mm-12mm Kernmantle Rope

Telescopic pole system

Our Telescopic Pole is a perfect solution for creating overhead anchors at otherwise unreachable heights. Made of lightweight fibreglass, it is easy to carry and provides a simple, effective way to install an anchorage point from a distance. Comes with the Aluminium Anchorage hook (MH154), to anchor at the required distance.

Features include:

- Total weight (without hook): approx. 4.6kg
- Working reach when extended: 10.5m (This includes 8.95m of fully expanded length, the 1m extension section and 1.55m of user's height.)
- Open expanded length of Telescopic Pole: 7.95m.
- Closed length of Telescopic Pole: 1.95m
- Voltage Rating: 30KV

Telescopic pole



Features		
• Material: Fibe	rglass	
• Maximum Lei	ngth: 7.95m	
• Minimum Ler	gth: 1.95m	
• Weight: 3800	g	
Product Code	S	
HS815(04)	Telescopic Pole	

Extension section



HS815(02)

Installation / removal tool



Features Hanging Hook.

· Length: 1m

• Weight: 425g

Product Codes

HS815(03)

Aluminium anchorage



• Weight: 480g

Features

Certified to: EN 362:2004 Class A and EN 795:2012 Type B

Product Codes

MH154

Features Attaches to the top of the Telescopic Pole.

- Length: 240cm
- Weight: 185g

Product Codes

HS815(01)

Head



Head

Attaches to the top of the Telescopic Pole to add an extra metre of height when required. Includes head attachment point for

Extension Section


Attaches to the top of the Telescopic Pole to add an extra metre of height when required. Includes head attachment point for

Hanging Hook

Material: Aluminium Alloy

- Opening: 60mm
- Minimum Breaking Strength: 23kN

Aluminium Anchorage Hook



Horizontal life line - SLL3000



Features

It's rare that you'll find yourself in a situation where an ideal anchor point is in just the right place. That's where the horizontal life line comes in.

Using just two sturdy anchor points in the general area of your work space, you can set up a life line strong enough to take the weight of two users, giving you unprecedented freedom of movement to help you get the job done faster.

Specifications

- Two person temporary webbing life line with sturdy carry bag.
- Max length: 20m.


EN certified for two persons. Complies to EN 795 Class B.

Product Codes

SLL3000 Horizontal Life Line	
------------------------------	--

Note: When used at full extension, beware of bowing effect in middle of lifeline. Set anchor point heights to compensate. See Fall Clearance and Line Deflection Diagram above.

4 Man temporary horizontal rope anchorage line - HS3001



Note: When used at full extension, beware of bowing effect in middle of lifeline. Set anchor point heights to compensate. See Fall Clearance and Line Deflection Diagram on previous page.

2 Man temporary horizontal rope anchorage line - HS3002

Features

Product Codes

HS3002

Note: When used at full extension, beware of bowing effect in middle of lifeline. Set anchor point heights to compensate. See Fall Clearance and Line Deflection Diagram on previous page.

 Rope type: kernmantle rope 16mm Tensioner: aluminium & stainless steel Attachment ends: swivel brass connector and stop knot Anchor type: forged alloy steel O-rings (x4) • Max no. of users: 4 users Max span length: 5 to 25m • Weight: 9.27kg ± 0.10kg Conforms to: EN 795:2012 Type C & TS 16415 Type C

4 Man Temporary Horizontal Rope Anchorage Line

 Rope type: kernmantle rope 16mm · Tensioner: steel · Attachment ends: stitched loop and stop knot Anchor type: forged alloy steel o-rings (x2) Max no. of users: 2 users • Max span length: 5m to 25m • Weight: 9.05kg ± 0.10kg Conforms to: EN 795:2012 Type C & TS 16415 Type C

2 Man Temporary Horizontal Rope Anchorage Line

Rescue kit

premium height safety equipment confined space and rescue

CUE KIT 12m

Features

This Rescue Kit is manufactured using approved components in QSI's factory which carries the AS/NZS ISO 9001:2008 certification. Kit Contains:

- 2 x Large Twin Pulleys (EN 12278 & CE certified: Rated 30kN)
- 1 x Swivel carabiner (EN 362:2004/B & CE certified: Rated 25kN)
- 1 x 50kN offset carabiner (EN 362:2004/B & CE certified: Rated 50kN)
- 1 x 23 kN alloy scaffold hook with wing on gate. Can be used with
- rescue pole for easy connection to casualty. (EN 362:2004/EN 12275) • 11mm Kernmantle rope (AS/NZS 4142.3:1993 or EN 1891:1998)
- 1 x Rope control device attached to rope (EN 358:2000)
- 1 x Webbing Round Sling (UTS: 24kN)
- 1 x Delta Link (UTS: 30 kN)
- 1 x Rope Bag (100m or 200m)
- 1 x Rescue Pole

Product Codes

HSR012	12m Rescue Kit - 50m of rope
HSR025	25m Rescue Kit - 100m of rope
HSR035	35m Rescue Kit - 150m of rope
HSR050	50m Rescue Kit - 200m of rope



MAX HEIGHT: 1.5M

Features

This double pulley tripod provides a robust, portable anchorage point, giving you access to confined spaces for personnel and materials.

Tripod specs and features include:

Product Codes SRT1001DP

Pole top rescue kit



Features

This kit provides an ingeniously simple method of rescuing a worker who has fallen from their ladder and is suspended by their lanyard from a crossmember. Simply loop the rope over the cross member, loop it back around itself several times and clip the carabiner to the worker's harness chest loops. Once released from their lanyard, they can be lowered gently to the ground thanks to the friction of the rope looped around itself.

Product Codes


PTRK

Pole Top Rescue Kit - 20m of rope

Recommended harnesses to use with tripods



Product Code	S
SBE3KQR	Full Body Harness. Confined Space. Loops Front Lower Loops & Back Anchorage Point. Q/R Buckles
SBEMT	Full Body Multitask Rescue Harness
SBEMT2	Colour Scopic Full Body Multitask Rescue Harness



Tripod with double pulley head - 10ft

Mounting brackets for winches and retrieval blocks



HS800(44)

HS800 (44)

HS800 (45)

QSi Catalogue 182

HS800(45)

- **Product Codes**

 Fully adjustable telescopic legs, adjustable height from 1.19m to 2.18m Multiple attachment points: two auxiliary eye bolts and mounted pulleys · Support shoes with rubber soles improve grip and stability.

· Includes carry bag and in-built fixture for attaching the winch (can be removed on request).

· Cast aluminium head.

Light weight, only 17.2kg.

• Footprint diameter (max): 1.5m internal and 1.86m external · Strength of anchorage point: greater than 12kN.

Maximum load capacity: 500kg

Certified to: EN795:2012 Type B

Tripod Double Overhead Pulley - 7ft

This double pulley tripod provides a robust, portable anchorage point, giving you access to confined spaces for personnel and

Tripod specs and features include:

• Fully adjustable telescopic legs, adjustable height from 1.76m to 2.72m Multiple attachment points: two auxiliary eye bolts and mounted pulleys · Support shoes with rubber soles improve grip and stability. · Includes carry bag and in-built fixture for attaching the winch

(can be removed on request).

· Cast aluminium head.

• Weight: 21.8kg.

• Footprint diameter (max): 2.0m internal and 2.36m external Strength of anchorage point: greater than 12kN.

Maximum load capacity: 500kg

Certified to: EN795:2012 Type B

Tripod Double Overhead Pulley - 10ft

Mounting Brackets for all Winches
Mounting Brackets for Retrieval Blocks - 10m, 20m & 30m

SRW1001 winch

Features

Winch specs and features include:

- Bolting fixture for robust fitting to tripod
- Cable length: 20m
- Maximum lifting load capacity as per EN 1496: 135 kgs
- Maximum lifting load capacity as per machinery directive 2006/42/EC: 250 kgs
- Certified to: EN 1496:2006 (Class A)

Product Codes

SRW1001 Winch

Note: QSI recommend a backup cable block be used with this winch when raising or lowering a person (see pg. 145 onwards).

30m retractable block with retrieval winch



Features

This innovative design combines the safety of a fall arrest system with the convenience of a retrieval winch, giving you one of the most versatile cable blocks on the market.

It operates just like our other cable blocks, allowing the user full vertical motion in both directions with the safety of a fall arrest system.

However, in the event of a fall, instead of having to fetch a separate winch to extract the victim, the built in winch allows you lift them to safety immediately.

As a rescue tool, it also enables a rescuer to descend safely to the victim to assess the situation. As a height safety tool, it allows a worker to access difficult spaces before being winched back up by his colleagues.

- · A locking pin on casing allows the block to be easily switched between fall arrest and winch modes
- · Can be mounted on the leg of a tripod using specialised bracket (not included)
- MBL: 12kN
- Weight: 14.8kg
- Length: 30m

Certified to: EN 360:2002 and EN 1496:2006 Class A

Product Codes

SRLS20R	20m Retractable Cable Block with Hoisting Winch
SRLS30R	30m Retractable Block with Retrieval Winch
HS800(44)	Mounting Brackets for all Winches
HS800(45)	Mounting Brackets for Retrieval Blocks - 10m, 20m & 30m

HS818 winch



Features confined spaces.

- Maximum lifting load capacity as per machinery directive 2006/42/EC : 250 kgs
- Conforms to EN 1496:2006 (Class B)

of person

Product Codes

Features

HS818

Spreader bar



Auto descender

Product Codes DCSSB02

Features

Specifications:

- Max Load: 150kg
- Min Load: 20kg

Product Codes AD003

- Comes with an independent reel mode for quick and easy
- installation of the Winch. HS818 is also equipped with a secondary brake mechanism which reduces the dynamic load impact felt on the user in the event of the fall, to less than 6kN.
- To be used for raising or lowering of personnel or material into
- Equipped with mounting plate and four bolts for mounting to **QSI** Tripods and Davits
- Comes with 20m galvanized steel wire rope, 6mm diameter. Up to 40m length available on request
- · Includes swivel steel snap hook as connector
- Maximum lifting load capacity as per EN 1496: 135 kgs
- To be used with retractable fall arrester when raising or lowering

Also available with stainless steel wire rope.

Winch

- The Dynamic Confined Space Spreader Bar has specially designed attachments to be used on all standard shoulder straps for confined space rescue and retrieval with most of our harnesses.
- Spreader Bar specs and features include:
- · Snap Hooks attach directly to the shoulder straps of the harness. If required, the subject's arms can be raised above their head using the wrist straps.
- · The attachment D-Ring connects to the retrieval system so the subject can be removed to safety.
- Refer to AS/NZS 2865 for confined space procedures and practices as well as AZ/NZS 1891.4 for information on the selection, use and maintenance of fall arrest equipment.

Dynamic Confined Space Spreader Bar

- Our Auto Descender features automatic speed control thanks to a centrifugally controlled brake. The device keeps the speed constant for the entire descent run, enabling a swift and safe rescue. Speed remains the same irrespective of the person's weight.
- Max allowed descent height: 30m
- Descent speed: 0.80m 1.50m/sec (depending on load)

Auto Descender with 30m of kernmantle rope

Easy seat



Features

Attaches securely to the front attachment points of the harness for a more stable, comfortable seat while working at height.

Product Codes

EASYSEAT01 **Clip On Seating Attachment**

Basket stretchers and accessories

Basket Stretchers provide a more secure solution; their high sides and ends help keep your patient stable, especially when being transported in steep terrain, and they have special attachment points for winch, belay or helicopter rescues.

Basket stretcher



Break apart basket stretcher



Features All the same great features of our standard basket stretcher but in a compact, break apart design for easy transport and storage. Assembled size: 219cm x 64cm x 18cm Disassembled size: 130cm x 67cm x 29cm Weight: 16kg | Max Load: 159kg

Product Codes

Lifting bridle - adjustable legs



Four-legged, adjustable lifting bridle designed to attach to stretchers and basket stretchers to help with safe extrication from difficult positions. (stretcher not included)

Product Codes

Rescue recovery stretcher

Product Codes

PARA40R

Rescue triangle



Features

To be used for rescue of injured personnel. Contains 3 metallic D-Rings at attachment points.

Product Codes

HS852 **Evacuation Rescue Triangle**

Adjustable webbing foot loop



Features

Features

system.

Attaches to ascenders and rope grabs to enable the user to climb a vertical rope.

Must be used in conjunction with Full Body Harness and Fall Arrest

Free hanging webbing chair

44mm wide webbing with abrasion resistant shield.

Ergonomic and comfortable working chair.

Product Codes

HS402A Adjustable Webbing Foot Loop

For ascent and descent.

Certified to: EN1498

Product Codes PILOTCHAIR

Pilot chair



Extendable rescue pole



Features

Our Extendable Rescue Pole is designed to aid in the rescue of an individual suspended in a full body harness. The pole helps a rescuer to reach the individual, connect to their harness and move them to safety. Pictured with Aluminium Scaffold Hook MH007 attached (not included). Refer to pg. 195 for hook details.

Product Codes

RESCPOLE








Extendable rescue pole

PARA91

Features

required.





· Sturdy attachment points for ropes and carabiners.

- Multiple hand grips around the edge of the stretcher.
- · Four safety belts for securing patient.
- Adjustable foot plate.

Size: 219cm x 64cm x 18cm Weight: 16kg | Max Load: 159kg

Basket Stretcher

Break apart basket stretcher

Lifting bridle - adjustable legs

The rescue recovery stretcher is an ultra-portable extremely flexible system. Ideal for search and rescue teams, it is particularly useful in situations where a fast recovery from difficult terrain is

- · Inert to all conditions and body fluids
- Rolls up for easy stroage and carrying in a backpack
- · Extensive strapping to secure patient
- Weight: 8kg | Max Load: 200kg

Rescue recovery stretcher

Q-Tech Shield Helmet

Choosing the right helmet:

When it comes to safety, it's important to pick the right gear for the job. Our Climbing and Rescue helmets feature a polystyrene liner designed to protect from multiple impacts, whereas our Industrial Safety helmets are built with a cradle liner designed to absorb shock.

Due to the inherent differences between these two systems, it is impossible to manufacture a single helmet that meets both standards. Do not be misled by manufacturers who claim their helmets meet both standards.

Product Features:

- Strong, light ABS plastic shell.
- Low-profile slots for clip-on hearing protection.
- Multiple clips hold head torch strap in place. (Torch not included.)
- Venting system allows a continuous flow of air across the head to keep the wearer cool and comfortable, while maintaining impact protection.
- · Three-way adjustable nylon chin strap with robust, off-set clip.
- · Headband ratchet wheel makes adjustment easy for a wide range of head sizes.

Available colours: White, Flouro Yellow, Orange, Red. Note: Red only available as Industrial Safety Helmet.



Vented industrial safety helmet

Vented climbing and rescue helmet



Safety helmet visor kit

Features attachment included. Certified to: EN397.

Features

Product Codes HELMETQTEC HELMETQTEC HELMETQTEC

HELMETQTEC HELMETQTEC PAD

Features

Impact rated visor for eye protection. Clips up or down as required. NOTE: Cannot be retrofitted to older helmets. Contact us for more information.

Product Codes HELMETQTE HELMETQTEC

Safety helmet reflective sticker kit



Features

Product Codes HELMETQTEC

Vent system provides natural airflow, keeping you cool and protected Low-profile slots for clipon hearing protection Multiple clips hold your head torch strap in place Quick and easy headband

> adjustment to fit a wide range of head sizes

space and rescue

premium height safety equipment confined

188 QSi Catalogue Fitted with a padded polystyrene liner designed to protect from multiple impacts. Visor attachment included. Certified to: EN12492.

Product Codes

HELMETQTECHCW	Vented Climbing & Rescue Helmet - White
HELMETQTECHCFY	Vented Climbing & Rescue Helmet - Fluro Yellow
HELMETQTECHCO	Vented Climbing & Rescue Helmet - Orange

Fitted with a dense rubber lining and cradle to absorb shock. Visor

сни	Vented Industrial Safety Helmet - White
CHFY	Vented Industrial Safety Helmet - Fluro Yellow
сно	Vented Industrial Safety Helmet - Orange
CHR	Vented Industrial Safety Helmet - Red
CH-	Replacement sweatband set for Qtech Industrial Helmet

CHVIS	Visor for Q-Tech Helmets
CHVISMIR	Mirror/Tinted/Smokey Visor for Qtech Helmet

Reflective sticker kit suitable for all Q-Tech helmets.

CHREF	Reflective stickers for QTECH Helmet

Q-Tech Trooper Helmet

Hands and feet are valuable, but they are useless without a fully functional brain. Protect yours with a QTECH Trooper Helmet from QSi. The QTECH Trooper Helmet is a non-vented, light weight and comfortable helmet with a built-in chin strap. Electrical insulation rating to Class E, 20,000 volts. Suitable for Electrical Line Work.

Standards:

- Manufactured to: AS/NZS 1801:1997
- ANSI Z89.1:2014 Type 1 Class E LT
- CE EN 397:2012+A1:2012
- EN 50365:2002 Electrician Class 0

Product Features:

- Short peak
- · Foam sweatband
- Strong, light ABS plastic shell
- · 6-point webbing suspension system
- · Simple wheel adjustment to fit most workers
- · 3-point nylon chin strap with quick release buckle
- · Multiple clips hold head torch strap in place (torch not included)
- · Slotted integration of wide range of accessories (earmuffs, faceshields, visors)
- Available colours: White, Yellow, Orange, Blue & Red.

QTECH Trooper helmet



QTECHTROOP **QTECH Trooper helmet visor kit**

Features

information.

Features

Product Codes

QTECHTROOP QTECHTROOF

QTECH Trooper helmet FR chin strap

Product Co QTECHTROOP



Low-profile slots for clipon hearing protection



Multiple clips hold your head torch strap in place



Quick and easy headband adjustment to fit a wide range of head sizes

Fitted with a padded polystyrene liner designed to protect from multiple impacts. Visor attachment included. Certified to: EN12492.

Product Codes

QTECHTROOPW	Qtech Trooper Helmet with Visor Attachment White
QTECHTROOPY	Qtech Trooper Helmet with Visor Attachment Yellow
QTECHTROOPO	Qtech Trooper Helmet with Visor Attachment Orange
QTECHTROOPB	Qtech Trooper Helmet with Visor Attachment Blue
QTECHTROOPR	Qtech Trooper Helmet with Visor Attachment Red

Impact rated visor for eye protection. Clips up or down as required. NOTE: Cannot be retrofitted to older helmets. Contact us for more

PVISORC	Qtech Trooper Helmet Visor Clear
PVISORS	Qtech Trooper Helmet Visor Smoke

odes	
PFRC	Qtech Trooper FR Chin Strap

Pulleys and Swivels

Our light-weight pulleys are designed with portability in mind. They're made of lightweight alloy and employ a simple, bearing-free design.

Note: these pulleys are not designed for permanent installation or high-frequency use.

Large double pulley



Features Features floating arms with top and bottom attachment points and 60mm sheave. Max rope size: 16mm Alloy | MBL: 30kN CE Marked UIAA Weight: 423g Certified to: EN12278

Product Codes

MP2127 Large Double Pulley

Large single pulley



Features

Features floating arms with top and bottom attachment points and 60mm sheave. Max rope size: 16mm Alloy | MBL: 30kN CE Marked UIAA Weight: 246g Certified to: EN12278

Product Codes

MP2128 Large Single Pulley

Small pulley - fixed sides



Features

Single 30mm sheave, fixed sides. Max rope size: 13mm Alloy | MBL: 22kN CE Marked UIAA Weight: 85g Certified to: EN12278

Product Codes

MP2129 Small Pulley - Fixed Sides

Small pulley - floating sides





Product Codes MP2142

Small pulley - floating sides



Features Max rope size: 11mm Alloy MBL: 20kN CE Marked UIAA Weight: 121g Certified to: EN12278

Product Codes

MP2130

Inline twin pulley



Features Max rope size: 13mm Alloy MBL: 24kN CE Marked UIAA

Product Codes

MP2122 Inline Twin Pulley - 30mm Sheave Fixed Sides MP2122SS Stainless Steel Inline Twin Pulley - 30mm Sheave Fixed Sides

Alloy swivel



Features MBL: 30kN CE Marked Certified to: EN354

Product Codes MP2126

Single 30mm sheave, floating sides.

Certified to: EN12278

Small Pulley - Floating Sides

Single 30mm sheave, floating sides.

Small Pulley - Floating Sides

30mm sheave, fixed sides.


Weight: 196g Certified to: EN12278

Alloy swivel

Hooks

In addition to being EN certified, our steel hardware is also tested for sea salt spray requirements.

Triple action talon hooks



Features

MH2632


Our triple-action Talon Hook™ is the latest evolution in snap hooks. The talon shape and wide gate opening means it clips on to a wider variety of attachment points, while still being compact and lightweight. MBL: 23kN Weight: 214g

Certified to: EN362:2004/B | CE Marked

Product Codes

Triple Action Talon Hook™

Double action offset alloy hooks



Features


When an excessive loading is placed on this hook, a load indicator will show red. This indicates that the unit must be removed from service. MBL: 25kN | Weight: 165g

Certified to: EN362:2004/T | CE Marked

Product Codes

MH2335AL Double Action Offset Alloy Hook


Standard double action snap hook - steel



Features

Predominately used on the end of personal lanyards, etc. MBL: 25kN | Weight: 238g Certified to: EN362:2004/A | CE Marked **Product Codes** MH003 Standard Double Action Snap Hook - steel

Swivel double action snap hook - steel



Features

Predominately used on the end of personal lanyards and ropes, etc. This unit swivels which reduces kinking. Features a built in load indicator. MBL: 23kN | Weight: 356g

Certified to: EN362:2004/A | CE Marked

Product Codes

MH006

Swivel Double Action Snap Hook - steel

Flat back double action snap hook - steel



Features

MH009

Predominately used on the end of personal lanyards and ropes etc. Has a flat back to lower the risk of self opening when leaning up against something. Glove-friendly. MBL: 25kN | Weight: 287g Certified to: EN362:2004/A | CE Marked

Product Codes

Flat Back Double Action Snap Hook - steel

Aluminium rebar hook



Features

Product Codes

MH011

Giant double action hook



Large gate opening for use on electric pylons. MBL: 18kN | CE Marked | Weight: 860g Certified to: EN362:2004/A

Product Codes

Features

MH005

Giant alloy hook



Features Ideal for Tower work due to its large gate opening of 110mm. MBL: 23kN | CE Marked | Weight: 925g Certified to: EN362:2004/A

Product Codes

MH2084A

Double action scaffold hook - steel

Features

Certified to: EN362:2004/A

Product Codes

MH004

Double action scaffold hook - alloy



Features

Product Codes MH007

Lightweight rebar hook with a 60mm gate opening. MBL: 23kN | CE Marked | Weight: 475g Certified to: EN362:2004/T

Aluminium Rebar Hook

Giant Double Action Hook

Giant Alloy Hook

Predominately used on the end of personal lanyards and ropes for securing to scaffolding. MBL: 25kN | CE Marked | Weight: 514g

Scaffold Hook - Double Action - Steel

Predominately used on the end of personal lanyards and ropes for securing to scaffolding.

MBL: 22kN | CE Marked | Weight: 471g


Certified to: EN362:2004/A

Scaffold Hook Double Action - alloy

Carabiners

Our range of carabiners are available in a number of metals with many gate-closing options and kN strengths.

Oval carabiner - steel, screw gate




Features Oval shape. MBL: 25kN | Weight: 165g Certified to: EN362:2004/B | CE Marked

Product Codes

MC001

Oval Carabiner - Steel, Screw Gate

Offset carabiner - steel, triple locking




Features Offset shape. MBL: 25kN | Weight: 196g Certified to: EN362:2004/B | CE Marked

Product Codes

MC002K Offset Carabiner - Steel, Triple Locking

Offset carabiner - steel, triple locking ,with Captive Eye Pin




Features

Offset shape. MBL: 30kN Weight: 236g Certified to: EN362:2004/B | CE Marked

Product Codes

MC002KCE Offset Carabiner - Steel, Triple Locking

D-Shape carabiner - steel, 10mm twist lock




Features D-shape. MBL: 40kN Weight: 195g Certified to: EN362:2004/B | CE Marked

Product Codes

MC015

D-Shape Carabiner - Steel, 10mm Twist Lock


Offset carabiner - steel, screw gate



Features Offset shape. MBL: 50kN | Weight: 251g Certified to: EN362:2004/B | CE Marked

Product Codes MC003

Offset carabiner - steel, triple locking





MC004


Offset carabiner - steel, triple locking, with captive eye pin

Features MBL: 40kN | Weight: 256g

Product Codes

MC050

Large rescue carabiner - steel, screw gate, with captive eye pin



MBL: 40kN | Weight: 256g


Features

Features

Product Codes MC009

Carabiner - stainless steel









Product Codes

MC005 MC006

196 QSi Catalogue

Offset Carabiner - Steel, Screw Gate

MBL: 50kN | Weight: 256g

Certified to: EN362:2004/B | CE Marked

Offset Carabiner - Steel, Triple locking

Screw Gate. Offset shape. Comes with captive eye pin.

Certified to: EN362:2004/B | CE Marked

Offset Carabiner - 50kN Steel Triple Locking w/ Captive Eye Pin

Screw Gate. Offset shape. Comes with captive eye pin.

Certified to: EN362:2004/B | CE Marked

Large Rescue Carabiner - Steel Screw Gate

- Renown for its longevity in corrosive, heavy-weather, outdoor
- Available in two clip styles: Screw gate and triple locking. Offset
- MBL: 41kN | Weight: Screw Gate: 215g | Triple Locking: 232g Certified to: EN362:2004/B | CE Marked

Carabiner - Stainless Steel, Screw Gate
Carabiner - Stainless Steel, Triple Locking

Carabiner - alloy, side swing gate



Features

Lightweight, strong alloy carabiners are perfect for situations where weight and portability is essential. Available in three clip styles: Triple locking, screw gate and twist lock. Offset shape. MBL: 22kN Weight: 93g Certified to: EN362:2004/B | CE Marked

Product Codes

MC008TRIPL Carabiner - Alloy, Side Swing Gate - Triple Locking

Offset carabiner - alloy, screw gate




Features	
Offset shape	
MBL: 24kN	
Weight: 77g	
Certified to: E	N362:2004/B CE Marked

Product Codes

Offset Carabiner - Alloy, Screw Gate

Oval delta quick link - 8mm, steel



Features


Quick Links are a semi-permanent option to quickly join safety items together. A crescent should be used to achieve optimal security. MBL: 30kN CE Marked UIAA.

Certified to: EN362:2004/Q | CE Marked

Product Codes

Oval Delta Quick Link - 8mm

Triangular delta quick link - 8mm, steel



Features

MC012

Quick Links are a semi-permanent option to quickly join safety items together. A crescent should be used to achieve optimal security.

MBL: 25kN CE Marked UIAA.

Certified to: EN362:2004/Q | CE Marked

Product Codes

MC013

Triangular Delta Quick Link - 8mm

Material Handling Webbing Straps

Material Handling Webbing Straps are an ideal aid for carrying heavy objects. The webbing sling keeps the user's hands away from the heavy object, helping to prevent accidental slippage and avoid potential injury when lowering.

The different lengths of sling allow for ergonomic lifting techniques by enabling the load to be carried in an upright standing position, removing the need for bending and awkward twisting.

Material handling webbing straps



Directions for use:






1. Place webbing sling around object.

2. Feed metal ring through webbing loop.

Material Handling Straps have a Maximum Break Material Handling Strap Handles have a Maximum

Material Handling Strap Handle
Material Handling Strap - 700mm
Material Handling Strap - 1m
Adjustable Material Handling Strap - 1.2m







4. Lift object. If load is heavy. add extra strap and have two people carry it.

Push / pull pole



Pipe push pole



Catch-it pole



1.4m pipe handling pole



Features

Our robust Push/Pull Pole has been designed to aid in the handling of cargo containers when loading and unloading on land or sea. It allows the user to safely push cargo containers away from them or pull netting, ropes, cables and containers towards them. This pole can also be used for retrieval of identification tags from containers.

This tool helps keep the user at a safe distance, to prevent crushing or pinching of hands and feet. The heavy duty fibreglass pole and robust nylon head make a super strong tool capable of holding up to 250Kg.

Product Codes

SPPUSHPULL1.0	1.0 Meter Push/Pull Pole with Handle
SPPUSHPULL1.3	1.3 Meter Push/Pull Pole with Handle
SPPUSHPULL1.8	1.8 Meter Push/Pull Pole with Handle

Features

This phenomenal tool is designed for the rigours of the oil rig where physical abuse and corrosive substances are the norm and your life can depend on the quality of your equipment. Designed for pushing of drill rig pipes.

- · Machined, corrosion resistant, high strength plastic head
- Max load: 250kg

Product Codes

SPPIPEPUSH1.0	1.0m Meter Pipe Push pole with handle
SPPIPEPUSH1.3	1.3m Meter Pipe Push pole with handle
SPPIPEPUSH1.8	1.8m Meter Pipe Push pole with handle

Features

The Catch-It Pole is a lightweight, extendable pole with a large hook designed for grabbing and moving ropes, cables and lanyards.

- Pole can be extended from 1.2m to 2.1m in 150mm increments.
- Hook dimensions: 250mm x 150mm

Product Codes

CATCHIT

1.2m - 2.1m Extendable Catch-It Pole


Features

This phenomenal tool is designed for the rigours of the oil rig where physical abuse and corrosive substances are the norm and your life can depend on the quality of your equipment. Features include:

- · Machined, corrosion resistant, high strength plastic head
- Flexible plastic nubs on the head provide extra grip on pipes.
- Max load: 250kg

Product Codes

SPPIPHAN1.1	1.1m Pipe Handling Pole
SPPIPHAN1.4	1.4m Pipe Handling Pole
SPPIPHAN1.9	1.9m Pipe Handling Pole



Vertex HS8000 Vertical Anchorage Line System on Rigid Aluminium Rail

This vertical fall arrest anchorage system (Conforming to EN 353-1) is an integrated solution made up of a vertical aluminium guide rail over which glides a guided-type fall arrest trolley.

The line is constructed by attaching the 3m lengths of rail in series using a junction to connect them, and clamps to attach them to the ladder rungs. The trolley moves up and down on the line accompanying the user who is connected to it with an auto-locking steel carabiner.

In the event of a fall, the trolley immediately locks on the rail, thus arresting the fall. Also, while not in use, the unidirectional locking system of the trolley prevents it from sliding down on its own.

The rail comes with an extension arm that curves at the top of the ladder, over the working platform. This allows the climber to be connected to the trolley even at the ladder termination, ensuring complete safety.

The bottom section of the aluminium rail extremity is equipped with a trolley lock that prevents the trolley from moving out of the rail (see figure below).

Certified to: EN353-1:2002

Fall protection for:


- Industrial ladders.
- Chimney ladders.
- Telecommunication towers.
- Power transmission towers.
- · Windmills.
- Cranes.
- Shafts and manholes.
- Petrochemical plants, on-shore and off-shore oil rigs.


Product Codes

HS8000	Vertical Anchorage Line System on Rigid
	Aluminium Rail

Component List:

1	Extension	HS8000 (02)	Material: Extruded aluminium alloy Length: 1.5m
2	Rail	HS5000 (01)	Material: Extruded aluminium alloy Length: 3m
3	Vertical Trolley	HS8000 (01)	Material: Stainless Steel (316) Trolley with brass wheel which provides frictionless movement.
4	Carabiner	HS111	Quarter turn auto-locking steel carabiner
5	Rung Clamp	HS8000 (03)	Material: Stainless Steel 316 Attaches the system onto the underlying ladder
6	Junction	HS5000 (08)	Material: Stainless Steel 316 Used to connect two rails together.
7	Rail Extremity	HS5000 (02)	Material: Extruded aluminium alloy Length: 3m





Vertex HS7000 Vertical Anchorage Line System on Rigid Cable Line

The Vertex HS7000 vertical anchorage line protects the user from a fall while ascending or descending a ladder. The unique feature of this system is a permanent installed stainless steel shock absorber at the top of the line. This offers distinct advantages over the textile absorbers used in other lines in terms of UV degradation and resistance to harsh climatic conditions.

The Vertical Anchorage Line is made of Stainless Steel wire rope. It is held in a rigid position by use of 2 mounting brackets-one at the top and one at the bottom.

The Stainless-steel Rope Grab is directly connected to the user without an additional lanyard.

To maintain the rigidity and high tension in the anchorage line, a screw type mechanical tensioner is provided at the end of the anchorage line at the bottom, connecting it to the lower mounting bracket.

The system is available in five sizes for ladders from 10m to 50m in height.

Also available is an optional Extension Arm to extend the system above the platform for safe disengagement of Fall Arrester from the system while standing on the platform.

Certified to: EN353-1:2002

Fall protection for:

- Industrial ladders.
- · Chimney ladders.
- Telecommunication towers.
- Power transmission towers.
- Windmills.


Features and benefits:


- MOC: Stainless steel grade 316.
- Shock absorber reduces impact of fall on user as well as receiving structure.
- · Suitable for 1 person.
- Intermediate cable guides every ten metres to reduce vibrations caused by wind pressure.
- Trained installers and engineers to install the system.

11000000000000	
HS7000	(10m) Vertical Anchorage Line System for 10m ladder
HS7000	(20m) Vertical Anchorage Line System for 20m ladder
HS7000	(30m) Vertical Anchorage Line System for 30m ladder
HS7000	(40m) Vertical Anchorage Line System for 40m ladder
HS7000	(50m) Vertical Anchorage Line System for 50m ladder
EXTENSIONARM	Line System Extension Arm

Component List:

Mounting HS7000 (01) 2 Breaking Strength > 23 kN
Bracket Complies with EN 795 Class A1
2 Shock Absorber HS7000 (02) 1 Material: Stainless Steel 316 Limits the impact of force in the event of fall to less than 6 kNm
Cable ExtremityHS7000 (03)Swage Mechanism Material: Stainless Steel 316
4 Wire Rope HS9[length]SL Material: Stainless Steel 316 Object Diameter: 8mm Construction: 7x19
SRope GrabRG-02112Material: Stainless Steel 316Works on stainless steel wire rope
6 Intermediate HS2001 (04) Material: Stainless Steel 316 8 Recommended Installation: every 10m
Wire Rope CapHS7000 (12)2Material: Aluminium Alloy
 8 Set of U-Bolts and Thimbles HS6000 (01) HS6000 (01) U - Bolts Qty: 2. Material: Stainless Steel 316 Thimbles: Qty: 1 Material: Galvanized Steel
9 Tensioner HS7000 (05) 1 Material: Stainless Steel 316 Regulates tensioning of the cable









Vertex hs9000 industrial fall protection ladder



Features

The Vertex HS9000 is an integrated ladder and fall protection system. The low-profile design can be mounted on many structures to allow safe, easy access to high areas.

Certified to: EN353-1:2002

Fall protection for:

- Buildings
- Chimneys
- Wind Turbine Towers
- Transmission Towers
- · Advertising Billboards.

Features and benefits:

- Continuous ladder with fall protection can negotiate bends.
- · Corrosion free anodized aluminium rail.
- Hot-dipped galvanized rungs.
- · Four-wheel trolley slides freely on the central rail and locks in place in the event of a fall.
- · Assists in climbing. The unique design of trolley supports the user while ascending or descending.
- · Locking jibs at either end to prevent unintentional release of trolley from the rail while in use.
- · Aluminium rail extension to safely remove the trolley after reaching the landing platform.

Product Codes

HS9000

Vertex Fall Protection Ladder System

Component Ref. # Description


HS8000(02)	Aluminium Extensions	
HS5000(01)	Aluminium Rail Intermediate	
HS8000(01)	Vertical Trolley	
HS111	Carabiner	
HS5000(06)	Mounting Bracket	
HS5000(08)	Junction	
HS5000(02)	Aluminium Rail Extremity	
HS9000(01)	Ladder Rung Assembly	
HS5000(03)	Mounting Nut	











Features

206 QSi Catalogue

QSI introduces the new Davit Arm which provides a safe and secure system for easy access to confined spaces. The Davit Arm is an ideal choice to provide overhead anchorage which can be mounted on different bases and it conforms to EN 795:2012 Type A.

The Davit Arm is made of highly corrosion resistant stainless steel, and can swivel a complete 360 degrees on its mounted base, hence providing a versatile reach and access.

A unique feature is the adjustable height of the cantilever arm at 3 defined points, with upper arm position of 2.3m, middle arm position of 1.9m, and lowered arm position at 1.5m. This enables the use of the Davit Arm even in those areas where the roof height is small.

The Davit Arm can be easily mounted on the floor as well as on the wall through special floor and wall mounting brackets which are available as required. The Davit Arm can also be mounted on the floor of heavy vehicles, making it extremely versatile.

QSI Winch HS 818 and SRW1001 can be easily mounted on to the Davit Arm with the help of stainless steel fasteners.

Retrieval Fall Arrester Blocks (SRLS10R, SRLS20R and SRLS30R) can also be installed for easy retrieval & arresting the fall of the user using the specialized mounting brackets; Ref. HS900(06), HS900(07) & HS900(08) respectively.

Davit Arm System
Floor Mounting Bracket
Wall Mounting Bracket
Mounting bracket for 30m Retrieval Block SRLS30R
Mounting bracket for 20m Retrieval Block SRLS20R
Mounting bracket for 10m Retrieval Block SRLS10R

Tool Lanyards

When working at height, you want to be sure your tools are as safe and secure as you are. QSI manufacture a range of tool lanyards, pouches and belts designed to keep your tools close at hand and safe from the risk of being dropped.

Belt lanyard - TKLDR



	Product Codes	
	TKLDR	76cm Tool Lanyard with D-Ring
Polt Januard TKI TA		
Belt lanyard - TKLTA		
Creation	Product Codes	
	TKLTA	100cm Tool Lanyard with Tool Attachment
Polt lanuard TKI FTA		
Belt lanyard - TKLETA		
	Product Codes	
Contraction of the second seco	TKLETA	73cm Elasticated Tool Lanyard with Tool Attachment

Belt lanyard - TKLETAQR



Product Codes	
TKLETAQR	86cm Elasticated Tool Lanyard with QR Tool Attachment

Belt lanyard - TKTA



Product Codes ΤΚΤΑ 22cm Tool attachment for lanyard

Tool lanyard - TKLESSGC



Product Codes TKLES

SSGC	Orange Aluminium Elasticated Lanyard with Gate Cara- biner - 127cm (SWL 5kg)

Tool lanyard - TKLCAU



Product Codes

Retractable tool lanyard - HS017S



Product Codes

HS0175 Retractable 1.5m wire cable with protective coating. Suitable for tools weighing up to 5kg

Wrist Straps

Wrist strap - TKWSV	
	Product Coc TKWSV
Wrist strap - TKWSQR	
	Product Coc TKWSQR
Wrist strap - TKWSE	
0	Product Cod
	TKWSE
Wrist strap - SBLTLW	
	Product Cod
	SBLTLW

odes

19cm Wrist Strap With Velcro

odes

19cm Wrist Strap With Quick Release Buckle

odes

19cm Elasticated Wrist Strap

odes

100cm Wrist Strap Attached to Lanyard

Belt loops

Belt loop - TKBLSIN		
	Product Codes	
	TKBLSIN	Fixed Belt Loop with Single D-Ring
Belt loop - TKBLDBL		
Qa K	Product Codes TKBLDBL	Fixed Belt Loop with Double D-Ring
Belt loop - TKBLSINV		
	Product Codes	
	TKBLSINV	Velcro Release Belt Loop with Single D-Ring
Belt loop - TKBLDBV		
D	Product Codes	Valara Palagaa Palt Loop with Daubla D. Ding
	TKBLDBV	Velcro Release Belt Loop with Double D-Ring
Tool belts - TKBB		
	Product Codes	
Contraction of the Contraction of the	тквв	Tool Belt Black
Tool belts - TKBLSINGR		
	Product Codes	
	TKBLSINGR	Quick Release Belt Clip with Single D-Ring
Tool belts - TKBP		
	Product Codes	
	ТКВР	Tool Belt Back Pad
Tool belts - TKBBL		
	Product Codes	
	ТКВР	Tool Belt Blue with Reflective Strip

Tool bags

Tool bag - TKBAG	Product Codes TKBAG
Tool bag - SBELTP	
	Product Codes SBELTP
Tool bag - TKPPVC	
	Product Codes TKPPVC

PVC Round Tool Bag

Leather Tool Pouch

PVC Tool Carry Pouch with Pockets



Restraint systems explained

While the primary focus of height safety in Australia and New Zealand is Fall Arrest, it is also important to consider the role of Restraint products. First, we need to understand the differences:

	Fall Arrest	Restraint
Products	Designed to safely absorb forces and prevent serious injury in the event of a fall.	Designed to restrict a worker's movement so there is zero risk of fall.
Worker	Free to move around their work space. Responsible for preventing themselves from falling.	Restricted to a very specific work space. Can rely on equipment to prevent them from falling.
Standards	Complies with AS/NZS Standards	Does not comply with AS/NZS Standards

While there are no AS/NZS standards covering restraint products, we apply the same tests to them as we do our fall arrest products. For example, we static load the attachment points with 15kN for three minutes just as we would for any product that meets the 1891.1:2007 standard.

Restraint products are necessary in some work situations where a worker must operate in a position that would be too dangerous to rely solely on a fall arrest system. Examples include:

- Working in a fixed position on a gantry or other platform at height.
- Working from a trailer or moving vehicle.

The key phrase to keep in mind is Zero Fall Risk. Restraint products are only used correctly when they guarantee there is no risk of fall whatsoever.

QSI recommends you use a full body harness and fall arrest system as a backup to your restraint system. In other words, set up your work environment with suitable fall arrest equipment, then add a restraint system to restrict movement and prevent a fall. It is your responsibility to perform a full risk assessment of your situation to ascertain whether a fall arrest system is required.



Chest restraint harness

Features

This harness includes a dorsal D-ring for restraint attachment with easy adjustment of the shoulder straps and a Quick Release Buckle. MBL: 15kN

Product Codes


CHESHAR00⁴



Features

Restraint waist belt







Adjustable restraint lanyard





1m Adjustable Restraint Lanyard
1.5m Adjustable Restraint Lanyard
2m Adjustable Restraint Lanyard

SBLR11	1m Adjustable Restraint Lanyard		
SBLR01	1.5m Adjustable Restraint Lanyard		
SBLR10	2m Adjustable Restraint Lanyard		

Adjustable restraint lanyard with scaffold hook



Features

Product Codes

SBLR02	0.9m Adjustable Restraint Lanyard
SBLR03	1.2m Adjustable Restraint Lanyard
SBLR04	1.5m Adjustable Restraint Lanyard
SBLR05	2m Adjustable Restraint Lanyard

NOT TO BE USED FOR FALL ARREST.

-		
l		

Chest Restraint Harness

A simple, adjustable restraint Waist Belt with a Quick Release Buckle and rear D-ring for restraint attachment.

NOT TO BE USED FOR FALL ARREST.

Restraint Waist Belt

Our adjustable restraint lanyards are available in various lengths, and a variety of double and triple action hooks.

NOT TO BE USED FOR FALL ARREST.

Our adjustable restraint lanyards are available in various lengths, and a variety of double and triple action hooks.

NOT TO BE USED FOR FALL ARREST.

Paint tin carry belt

Padded restraint waist belt

Features

Features

• MBL: 15kN

SBERB-PB

3)

Product Codes

SMALL &

sizes available

on request

attachment points at both hips.

NOT TO BE USED FOR FALL ARREST.

Padded restraint waist belt for extra comfort, with Quick Release Buckle and rear D-ring.

A padded waist belt with Quick Release Buckle and D-ring

Paint Tin Carry Belt

• MBL: 15kN

NOT TO BE USED FOR FALL ARREST.

Product Codes

SBERBQR Padded Restraint Waist Belt

SMALL & 3) sizes available on request

Padded restraint belt with shoulder straps and rigging d-ring

Features

• MBL: 15kN

NOT TO BE USED FOR FALL ARREST.

Product Codes SBERESTRAI

SMALL 3 sizes availa on request

Padded restraint belt with shoulder straps, fluro triangle and dorsal d-ring

Features

Padded restraint belt with dorsal D-ring and D-rings at both hips. Quick Release Buckles on waist and chest, reflective tape on shoulder straps and back of belt, and fluro triangle panel at rear. • MBL: 15kN

NOT TO BE USED FOR FALL ARREST.

Product Codes SBERESTRAINT2

SMALL & sizes available on request









Padded restraint belt with rigging D-ring, one side D-ring, Quick Release Buckle on waist and reflective tape on shoulder straps and back of belt. The shoulder and chest straps help spread the load across the body for increased comfort and stability.

INT	Padded Restraint Belt with Shoulder Straps and Rigging D-ring	
. &		
+		
able		

Padded Restraint Belt with Shoulder Straps, Fluro Triangle and Dorsal D-ring



PVC Harnesses

Our range of PVC harnesses and other height safety equipment is designed primarily for the food and paint industries. As well as meeting the appropriate safety standards, the PVC webbing material offers some special benefits:

- Resistant to acids, blood and fat
- Easy to clean
- Industry-appropriate colour

PVC full body harness





Features

Our Full Body Harness with PVC coated webbing features two attachment webbing loops and a dorsal attachment D-Ring for fall-arrest. The sternal attachment points are particularly suitable for use with rope or cable grabs and offer a comfortable position to work from as well as for rescue.

High strength, easy adjustment webbing buckles are used on both legs and chest. Other features include easy-grip shoulder adjustment buckles, webbing fall arrest loops and high strength stitch pattern.

The SBE2PVC is AS/NZS 1891.1:2007 certified. It is available in sizes 3XL and above for use in conjunction with a 150kg rated block. See pg.<?> for more information.

Certified to: AS/NZS 1891.1:2007

Optional Extras

- D-Ring Extension Strap
- X-Factor Shoulder Padding System
- AirTech Breathable Padding System (see pg. 129)
- Heavy Duty PVC Bags, Backpacks, etc (see pg. 156)
- Tool Lanyards and Pouches (see pg. 208)

Product Codes

SBE2PVC PVC Full Body Harness with Quick Release Buckles





Features

Release Buckle. • MBL: 15kN

Product Codes

CHESHAR002 White PVC Chest Restraint Harness with Quick Release Chest Strap



PVC webbing restraint harness



pvc harnesses premium height safety equipment **qsi**

This harness includes a dorsal D-ring for restraint attachment with easy adjustment of the chest and shoulder straps and Quick

NOT TO BE USED FOR FALL ARREST.



A simple, adjustable restraint waist belt with Quick Release Buckle and rear D-ring for restraint attachment.

NOT TO BE USED FOR FALL ARREST.

PVC Webbing Restraint Belt









premium industrial clothing

Why choose QSi Premium Industrial Clothing?

We have been leading and innovating garments in various industries throughout the world's markets, from electric arc, petrochemical, mining and all other large and small businesses.

It is QSI's attention to detail, and listening to our customer's needs that are helping us innovate and stay current with market trends.

Linking this ability, and having world-leading raw material manufacturers supplying tried and tested fabrics, we offer a large range of products to meet our customer's individual needs.

With in-house manufacturing capabilities and partnerships with overseas suppliers, no problem is too big or too small for us to help with.

Talk to one of our sales specialists today to see how we can help you.



Road worker 100% cotton overalls



Features

- Large, rugged front zip, easy to use while wearing gloves
- flaps

Product Codes

OAIWCOTTTMC

IronWear 100% cotton overalls



Features QSI's IronWear range of 100% cotton overalls are built tough without sacrificing comfort. IronWear overalls are designed in New Zealand for New Zealand body shapes, so you can be sure of a comfortable fit. Ideal for most rugged work environments, they're suitable for mechanics, farmers, engineers, rubbish removers, tradesmen and labourers.

- fabric

- wearing gloves
- Breast pockets
- Hip pockets

Product Codes OAIWCOTNA



QSI's IronWear range of 100% cotton overalls are built tough without sacrificing comfort. The Road Worker is designed for workers in high visibility situations, while also suitable for most other rugged work environments.

- Standards Compliant orange and blue colour scheme
- TTMC-W transit compliant
- reflective tape front and back
- Adjustable velcro wrist straps
- 280gsm 100% cotton
- Double-layer knees and seat
- Breast pockets with velcro

- Hip pockets
- Pen pocket
- Ruler pocket
- Hip access to inner garments
- Size range: 4 15
- · Screen printing and monogramming of name, company logo, etc also available

100% Cotton Overall 280gsm

irgn WEAR

• Double-washed, pre-shrunk

- Seat pocket
- 280gsm 100% cotton
- · Double-layer knees and seat.
- · Large, rugged, double-ended
- front zip, easy to use while

- Pen pocket
- Ruler pocket
- Hip access to inner garments
- Size range: 4 15
- · Screen printing and monogramming of name, company logo, etc also available

V_ 100% Cotton Overall - Blue with No Tape 280gsm

IronWear Hi Vis wet weather 5 in 1 TTMC-W compliant



Features

QSI's IronWear 5 in 1 Jacket, Vest, and Bib Trousers are designed in New Zealand for New Zealand body shapes, so you can be sure of a comfortable fit.

Ideal for most rugged work environments, they're suitable for mechanics, farmers, engineers, rubbish removers, tradesmen and labourers.

Bib Trouser features include:

- 100% polyester 300D oxford PU coated for the body
- 13,000mm waterproof rating
- 3,000mm breathabilty rating
- TTMC-W transit compliant reflective tape front and back

Size range: S, M, L, XL, 2XL, 3XL, 5XL, 7XL

Screen printing and monogramming of name, company logo, etc also available.



Product Codes

WW5IN1JACK_	IronWear wet weather jacket
WW5IN1VEST_	IronWear wet weather vest
WW5IN1SET_	IronWear wet weather jacket and vest 5 in 1
WWBIBTROU_	IronWear wet weather bib trouser
WWTROU_	IronWear wet weather trouser

ICETEC freezer wear





- · Available in sizes S to 4XL as well as 6XL and 8XL

Product Codes FWJACK(SIZ FWBIBTROU





Fleece lined collar and removable hood for greater comfort.



Elasticated inner wrist cuffs help keep sleeves in place and improve insulation.



Full length leg zips and hook & loop flaps for easy donning.



- ICETEC Freezer Wear provides the ultimate protection for some of the most challenging working environments. Designed to be tough and flexible, ICETEC Freezer Wear protects you from the cold while still allowing you to move easily and work efficiently.
- AS/NZS 4602.1:2011 and AS/NZS 1906.4:2010 compliant
- Suitable for day or night use with high visibility reflective tape
- Heavy Duty 450d Oxford fabric outer shell (100% polyester) with water resistant PU coating
- 100% polyester lining with 320gsm quilted padding
- · Seam sealed and waterproof

ZE)	Freezer Wear Jacket
I(SIZE)	Freezer Wear Bib Trouser



Elasticated, adjustable shoulder straps on bib trousers aid flexibility.

Reflective vests

Standards

Orange with tape: Day/night use. TTMC-W transit compliant Lime with tape: Day/night use Pink with tape: Night Use Only Orange and lime - no tape: Day use only

High Vis day vest



High Vis day / night vest



Kids Hi Vis vest



Features

- · Lightweight and high visibility
- · Available in Orange or Lime
- Sizes: S 6XL, 8XL. (Add size to product code when ordering.)
- · Available in Orange or Lime

Product Codes

VESDAY0_	Hi Vis Day Vest - Orange
VESDAYY_	Hi Vis Day Vest - Lime

Features

- Reflective tape front and back
- Convenient ID storage pocket
- The Orange vest is Transit Compliant
- Sizes: XS 6XL, 8XL, 10XL. (Add size to product code when ordering.)
- Available in Orange or Lime
- Meets AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011.

Product Codes

VESHIVISO_	Day/Night Hi Vis Vest - Orange
VESHIVISY_	Day/Night Hi Vis Vest - Lime

Features

- · Lightweight and high visibility
- Reflective tape front and back
- Sleeveless Sizes: S chest size 35mm age 2-4 year old approx.
- · Sleeveless Sizes: M chest size 40mm age 5-7 year old approx.
- Sleeveless Sizes: L chest size 45mm age 8-10 year old approx.
- (Add size to product code when ordering.)

Product Codes

VESHIVISO-CHILD	Childrens Vest Hi-Vis (with refl. tape) - Orange
VESHIVISY-CHILD	Childrens Vest Hi-Vis (with refl. tape) - Yellow



STMS vest





VESYELSTM VESLSHVST

High Vis long sleeve reflective vest

Features

Product Codes

VESLSHIVIS VESLSHIVIS

High Vis short sleeve pink reflective vest

Features

- - · Sizes: S 4XL, 6XL, 8XL (Add size to product code when ordering.)

Product Codes VESHIVISP

Visitor vest



Features Pink vests are the perfect choice for site visitors as they stand out among your staff in orange and lime vests.

Sizes: S - 4XL, 6XL, 8XL. (Add size to product code when ordering.)

Product Codes VESHIVISPV_

· Lightweight and high visibility

- Reflective tape front and back
- · Available in both sleeveless and long sleeve
- Sleeveless Sizes: XS 6XL, 8XL, 10XL.
- Long Sleeve Sizes: S 6XL, 8XL
- (Add size to product code when ordering.)

IS	Yellow Sleeveless Hi Vis STMS Vest
MSY_	Yellow Long Sleeve Hi Vis STMS Vest

Reflective tape front and back

The Orange vest is Transit Compliant

• Sizes: S - 6XL, 8XL. (Add size to product code when ordering.) · Available in Orange or Lime.

;	Day/Night Hi Vis Long Sleeve Vest - Orange
Υ	Day/Night Hi Vis Long Sleeve Vest - Lime

· Lightweight and high visibility

Reflective tape front and back

Please note: Pink vests do not comply with the Day Use colour standard because the standard only covers the yellow-orange-red colour spectrum.

Night Hi Vis Vest - Pink

Lightweight and high visibility.

· Reflective tape front and back.


Please note: Pink vests do not comply with the Day Use colour standard because the standard only covers the yellow-orange-red colour spectrum.

Visitor Vest - Pink

Electric Arc high visibility safety garments

High Visibility safety garments are manufactured to comply with AS/ NZS 4602.1:2011 standards.

It is essential that the appropriate garment be worn at all times. Class D/N garments are suitable for use during the day or night. Class D garments are suitable for use only during the day when high visibility is required. Class N garments are suitable for use only during the night when retroreflective is required.



How to choose the correct flame resistant clothing

With all the options of new products being continuously brought into the market, it is important for a user to determine the level of flame resistant (FR) garment protection required, the comfort and weight to the user and the cost of the FR protection.

As long as you understand the benefits and limitations to the product you are purchasing, you will be able to make an accurate decision. There is a good reason some of the more prominent brands are slightly more costly than some unknown imported product. This is due to the fact that the fabric manufacturers have invested the time and money into the continuous improvement and quality management of their product. Look to fabrics that are market proven to ensure you are getting the best protection. As we better understand the risks presented in the everyday work environment we are better able to predict risk and prepare for any situation that may eventuate.

The first question that needs to be asked is "Who is at risk and who needs flame resistant (FR) protective garments?" The answer is pretty simple - any person who does work in a hazardous environment that may involve coming into contact with hot metal, grinding or welding sparks, electric arc, flash fire, explosions from gas or dust or general fires like rural fires.

Industries that would fall into these categories are, electricians, electric utility linesmen, refinery, chemical and pharmaceutical workers, workers in the pulp and paper industry, food processing, paint, rural fire fighters and many more industries as well as anyone who comes into contact with energized equipment like road workers and arborists working near power lines.

How do I choose what to garment to use?

With the global market becoming more accessible, the ability to import a finished garment has become a lot easier. There has been an increase in FR garment options and this has resulted in a misrepresentation of the garment's performance ability, creating a lot of confusion in the market.

The best way to determine what is best for your business is to make an informed decision based on fact. In order to do this you will need to understand the various types of products available to you and the pros and cons of each one. There are a lot of fabrics and blends as there are so many different application requirements.

Not all FR fabrics will do the same jobs

Let's take a systematic approach starting with the entry level fabric, moving up to the higher performance fabrics. The entry level, easy to obtain fabric of choice over the last few years has been a 100 percent FR treated cotton fabric. This garment is not inherently flame resistant such as QSI Spectron garments. A manufacturer will use specific combinations of chemicals and will soak or spray the material so it will have the ability to self-extinguish after being exposed to flames. The FR chemicals are "activated" by intense heat, producing char and gases that inhibit combustion. This is a treatment placed onto a finished fabric so the fire retardant materials lose their fire retardant properties after a number of washes. This is commonly known as a "50 wash garment". The drawback to this fabric is that normally, to achieve a suitable arc rating or long burn exposure, they need to be a heavier weight (260–270gsm = 8 Cal+), this makes them a little heavier and a little more uncomfortable in the hotter seasons. This is generally a 1 year use garment.

Locking in FR treatment

In the last few years some more advanced ways of locking the FR treatment into the core of the cotton fiber have come about. This has brought about some great technical fabrics that have 88 percent cotton with 12% nylon such as QSI Banwear. Unlike the basic treated cotton fabric the FR treatment gets released from the core of the fiber, taking longer to leach out.

In most occasions the life of the garment is depleted before the FR treatment is gone. This is still a fire-retardant fabric. The 12 percent nylon adds extra durability and makes this garment a more durable option. It would have around a two to three year lifespan. It also requires a heavier weight to get the better arc rating or longer burn performance (260-270gsm = 9 Cal+).

Genuine FR material

With the advancement of technologies, a lot of technical fibers have been developed to be genuine, inherently flame-resistant material. Some types of fibers are modacrylics, FR viscose, Kermel, Nomex and Kevlar. The fibers these materials are made from are inherently non-flammable. Inherently flame-resistant materials are not affected by proper laundering.

The challenge is that some of these fibers shrink when they come into contact with heat, others may be uncomfortable to wear and are not a soft fabric -- some are difficult to dye and fade easily.

Affordable options

A more affordable option that is now coming out into the market is a blend of a 50-60 percent synthetic fiber with a cotton blend like Protal. The synthetic fiber acts as an oxygen scavenger so it prevents the cotton from burning. This fabric is more durable than the cotton fabric alone and does not require a treatment for the FR properties.

The only drawback is that it may not be suitable for a longer flame exposure and is more suited to an arc flash environment where you have a very short exposure to a flame.

High end fabrics

The higher end fabrics that combine durability, long burn protection and light weight performance are normally a combination of two or more technical flame resistant fabrics like QSI Kermel with FR Viscose. They are generally lighter (245gsm = 8 Cal+).

They are also known as a three-to-four year garment due to the fact they do not lose their FR properties and the Kermel fibers are also more durable.

The advantages include:

- Light weight fire resistance performance
- High durability
- Colour durability
- Proven performance in severe environments
- No performance degradation through over-washing or incorrect washing

PPE must also be worn properly

- Avoid the use of polyester, nylon, polypropylene and polyamide undergarments (sports material). Use FR, cotton, wool or rayon underwear and T-Shirts - non-melting.
- Ensure appropriate size and fit (maintain air gap between body and garment)
- · Close PPE correctly (buttons, zipper, Velcro, etc) always done up
- Do not roll up sleeves.
- Keep it clean the garment should not have flammable contaminates on it. Follow the cleaning and maintenance instructions on the inside label. Only repair or modify the garment following the guidelines provided by the garment manufacturer.
- Outermost wear must be flame resistant e.g. do not wear a PVC raincoat over a FR coverall in a FR environment.
- Recommended stock: It is recommended that 3 sets of selected suitable FR garments are purchased per employee. This allows for 1 to be worn, while 1 is laundered and then a spare to be kept in stock.
- · Consider FR head, face, hands and foot protection too.


When do I replace my garments?

Fire retardant clothing can lose its FR properties before physical damage is noticeable. Any garment, flame resistant or fire retardant, that has any visible holes or tears, should be repaired or removed from service immediately. Get the manufacturer's guidelines on the longevity of the specific FR treatment you are using.

Choose the fabric that works for you














CAI	RAT	ING: 1	10.6C	al/cm²	
FR	PROT	ECTIC	ON LE	VEL	
FR	PROT	ECTIC	DN LI	ETIME	
LIG	HTNE	SS			
co	MFOF	т			
BRI	EATH	ABILI	ΓY		
DU	RABIL	ITY			
WA	TER R	ESIST	ANC	E	
AFF	ORD	ABILI	ТҮ		



Kermel[®] clothing gives you total confidence and is the ultimate choice for protection from arc flash.

The risk of arc flash is a fact of life when working in high-voltage situations. We all hope it will never happen, but when it does you want to be wearing the best protection available.

Industry-leading Kermel[®] aramid fibre fabric is inherently non-flammable, with a high resistance to abrasion and chemicals, and FR protection is guaranteed for the life of the garment^{*}. It is also more lightweight than many other competitive fabrics, with moisture-wicking properties that make it very comfortable to wear. Kermel[®] is your premium choice for long-lasting, hard-wearing protective clothing.

Specifications:

- Meets the requirements of AS/NZS 4602.1:2011
- ATPV ≤ 9.5Cal/cm²
- Garment Fabric: 50% Kermel® Aramid, 50% FR Viscose.
 Sewing Thread: Aramid flame retardant thread.
 Reflective Trim: Flame retardant AS/NZS 1906.4:1997 certified.
 Size Range: Shirt, Jacket, Trousers: S - 3XL

Overalls: 4 - 15

Kermel® Shirt - Blue with half reflective tape.
Kermel® Overall (TTMC-W) - Orange and blue with full reflective tape.
Kermel® Jacket (TTMC-W) - Orange and blue with full reflective tape.
Kermel [®] Drawstring Trouser - Blue with half reflective tape.
Kermel® Beltloop Trouser - Blue with half reflective tape

Kermel[®] shirt

- Double-layer shoulder area for extra protection.
- Large chest pockets with hook & loop fastening flaps.
- FR reflective tape, dome cuffs and front.



Kermel[®] jacket

- · Large chest pockets with hook & loop fastening flaps.
- Full FR reflective tape, TTMC-W.

Product Codes


Robust front zip and adjustable hook & loop cuffs.

Kermel[®] overall

- Full reflective FR tape, TTMC-W.
- · Double-layer knee pads.
- · Large capacity cargo pockets.
- Hip tool pocket.



Flame retardant reflective tape sewn with TKT 40 FR thread.





Large capacity cargo pockets with hook & loop flaps.

Kermel[®] drawstring trouser

- Twin front and cargo pockets.
- · Dual-layer knee pads.
- Ankle zips.







Kermel[®] beltloop trouser

- Twin front and rear pockets.
- Single cargo pocket.
- Hip radio pocket.



Protal[®] remains comfortable and cool with new breathable technology previously impossible in FR protective clothing.

When a flame comes into contact with Protal®'s unique intimate blends, tiny amounts of inert, non-burning gasses push the oxygen away from the surface to stop the burning process. As soon as the flaming stops and the source is removed, gas production stops and a charred barrier remains – no melting, no dripping and no material sticking to the skin.

The charring action and protected integrity of the fabric gives the wearer valuable time to react appropriately, while being fully protected.

Specifications:

- Meets the requirements of AS/NZS 4602.1:2011
- ATPV ≤ 9.6Cal/cm2
- Garment Fabric: 55% Protal® Aramid, 45% Cotton.
 Sewing Thread: Aramid flame retardant thread.
 Reflective Trim: Flame retardant AS/NZS 1906.4:1997 certified.
- Size Range: 4 15

OAPRO_	Protal® (240gsm) Overall (TTMC-W) - Orange and blue with full reflec- tive tape.
OAPROJACK_	Protal® (240gsm) Jacket - Orange and blue with full reflective tape.
OAPROTROU_	Protal® (240gsm) Drawstring Trouser - Blue with half reflective tape.

Protal® shirt

- Double-layer shoulder area for extra protection.
- Large chest pockets with hook & loop fastening flaps.
- FR reflective tape, dome cuffs and front.



Protal[®] jacket

- · Large chest pockets with hook & loop fastening flaps.
- Full FR reflective tape, TTMC-W.
- Robust front zip and adjustable hook & loop cuffs.




Protal[®] overall

- Full reflective FR tape, TTMC-W.
- · Double-layer knee pads.
- Large capacity cargo pockets.
- Hip tool pocket.



Flame retardant reflective tape sewn with TKT 40 FR thread.





Large capacity cargo pockets with hook & loop flaps.

Protal[®] drawstring trouser

- Twin front and cargo pockets.
- · Dual-layer knee pads.
- Ankle zips.







Protal[®] beltloop trouser

- Twin front and rear pockets.
- Single cargo pocket.
- Hip radio pocket.



Banwear[®] gives you the best of both worlds: top-quality, long-lasting arc flash protection at an affordable price.

Banwear® harnesses the durability of nylon for long life and the heat resistant properties of cotton for improved protection. The blend of 88% cotton and 12% nylon eliminates the need to wear T-shirts to achieve industry standard protection.

Banwear® is the original extended wear life fabric. It offers a new level of comfort, safety and durability, delivering the best protection and lowest cost-per-wearing in the industry. Better still, FR protection is guaranteed for the life of the garment*.

Specifications:

- Meets the requirements of AS/NZS 4602.1:2011, ASTM 1506 and NFPA 2112.
- ATPV ≤ 9.6Cal/cm2
- Garment Fabric: 88% Cotton, 12% Nylon.
 Sewing Thread: Aramid flame retardant thread.
 Reflective Trim: Flame retardant AS/NZS 1906.4:1997 certified.
 Size Range: Shirt, Jacket, Trousers: S - 3XL; Overalls: 4 - 15

OABANSHIRT_	Banwear® Shirt - Blue with half reflective tape.
OABAN_	Banwear [®] Overall (TTMC-W) - Orange and blue with full reflective tape.
OABANJACK_	Banwear [®] Jacket (TTMC-W) - Orange and blue with full reflective tape.
OABANTROU_	Banwear® Drawstring Trouser - Blue with half reflective tape.
OABANTROUBL_	Banwear® Beltloop Trouser - Blue with half reflective tape.

Banwear® overall

- Full reflective FR tape, TTMC-W.
- Large capacity cargo pockets and hip tool pocket.
- Double-layer knee pads.



• Large chest pockets with hook & loop fastening flaps.

• Full reflective FR tape, TTMC-W.

Banwear® jacket

• Robust front zip and adjustable hook & loop cuffs.



Banwear[®] shirt

- Double-layer shoulder area for extra protection.
- Large chest pockets with hook & loop fastening flaps.
- Half reflective FR tape.
- Dome cuffs and front.



Large capacity cargo pocket.



Dedicated radio or cellphone pocket on hip.

Banwear[®] drawstring trouser

- Twin front and cargo pockets.
- · Dual-layer knee pads.
- Ankle zips.









Banwear[®] beltloop trouser

- Twin front and rear pockets.
- Single cargo pocket.
- Hip radio pocket.



Need full arc flash protection at an unbelievably low price? Look no further than Spectron™ 100% FR Cotton.

Spectron™ is the perfect solution for affordable arc flash protection. It offers the familiar, breathable comfort of 100% cotton with a special treatment to provide full protection from arc flash, sparks and electrical fires.

The flash resistant properties of Spectron™ are guaranteed for up to 50 wash cycles*, making it a cost-effective choice for short-term contractors who may only need protection during a limited time frame.

Specifications:

- Meets the requirements of AS/NZS 4602.1:2011
- Tested to EN532 and ASTM D6413.
- ATPV ≤ 8.7Cal/cm2
- Garment Fabric:
- Sewing Thread:
- Reflective Trim:

- Size Range:
- Flame retardant AS/NZS 1906.4:1997 certified.
- Jacket, Trousers: 4 15 Bib Overall: S - 8XL Overall: 4 - 16

100% FR Cotton.

Aramid flame retardant thread.

Product Code	e
--------------	---

OAFRTTMC_	Spectron™ Overall (TTMC-W) - Orange and blue with reflective tape.
OAFRBIB_	Spectron™ Bib Overall, Blue with reflective tape.
OAFRJACK_	Spectron™ Jacket (TTMC-W) - Orange and blue with reflective tape
OAFRTROU_	Spectron™ Drawstring Trouser, Blue with reflective tape.
*Guarantee is depe adhering to instrue	endent on regular laundering, strictly strictly

Spectron[™] jacket

- Large chest pockets with hook & loop fastening flaps.
- Full reflective FR tape, TTMC-W.
- · Robust front zip and adjustable hook & loop cuffs.



Spectron[™] bib overall

- · Adjustable elastic shoulder straps.
- · Double-layer knee pads.
- · Chest pockets, front pockets and hip tool pocket.



Spectron[™] overall

- Full reflective FR tape, TTMC-W.
- · Double-layer knee pads.
- · Large capacity cargo pockets and hip tool pocket.
- · Front and internal access pockets.





Spectron[™] drawstring trouser

- · Twin front and cargo pockets.
- · Dual-layer knee pads.
- · Ankle zips.





Comfort, protection, flexibility, durability, visibility. ArcDry™ ticks all the boxes.



ArcDry[™] clothing gives you the perfect combination of FR protection and total comfort. Made from 100% cotton with TransDry[™], ArcDry[™] wicks away moisture in even the harshest conditions while active antimicrobial properties prevent the build-up of odorous micro-organisms.

Specifications:

- Meets the requirements of AS/NZS 4602.1:2011 and NFPA 70 E HRC 2.
- ATPV ≤ 10.6Cal/cm2
- Garment Fabric: 100% FR Cotton.
- Sewing Thread: Aramid flame retardant thread.
- Reflective Trim: Flame retardant, AS/NZS 1906.4:1997 certified.
- Size Range: S 6XL

Why two full reflective options?

When the original TTMC-W standard was written, the polo shirt design had specific requirements around the length of the garment in the front and back. Unfortunately this didn't take arc-flash into consideration.

In order to meet the TTMC-W standard, we were forced to reduce the length of the front of the garment by 60mm. We believe this potentially leaves the wearer's lower stomach vulnerable to arc-flash.

On this basis, we recommend customers purchase our standard reflective tape polo shirt as it provides the same 4602.1 compliant reflective tape pattern as the TTMC-W model, but with extra length in the front of the garment for better arc-flash protection.

Product Codes

OAFRPOLO_	ArcDry™ Polo Shirt - Orange.
OAFRPOLOTR_	ArcDry™ Reflective Polo Shirt - Orange with reflective tape.
OAFRPOLOTRFL_	ArcDry™ Reflective Polo Shirt (TTMC-W) - Orange with reflec- tive tape.





ArcStorm[™] wet weather clothing brings together the best in water resistance and FR protection in the one garment.

ArcStorm[™] clothing is the perfect choice for those needing flame retardant protection while working in extreme environments where rain or snow may be a factor.

The sturdy 300D Oxford flame resistant polyester outer shell resists tearing and abrasion damage and an antistatic PU coating provides protection from the elements while reducing the risk of arc flash. All garments in the range are seam sealed for added water protection.

ArcStorm[™] garments are fully lined with FR cotton (or FR polyester fleece) providing excellent arc flash protection.

Product Codes

WWFRJACK_	ArcStorm™ Jacket (TTMC-W) - Orange and blue with reflective tape.
WWFRBIBTR_	ArcStorm™ Bib-Trouser - Orange and blue with reflective tape.
WWFRVEST_	ArcStorm™ Vest (TTMC-W) - Orange with reflective tape.

ArcStorm[™] bib trouser

- Adjustable elastic shoulder straps.
- Full reflective FR tape.
- Front bib pocket with hook & loop flap.
- Ankle zips for easy donning.





Specifications:

- Meets the requirements of AS/NZS 4602.1:2011
- Tested to EN533-1, EN1149, AS/NZS 1906.4:1997 standards.
- Fluoro orange conforms to AS/NZS 1906.4 2010
- Reflective Trim: Flame retardant AS/NZS 1906.4:1997 certified.
 Size Range: S - 8XL
 Outer Shell: 300D Oxford Flame Resistant & Antistatic PU.
 Inner Linings: Flame Resistant cotton and flame resistant polyester polar fleece.
 Sewing Thread: Aramid flame retardant thread.

ArcStorm[™] vest

- Twin hip and front pockets.
- Snug fitting high collar helps keep the rain out.
- Zips into the ArcStorm[™] Jacket for extra protection.
- Full reflective FR tape, TTMC-W.
- Robust front zip and hook & loop flap.
- Warm polar fleece lining.



ArcStorm[™] jacket

- · Seamless shoulders.
- Removable polar fleece lining.
- Snug-fit hood with chin flap, folds away under collar when not in use.
- Dual-runner, non-locking zip.
- Twin waist pockets with hook & loop fastening flaps.
- · Elasticated internal cuffs and adjustable outer cuffs.
- Full reflective FR tape, TTMC-W.



Flexible under-arm system prevents garment riding up when arms are raised.



Elasticated internal cuffs prevent water entering sleeve.





Snug fitting hood with chin flap and wide opening helps maintain peripheral vision.



Robust, dual runner, non-locking plastic zips with hook & loop protective flaps.



5-in-1 System - a jacket for all seasons.

The ArcStorm™ Jacket has a removable polar fleece lining allowing comfortable use in all seasons. The ArcStorm™ Vest also zips into the jacket in place of the original lining, providing an additional layer of warmth and protection.

	® and Ba	nwear®							K	KERMEL	Prot	al) 🖲	Banwea
Overall													
Size	4	5	6	7	8	9	10		11	12	13	14	15
Chest (cm)	108 - 112	112 - 116	116 - 120	120-125	125 - 130	130 -	135 133	3 - 138	138 - 14	3 143 - 1	48 148 - 15	3 153 - 159	9 159 - 1
Waist (cm)	96 - 99	99-102	102 - 106	106 - 110	110 -115	115 -	120 120) - 125	125 - 13	0 130 - 1	35 135 - 14	0 140 - 14	6 146- 15
Jacket									-				
Size	4	5	6	7	8	9	10		11	12	13	14	15
Chest (cm)	109 - 113	113 - 117	117 - 121	121-125	125 - 129	129 -	133 133	3 - 137	137 - 14	3 143 - 1	49 149 - 15	4 154 - 15	9 159 - 1
Drawstring Trouse	r												
Size	4	5	6	7	8	9	10		11	12	13	14	15
Waist (cm)	62 - 67	72 -77	77 - 82	82 - 87	87 - 92	92 - 9		- 102	102 -107				2 132 - 1
	02-07	/2-//	//-02	02-07	07 - 72	72 -	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- 102	102 -10	112 - 11	/ 122 - 12	/ 12/ - 132	2 132 - 1
Long Sleeve Shirt	1					B	elt Loop T	rouser					
Size S	м	L	XL	XXL	3XL	Si	ze	s	м	L	XL	XXL	3XL
Chest (cm) 86 -	- 91 96 - 1	01 106 - 1 [.]	11 116 - 122	127 - 132	137 - 142	W	aist (cm)	71 -7	6 81	- 86 91	- 96 101 -	106 111 - 11	16 121 -1:
Chest (In) 34 -	- 36 38 - 4	42 - 44	46 - 48	50 - 52	54 - 56	w	aist (In)	28 -	30 32	-34 36	- 38 40 -	42 44 - 4	6 48 - 5
Spectron™ _{Overall}													spec
Size	4	5 6	6 7	8	9		10	11	12	13	14	15	16
Chest (cm)						0 _ 104					2 - 147 147 -		
Waist (cm)		I									5 - 128 128 -		
								·			•		
Bib Overall	1	1			1	1		1			1	1	1
Size	S	м	L	XL	2XL		3XL	4XL	ť	5XL	6XL	7XL	8XL
Chest (cm)	97 - 100	100 - 103	3 103 - 10	6 106 - 1	09 109 -	112	112 - 116	116	- 120 1	120 - 126	126 - 132	132 - 137	137 - 14
Waist (cm)	85 - 88	88 - 91	91 - 94	94 - 97	97 - 1	00	100 - 104	104	- 108 1	108 - 114	114 - 120	120 - 125	125 - 13
Jacket													
Size	4	5	6	7	8	9	10		11	12	13	14	15
Chest (cm)	112 - 116	116 - 120	120 - 124	124 - 128	1	132 -	136 136	5 - 140	140 - 14	6 146 - 1	52 152 - 15	7 157 - 162	2 162 - 1
Drawstring Trouse	r												
Size	4	5	6	7	8	9	10		11	12	13 7 122 - 12	14	15
Waist (cm)	4 62 - 67	72 -77	77 - 82	82 - 87	87 - 92	92 -	97 97	- 102	102 -107	7 112 -11	7 122 - 12	7 127 - 132	2 132 - 1
indiot (only	102 07	1/2 //	1	102 07	10, 12	1/2		102	1.02 101	1	,	. .2, .0.	- .02 .
A roDn /M													A
ArcDry™ ^{Polo}													
	VS	6	M	.		I	271	7.	1.		5VI	6XL	7XL
Cizo	122	S 105 - 108					2.7.L	5XL	- 131 1	4XL	5XL		
		105 - 108	3 109 - 112	2 113 - 11	16 117 - 1	121	122 - 126	127	- 131 1	132 - 136	137 - 140	141 - 144	145 - 14
	100 - 104	1	I										
Chest (cm)	100 - 104		I										
Chest (cm) ArcStorm™	100 - 104		1										CircSta
Chest (cm) ArcStorm™ Jacket				XL	2XL		3XL	4XL		5XL	6XL	7XL	8XL
Size Chest (cm) ArcStorm [™] Jacket Size Chest (cm)		м 130 - 135		XL 0 140 - 1	2XL 45 145 -	150	3XL 150 - 155	4XL		5XL 160 - 165	6XL 165 - 170	7XL 170 - 175	8XL 175 - 18
Chest (cm) ArcStorm™ Jacket Size Chest (cm)				XL 0 140 - 1	2XL 45 145 -	150	3XL 150 - 155	4XL 155					
Chest (cm) ArcStorm™ Jacket Size		M 130 - 135					3XL 150 - 155 3XL 140 - 145	155	- 160 1				

Overall												
Size	4	5	6	7	8	9	10	11	12	13	14	15
Chest (cm)	108 - 112	112 - 116	116 - 120	120-125	125 - 130	130 - 135	133 - 138	138 - 143	143 - 148	148 - 153	153 - 159	159 - 165
Waist (cm)	96 - 99	99-102	102 - 106	106 - 110	110 -115	115 -120	120 - 125	125 - 130	130 - 135	135 - 140	140 - 146	146- 151
Jacket	·	·	·		·	·	·			·		<u> </u>
Size	4	5	6	7	8	9	10	11	12	13	14	15
Chest (cm)	109 - 113	113 - 117	117 - 121	121-125			133 - 137			149 - 154		
onest (eni)	107 110		111/ 121	121 120	120 127	127 100						
Drawstring Trouse	r	1			1		1				1	
Size	4	5	6	7	8	9	10	11	12	13	14	15
Waist (cm)	62 - 67	72 -77	77 - 82	82 - 87	87 - 92	92 - 97	97 - 102	102 -107	112 -117	122 - 127	127 - 132	132 - 137
Long Sleeve Shirt						Belt Lo	op Trouser					
Size S	м	L	XL	XXL	3XL	Size	s	м	L	XL	XXL	3XL
Chest (cm) 86	- 91 96 - 1	01 106 - 1	11 116 - 122	127 - 132	137 - 142	Waist (cm) 71-	76 81 - 8	36 91 - 9	5 101 - 10	6 111 - 116	121 -126
Chest (In) 34	- 36 38 - 4	42 - 44	46 - 48	50 - 52	54 - 56	Waist (In) 28 -	- 30 32 -3	34 36 - 3	8 40 - 42	44 - 46	48 - 50
	I	I.	1	1	1			1	I	1	1	1
												2
Spectron™												spectro
Overall												
Size	4	5	6 7	8	9	10	11	12	13	14	15	16
Chest (cm)	102 - 106	106 - 110	110 - 114 1	14 - 118 11	8 - 122 122	- 126 126	- 130 130 -	136 136 - 1	142 142 - 1	47 147 - 15	2 152 - 157	157 - 162
Waist (cm)	85 - 87	87 - 91	91 - 95 9	5 - 99 99	9 - 103 103	5 - 107 107	- 111 111 -	117 117 - 1	123 123 - 12	28 128 - 13	3 133 - 138	138 - 143
	1 1				1	1		1	1		1	1
Bib Overall	1	1	1		1	1	1	1	1	1	1	
Size	S	м	L	XL	2XL	3XL	4XL				7XL	8XL
Chest (cm)	97 - 100	100 - 103	3 103 - 10	6 106 - 1	09 109 -	112 112 -	116 116	- 120 120	0 - 126 12	26 - 132	132 - 137	137 - 142
Waist (cm)	85 - 88	88 - 91	91 - 94	94 - 97	97 - 10	00 100 -	- 104 104	- 108 108	8 - 114 11	4 - 120 1	120 - 125	125 - 130
Jacket												
Size	4	5	6	7	8	9	10	11	12	13	14	15
Chest (cm)	112 - 116		120 - 124								157 - 162	
	1	1	1	1	1	1	1.22	1	1	1	1	1
Drawstring Trouse	r I	1	1		1		1	1	1		1	
Size	4	5	6	7	8	9	10	11	12	13	14	15
Waist (cm)	62 - 67	72 -77	77 - 82	82 - 87	87 - 92	92 - 97	97 - 102	102 -107	112 -117	122 - 127	127 - 132	132 - 137
												A
۸rcDnv™												
ArcDry™												ייייין אין
Polo	l ve		.	1.			<u>-</u>		, I			7/1
Size	XS	S	м	L	XL	2XL	3XL					7XL
Chest (cm)	100 - 104	105 - 108	3 109 - 112	2 113 - 11	16 117 - 1	21 122 -	126 127	- 131 132	2 - 136 13	37 - 140 <i>*</i>	141 - 144	145 - 148
												•
ArcStorm™												arcStorm
Jacket												
Size	s	м	L	XL	2XL	3XL	4XL	. 5X	L 6	xL :	7XL	8XL
Chest (cm)	125 - 130	130 - 135									170 - 175	175 - 180
	1.22 .00	1.25 .00	1.20 11		- 1.10	1.00	1.50	1.00				
Vest		1		I	ı	I	I					
Size	S	м	L	XL	2XL	3XL	4XL	. 5X	L 6	XL T	7XL	8XL
Chest (cm)	115 - 120	120 - 125	5 125 - 13	0 130 - 1	35 135 -	140 140 -	- 145 145	- 150 150	0 - 155 15	55 - 160 /	160 - 165	165 - 170
									-			

Size 4 5 6 7 8 9	
	9 10 11 12 13 14 15
Chest (cm) 108 - 112 112 - 116 116 - 120 120 - 125 - 130	130 - 135 133 - 138 138 - 143 143 - 148 148 - 153 153 - 159 159 - 165
Waist (cm) 96 - 99 99-102 102 - 106 106 - 110 110 -115	115 -120 120 - 125 125 - 130 130 - 135 135 - 140 140 - 146 146- 151
Jacket	
Size 4 5 6 7 8 9	9 10 11 12 13 14 15
Chest (cm) 109 - 113 113 - 117 117 - 121 121-125 125 - 129 1	129 - 133 133 - 137 137 - 143 143 - 149 149 - 154 154 - 159 159 - 164
Drawstring Trouser	
Size 4 5 6 7 8 9	9 10 11 12 13 14 15
Waist (cm) 62 - 67 72 -77 77 - 82 82 - 87 87 - 92	92 - 97 97 - 102 102 -107 112 -117 122 - 127 127 - 132 132 - 137
Long Sleeve Shirt	Belt Loop Trouser
Size S M L XL XXL 3XL	Size S M L XL XXL 3XL
Chest (cm) 86 - 91 96 - 101 106 - 111 116 - 122 127 - 132 137 - 142	Waist (cm) 71 - 76 81 - 86 91 - 96 101 - 106 111 - 116 121 - 126
Chest (In) 34 - 36 38 - 40 42 - 44 46 - 48 50 - 52 54 - 56	Waist (In) 28 - 30 32 - 34 36 - 38 40 - 42 44 - 46 48 - 50
	C
Spectron™	
Overall	
Size 4 5 6 7 8 9	10 11 12 13 14 15 16
Chest (cm) 102 - 106 106 - 110 110 - 114 114 - 118 118 - 122 122 -	126 126 - 130 130 - 136 136 - 142 142 - 147 147 - 152 152 - 157 157 - 162
	107 107 - 111 111 - 117 117 - 123 123 - 128 128 - 133 133 - 138 138 - 143
Bib Overall	
Size S M L XL 2XL	3XL 4XL 5XL 6XL 7XL 8XL
Chest (cm) 97 - 100 100 - 103 103 - 106 106 - 109 109 - 11	2 112 - 116 116 - 120 120 - 126 126 - 132 132 - 137 137 - 142
Waist (cm) 85 - 88 88 - 91 91 - 94 94 - 97 97 - 100	0 100 - 104 104 - 108 108 - 114 114 - 120 120 - 125 125 - 130
Jacket	
Size 4 5 6 7 8 9	9 10 11 12 13 14 15
Chest (cm) 112 - 116 116 - 120 120 - 124 124 - 128 128 - 132 1	132 - 136 136 - 140 140 - 146 146 - 152 152 - 157 157 - 162 162 - 167
Drawstring Trouser	
Size 4 5 6 7 8 9	9 10 11 12 13 14 15
	92 - 97 97 - 102 102 -107 112 -117 122 - 127 127 - 132 132 - 137
۸ roDp /™	
-	CrcDry
Polo	
Polo Size XS S M L XL	2XL 3XL 4XL 5XL 6XL 7XL
Polo Size XS S M L XL	
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ²	
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ArcStorm™	
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ^r ArcStorm [™] Jacket	1 122 - 126 127 - 131 132 - 136 137 - 140 141 - 144 145 - 148
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ⁻ ArcStorm [™] Jacket Size S M L XL 2XL	1 122 - 126 127 - 131 132 - 136 137 - 140 141 - 144 145 - 148
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ArcStorm [™] Jacket	1 122 - 126 127 - 131 132 - 136 137 - 140 141 - 144 145 - 148
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ArcStorm [™] Jacket Size S M L XL 2XL Chest (cm) 125 - 130 130 - 135 135 - 140 140 - 145 145 - 15 Vest	1 122 - 126 127 - 131 132 - 136 137 - 140 141 - 144 145 - 148
Polo Size XS S M L XL Chest (cm) 100 - 104 105 - 108 109 - 112 113 - 116 117 - 12 ArcStorm [™] Jacket Size S M L XL 2XL Chest (cm) 125 - 130 130 - 135 135 - 140 140 - 145 145 - 15	1 122 - 126 127 - 131 132 - 136 137 - 140 141 - 144 145 - 148

ArcStorm™					
Jacket					
Size Chest (cm)	s	м	L	XL	2XL
Chest (cm)	125 - 130	130 - 135	135 - 140	140 - 145	145 - 150
Vest					
Size Chest (cm)	s	м	L	XL	2XL
Chest (cm)	115 - 120	120 - 125	125 - 130	130 - 135	135 - 140
Bib Trouser					
Size Waist (cm)	s	м	L	XL	2XL
Waist (cm)	92 - 97	97 - 102	102 - 107	107 - 112	112 - 117

N
نت
g chart
\mathbf{U}
b 0
50
N
dothing sizing
hN
~~~
-=
<u> </u>
t t
$\circ$
$\cup$
σ
industrial
ta
$\overline{\mathbf{O}}$
$\overline{\mathbf{a}}$
$\simeq$
$\rightarrow$
$\supset$
$ \oplus$
$\overline{\mathbf{O}}$

3XL 4XL 5XL 6XL 7XL 8XL 
 117 - 122
 122 - 127
 127 - 132
 132 - 137
 137 - 142
 142 - 147

## On the front line of high-voltage electrical work, Banwear® Switching Garments help you get the job done safely.

Banwear® Switching Garments use multiple layers of 7oz arc flash resistant Banwear fabric to boost protection while maintaining comfort. Garments are available in both 2-layer and 3-layer options to suit a variety of situations.

We alternate the fabric colour in each layer so you can tell at a glance how many layers a garment has, and if the outer layer is damaged.

All jackets have hook & loop front closures, with the option of added zips on our long jackets.

We're not just thinking about electrical safety: our switching jackets use a Hi Vis orange for the outer fabric to ensure you can be seen on the job, with the option of reflective tape to aid night visibility.

Other options are available including detachable hoods and Chinese collars, so you can get the garment that works best for you.

Jackets come in a drawstring bag as standard, but you can upgrade to a robust backpack if you desire.

(See overleaf for more garments.)

## Switching garments - 2 layer

Product Codes	
FRSJAC25CAL_	Short Switching Jacket - 2 layer - 25 cal/ cm2 (HRC3)
FRSJACH25CAL_	Short Switching Jacket with hood - 2 layer - 25 cal/cm2 (HRC3)
FRSJACT25CAL_	Short Switching Jacket with hood and re- flective tape - 2 layer - 25 cal/cm2 (HRC3)
FRSJAC25CAL- UNI_	Short Switching Jacket with hood, mouth flap and reflective tape - 2 layer - 25 cal/ cm2 (HRC3)
FRJAC25CAL_	Long Switching Jacket - 2 layer - 25 cal/ cm2 (HRC3)
FRJAC25CALNP_	Long Switching Jacket with zip - 2 layer - 25 cal/cm2 (HRC3)
FRJAC25CALZIP_	Long Switching Jacket with hood, reflec- tive tape and zip - 2 layer - 25 cal/cm2 (HRC3)
FRJAC25CALM- FZIP_	Long Switching Jacket with hood, mouth flap, reflective tape and zip - 2 layer - 25 cal/cm2 (HRC3)
FRBIB25CAL_	Bib Arc Trouser - 2 layer - 25 cal/cm2 (HRC3)

## Fabric Specifications:

- Meets the requirements of AS/NZS 4602.1:2011 where indicated.
- Meets the requirements of ASTM 1506, OSHA Regulation 29 CFR 1910-269, NFPA 2112 and NFPA 70E.
- Garment Fabric: 88% Cotton, 12% Nylon.
- Sewing Thread: Aramid flame retardant thread.
- Reflective Trim:
- Size Range:
- Flame retardant, AS/NZS 1906.4:1997 certified. S - 3XL

## Switching garments - 3 layers

FRSJAC49CAL_	Short Switching Jacket - 3 layer - 49 cal/ cm2 (HRC4)
FRSJACH49CAL_	Short Switching Jacket with hood - 3 layer - 49 cal/cm2 (HRC4)
FRSJACT49CAL_	Short Switching Jacket with hood and re- flective tape - 3 layer - 49 cal/cm2 (HRC4)
FRSJAC49CAL- UNI_	Short Switching Jacket with hood, mouth flap and reflective tape - 3 layer - 49 cal/ cm2 (HRC4)
FRJAC49CAL_	Long Switching Jacket - 3 layer - 49 cal/ cm2 (HRC4)
FRJAC49CALNP_	Long Switching Jacket with zip - 3 layer - 49 cal/cm2 (HRC4)
FRJAC49CALZIP_	Long Switching Jacket with hood, reflec- tive tape and zip - 3 layer - 49 cal/cm2 (HRC4)
FRJAC49CALM- FZIP_	Long Switching Jacket with hood, mouth flap, reflective tape and zip - 3 layer - 49 cal/cm2 (HRC4)
FRBIB49CAL_	Bib Arc Trouser - 3 layer - 49 cal/cm2 (HRC4)

## Short switching jacket - 25 cal or 49 cal

- With hood and protective mouth flap.
- Full reflective FR tape, TTMC-W.
- Elasticated cuffs.

## Note: helmet and visor not included.



FRJAC25CALUNI_ - 25 CAL VERSION FRJAC49CALUNI_ - 49 CAL VERSION

## Long switching jacket - 25 cal or 49 cal

- Adjustable cuffs.
- Optional front zips
- Note: helmet and visor not included.



FRJAC25CAL_ - 25 CAL VERSION FRJAC49CAL_ - 49 CAL VERSION

- With detachable hood.
- Full reflective FR tape, TTMC-W.
- Adjustable cuffs.

Note: helmet and visor not included.



FRJAC25CALZIP_ - 25 CAL VERSION FRJAC49CALZIP_ - 49 CAL VERSION

## Bib arc trousers - 25 cal or 49 cal

- Adjustable waist.
- · Ankle zips for easy donning.



FRBIB25CAL_ - 25 CAL VERSION FRBIB49CAL_ - 49 CAL VERSION

## Long switching jacket - 25 cal or 49 cal

- Adjustable cuffs.
- Optional detachable hood.
- Optional full reflective FR tape, TTMC-W
- Note: helmet and visor not included.





- FRSJAC25CAL_ 25 CAL VERSION FRSJAC49CAL_ - 49 CAL VERSION
- FRJACH25CAL_ 25 CAL VERSION FRJACH49CAL_ - 49 CAL VERSION



FRJAC25CALUNI_ - 25 CAL VERSION FRJAC49CALUNI_ - 49 CAL VERSION

## FR helmet neck flap

- · Available in single and double layer FR fabric.
- Attaches quickly and easily to the inside of helmet with hook & loop fastening.



NECKFLAPBAN - SINGLE LAYER BANWEAR NECKCAPEKERMEL - SINGLE LAYER KERMEL NECKCAPEKERMEL2 - DOUBLE LAYER KERMEL

## FR helmet chin strap

- Helps keep helmet in place in high winds and tight spaces.
- Attaches securely to the helmet harness.
- Heavy duty nylon buckle.
- Fully adjustable to suit a wide variety of users and helmets.



FRCHIN

## Product Codes

OABANHHBRIM	Banwear Brim with Back Flap for Hard Hat
NECKFLAPBAN	FR Helmet Brim and Neck Flap
NECKCAPEKERMEL	FR Helmet Neck Flap - Single Layer
NECKCAPEKERMEL2	FR Helmet Neck Flap - Double Layer
FRCHIN	FR Helmet Orange Chin Strap
FRBALACLAVA	Nomex 2-layer Balaclava
FRBALACLAVA8CAL0	ArcDry™ 1-layer Balaclava - Orange

## FR helmet brim and neck flap

- Attaches securely to the brim of most safety helmets.
- Provides protection from the sun as well as FR protection.



NECKFLAPBAN

## **FR balaclavas**

- Various models available including dual-layer nomex and single-layer ArcStorm[™] 100% cotton.
- Long neck design ensures better protective overlap between jacket and balaclava.
- Available in orange and white.



FRBALACLAVA8CAL0



FRBALACLAVA





## Industrial Coveralls

## Industrial Coveralls


QSI brings you the ultimate in disposable safety clothing: Q-TECH industrial coveralls. Whether you're working with chemicals, asbestos, oil or paint, or simply in a dusty environment full of particulates, there's a Q-TECH coverall to suit your needs.

Q-TECH coveralls are fully certified to the relevant EN standards, giving you the peaceof-mind that the garments will perform, and are made from proven quality non-woven fabric that sets the benchmark for disposable safety clothing.

Thanks to QSI's scale and lean structure, we can deliver these high-end garments at some of the most competitive prices in the marketplace, giving you the protection you need at a price you can afford.



## Sizing Chart



Size	Chest (CM)	Height (CM)
S	84-92	162-170
М	92-100	170-176
L	100-108	176-182
XL	108-116	182-188
XXL	116-124	188-194
XXXL	124-132	194-200


Sizes are according to EN340 standard.

## Features





3-piece hood gives the optimal balance of a secure fit and ease of movement.





Reinforced gusset offers the right combination of strength and flexibilty for ease of movement.

Elasticated waist band helps garment to comfortably fit a wide range of body shapes.

## IMPORTANT NOTE

- Garment sizes and specifications are subject to change without notice.
- QSI makes no guarantee of results and it is the user's responsibility to determine the level of hazard risk and the proper personal protective equipment needed.



Wide storm flap protects the zip and helps prevent dust and liquid from penetrating.



Elasticated wrist and ankle openings form a snug fit to prevent contaminants from penetrating.

## Medical Emergency Buyers Guide


The past few decades have seen a significant rise in the instance of drug-resistant illnesses, from the SARS threat of 2003, to the H5N1 (Avian Flu) virus of 2004-2007, to the most recent outbreak of Ebola haemorrhagic fever in West Africa.

The O-TECH 2000 is the most suitable coverall in our range to help protect health workers and medical staff from the risks of such viral infections and other biological hazards.

The Q-TECH 2000 conforms to coverall standard Type 5 & Type 6. It provides protection from light spray and splashes of liquid chemicals, as well as hazardous dusts and dry particles. Moreover, the Q-TECH 2000 meets the EN14126 Standard (protection against biological hazards and infective agents) with particularly good performance in ISO16603:2004 (synthetic blood penetration resistance) and ISO22610:2006 (wet bacteria penetration resistance).

The quality of this product has been recognised around the world by various Ministries of Health and Centres for Disease Control (CDC) who have chosen the Q-Tech 2000 as a gualified 2-series protective disposable overall.

Q-TECH 2000 achieves the highest level of class 6 protection and is recommended for front-line medical personnel.



## West Africa Ebola Outbreak

The Ebola outbreak has officially been declared a global health emergency by the World Health Organisation (WHO).

WHO strongly advises ebola health-care workers should receive appropriate training, equipment (gloves and personal protective equipment [PPE]) for treatment, plus instructions on proper removal and disposal of PPE.

As the route of infection is through contact with bodily fluids and not droplet spread, health workers require protective coveralls for Ebola, much more than for SARS.

So how do you choose the appropriate protective coveralls? Here are 3 aspects to consider:

## Fabric - Does the fabric offer the protection you need?

Ebola virus typically measures 920nm in length and 80nm in diameter. The micropores of the Q-TECH 2000 are approximately 80~120nm in diameter and overlap each other, which allows air to pass through while keeping pathogens out.

## CE Standard - Does the garment meet the required standards?

EN 14126 is a reference standard. Q-TECH 2000 meets EN14126 (protection against biological hazards and infective agents) with the highest level of performance in 4 out of 5 tests (ISO16603:2004 and ISO22610:2006, ISO22611:2003, and ISO22612:2005) as the chart below shows.

## Comfort - Will the garment be comfortable enough for your working environment?

The ideal disposable coverall offers enough protection to keep Ebola out but is porous enough to allow a certain amount of air flow. The unique fabric of the Q-TECH 2000 gives the protection you need plus the breathable comfort required when working long hours in hot climates.

Fabric Resistance to Penetration of Infective Agents	Test Method EN14126:2003	EN 114
Synthetic Blood Penetration Resistance	ISO 16603	С
Blood-Borne Pathogen Penetration Resistance	ISO 16604	С
Contaminated Liquid Aerosols Penetration Resistance	ISO 22611	С
Contaminated Solid Aerosols Penetration Resistance	ISO 22612	С
Wet Bacteria Penetration Resistance	ISO 22610	С

## **Coverall Standards Explained**

Industrial coveralls fall into one of three categories depending on the level of protection they provide against various hazards.

**Category I** Simple products. Products which are not suitable to protect against any form of hazard. Category II Intermediate products. Products which fall into neither category I or III. **Category III** Complex products. Products which are worn or held in order to protect against any hazard which may be life threatening.




**TYPE 1 BS EN 943-1** 

Gas tight suits. Suits which are intrinsically sealed against the environment.



## **TYPE 3 BS EN 14605**

Liquid tight suits Suits which can protect against strong and directional jets of a liquid chemical such as spray from a burst pipe under pressure. Requires a barrier fabric and sealed seams.



Dry particle suits. Suits for protection against hazardous dusts and dry particles.



FN 14126

EN 14126

agents.

Anti-static EN 1149-5 Electrostatic dissipative protective clothing with a surface resistance of maximum 2.5 x 10 exp 9 ohm.

Protection against biological hazards and infective







buyers guide

		Т	<b>EC</b> 200	
149-1	EN 14126	EN 1073-2	TYPE 5-B	TYPE 6-B
Cla	ss 6			
Cla	ss 1			
Cla	ss 3			<b></b>
Cla	ss 3			<b>S</b>
Cla	ss 6			



## **TYPE 2 BS EN 943-1**

Non-gas tight suits. Suits which retain a positive internal pressure to prevent ingress of dusts, liquids or vapours.



## **TYPE 4 BS 1N 14605**

Spray tight suits. Suits which can protect against saturation of liquid chemical, where volume of the liquid builds up on the suit forming pools, resulting in rivulets. Requires a barrier fabric and sealed seams.



## **TYPE 6 BS EN 13034**

Reduced spray suits. Suits for protection against light spray and splashes of liquid chemicals where there is no direction spray or build up of liquid on the suit, but there may be a fine mist of droplets in the atmosphere.



## Radioactive contamination EN 1073-2 Protective clothing against particulate radioactive



contamination.




## Limited flame spread protection EN ISO 14116

Limited flame spread materials, material assemblies and clothing.

# Product selection guide

Use this chart to help choose the Q-TECH coverall that's right for you. If your needs require one of our non-standard models (shaded grey), let us know and we'll discuss your options.



International constraints         In	datasheet	l avi ic periori i al ice datasheet	1000L	TECH 1000	TECH 1000FR	TECH 2000			TECH 3000T			<b>TECH</b> 5000
Annuality         Annuality </th <th>For products in grey, ta</th> <th>lk to us about</th> <th><b>王</b>() 2015年 2015年</th> <th></th> <th>Sama sama masa jar</th> <th></th> <th></th> <th>2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1</th> <th></th> <th></th> <th></th> <th></th>	For products in grey, ta	lk to us about	<b>王</b> () 2015年 2015年		Sama sama masa jar			2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1				
Matrix and sectors         Matrix	availability.	Tool Made d					ic (back panel)	Docule		aaelo	Docule	Class
Control         Control <t< th=""><th>Fabric Physical Properties Abrasion Resistance</th><th>Test Method</th><th></th><th></th><th></th><th></th><th>Class Result</th><th>Kesuit</th><th></th><th>Class 2</th><th>Kesuit &lt;2.000*</th><th>Class</th></t<>	Fabric Physical Properties Abrasion Resistance	Test Method					Class Result	Kesuit		Class 2	Kesuit <2.000*	Class
Undersite         0         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         <	Flex Cracking Resistance	LINU0 ISO 7854-B		>15000* 4			4 >40,000			- 1	>1,000*	2
Image: biole in the sector in the s	Trapezoidal Tear Resistance			16.7N 1 20.0N 1			1 40.7N			en e	>135N	4
0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	Tensile Strength			82.6N 1			-			2	N071<	r m
Image: constant in the							108.1N			2	>130N	~
Remetine         Rem         Rem<	Resistance to Ignition Puncture Resistance	EN13274-4 EN863			6 ON 1		PASS 1 6.95N	-ASS >5N **	PASS >9N **		PASS 14N	2
Matrix         Matrix<	Seam Strength	ISO13935-2	7	7	-		4 110N			· c	111.4 kPa	2
Matrix         Matrix<	Burst Resistance	IS013938-1					A A A A					
Induction         Option         Opti	Antistaticity bH value	EN 1149-5 EN 150.3071			0		PASS 6.77	6.77 6.77		PASS	PASS	PASS
Matrix	Flame Retardant	EN ISO 14116:2008										
And the field         And the	Note * denotes visual endpoint											I
Image: state	Fabric Physical Properties	Test Method					Penetration Repellency Penetration Repe	Penetration	epellency Penetration	Repellency	Penetration	Repellency
000         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001         001 <td>Resistance to Chemical Penetration</td> <td>FN368</td> <td></td> <td></td> <td></td> <td></td> <td>Clace 3 Clace 3</td> <td>Clace 3</td> <td></td> <td>Clace 2</td> <td></td> <td></td>	Resistance to Chemical Penetration	FN368					Clace 3 Clace 3	Clace 3		Clace 2		
Partial interval	Sodium Hydroxide 10%	E14000					Class 3 Class 3	Class 3		Class 3		
Image: Section of the section of th	Iso propanol						Class 2					
1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000       1000	o-Xylene								Class 3	Class 2		
Image: method	Bulatter 1-01								UI4355 3	UId55 2		
Image: Section of the section of th	Resistance to Chemical Permeation	EN374-3										
Image: Single interval int	Sulphuric Acid 30%								>480 mins	Class 6 Class 6	- 400 mino	Close 6
Image: Section of the section of th	Methanol								>480 mins	Class 6	>480 mins	Class 6
Image: Sector	Sulphuric Acid 98%								>480 mins	Class 6	>480 mins	Class 6
Image: State in the state	Formaturenyue 10% Acetone								2400 11111	UIdos U	>480 mins	Class 6
Image: state in the state	Acetonitrile										>480 mins	Class 6
Image: Second	Ammonia Gas										>480 mins	Class 6
Image: Section of the section of th	1,3-Butagiene Gas Carbon Disulphide										>480 mins	Class 6
Image: Second	Chlorine Gas										>480 mins	Class 6
Image: Section of the section of th	Dichloromethane										>480 mins	Class 6
Image: Second	Diethylamine										>10 mins	Class 1
Image: Section of the secting of the secting of th	Dimemyi Formamide Ethyl Acetate										>480 mins	Class 6
Image: Section of the section of th	Ethylene Oxide Gas										>480 mins	Class 6
Programmeter Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Internet Interne Internet Internet Internet Internet Internet Inte	n-Hexane										>480 mins	Class 6
Induction Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Letter Lett	Hydrogen Unioride Gas Methyl Choride Gas										>480 mins	Class 6
Letter for the form of	Nitrobenzene										>480 mins	Class 6
Instruction       Let Method       Real Method       Rea Method       Rea Method	I etrachioroethylene Tetrahvdrofiiran										>480 mins >40 mins	Class b Class 2
Image: state in the s											>20 mins	Class 1
Tree Existion 382:12004       Tree Existion 382:12004       Tree Existion 382:12004       Tree Existion 382:12005       Tree Existing 382:12005       Tree Existin 382:12005       Tree Existing 382:12005 <td>Whole Suit Test Performance</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Test Method</td> <td>Resul</td>	Whole Suit Test Performance										Test Method	Resul
Type Ed uvie desprinted       Type Ed uvie desprin       Type Ed uvie desprinted			TYPE 5 EN ISO 13982-1-2004 Method as defined by PASS EN ISO 13982-2:2004	TYPE 5 EN ISO 13982-1:2004 Method as defined by PASS EN ISO 13982-2:2004	2004	TYPE 5 EN ISO 13982-1:2004 Method as defined by PASS EN ISO 13982-2:2004			PASS		TYPE 3 Jet test Method defined by EN14605:2005 + EN468	PASS 468
Introduction     Introduction     Introduction     Introduction     Introduction       Protective coluting gainer protective coluting gainer reductive materials     Protective coluting gainer protective coluting gainer reductive materials     Protective coluting gainer red			TYPE 6 Low Level Spray Test Method as defined by PASS ENVIRONMENT EMARGO	TYPE 6 Low Level Spray Test Method as defined by PASS EN12004-2006 + ENA66	est	TYPE 6 Low Level Spray Test Method as defined by PASS			PASS		TYPE 4 Spray test Method defined by	PASS
Indicatorie materials as defined by BN073-2002         RXS andicatorie materials as defined by BN073-2002			Protective clothing against	Protective clothing against		Protective clothing against					Protective clothing	against
EN14176.2003         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2003         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2004         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2003         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2004         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2004         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2004         EN14176.2003         EN14176.2003         EN14176.2003           RP14776.2004         EN14176.2004         EN14176.2003         EN14176.2003           RP147777703         EN14176.2004         EN14176.2003         EN14176.2003           RP14777777777777777777777777777777777777									PASS		radioactive materials as defined by EN1073-2:2002	s as PASS 2:2002
Class 1         Class 5         Class 6           0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	Performance of protective clothing against inf ISO 16603:2004	ective agents EN14126/2003				EN14126:2003		EN14126:2003 Class 6	EN14126:2003 Class 6		EN14126:2003 Class 6	
(Jass 3) (Ja	ISO 16604.2004					Class 1		Class 1	Class 6		Class 6	
	150 22612:2005					Class 3		Class 3	Class 3 Class 3		Class 3	

# industrial coveralls fabric performance datasheet

## **OTech 500 coverall**



## QTech 2000 coverall (types 5-B & 6-B)



## Features

The Q-TECH 500 is our standard disposable coverall, designed for light protection against non-toxic liquids and dust.

- Strong, durable and comfortable
- Individually wrapped or packaged in bulk
- CE Category 1 overall

## Applications:

- Civil Defence
- Construction
- Painting and Decorating
- · Food Processing and Packaging
- Medical and Emergency

## Product Code

QTECH500_

Q-TECH 500 Industrial Coverall





Stitched Seam Reinforced 4-thread overlocked seam offers stronger seam strength and better protection



## Features

- The Q-TECH 1000L (lightweight) sets a new benchmark for Type-5 and Type-6 garments:
- 30% lighter*, more breathable, better protection.
- Double layer PPSB improves fabric strength, tear and puncture resistance.
- Melt blown fabric laminated between the PPSB layers provides excellent particle barrier capabilities. The fabric filters resist 99.8% of particles of size 0.5-1µm.
- Passes EN1073-2 for protection against radioactive particulate contamination.
- Passes EN1149-5 for antistatic property (by option).
- · Fully elasticated hood, ankles and wrists, to maximize comfort and protection.


## Applications:

- Asbestos Handling
- Automotive
- Civil Protection
- Construction
- Painting and Decorating
- Waste Management

## . Polyprop Melt Blown Polypropylene

Product Code	
QTECH1000_	Q-TECH 1000L Industrial Coverall
QTECH1000FR	Q-TECH 1000L FR Industrial Coverall





Reinforced 4-thread overlocked seam offers stronger seam strength and better protection.

## Features

- Applications:
- Asbestos Handling
- Automotive
- · Biological Hazards
- Chemical Handling
- Clean Room
- Electronics
- Engineering
- Hazardous Materials
  - Military
- Spray Painting
- Printing

Product Code QTECH2000_



Q-TECH 2000 provides excellent protection from liquid chemical spray and biological hazards, while remaining breathable and comfortable.

The Q-TECH 2000 provides protection from light spray and splashes of liquid chemicals, as well as hazardous dusts and dry particles. It achieves the highest level of class 6 protection and is recommended for front-line medical personnel.

 Chemical liquid (EN368) and blood (ASTM F1670) penetration resistance for premium protection.


• Passes EN1149-5 for antistatic property.

 Passes EN1073-2 for protection against radioactive particulate contamination.

 Passes EN14126 for protection against biological hazards and infective agents (TYPE 5-B, 6-B)

• Low linting to reduce the risk of environment contamination.

Agriculture and Farming



Q-TECH 2000 Industrial Coverall

## QTech 3000T coverall (types 4-B & 5-B & 6-B)

4

EN 1149-1

X

EN 14126

EN 1073-2

TYPE 5-B







**Stitched with Tape Seam** Stitched with chemical barrier tape seam for a higher barrier to particulate and liquid splashes.


## Features

the Q-TECH 3000T uses the same breathable barrier protection fabric as the 2000 but the taped seams provide an extra level of protection from saturation of liquid chemicals, especially important in situations where liquids may pool on the garment.

- Chemical liquid (EN368) and blood (ASTM F1670) penetration resistance for premium protection.
- Passes EN1149-5 for antistatic property.
- Passes EN1073-2 for protection against radioactive particulate contamination.
- Passes EN14126 for protection against biological hazards and infective agents (TYPE 4B, 5-B, 6-B)
- Low linting to reduce the risk of environment contamination.

## • Low linting TYPE 6-B Applications:

- Asbestos Handling
- Automotive
- Biological Hazards
- Chemical Handling
- Clean Room
- Decontamination
- Disaster Management
- Hazardous Material
- Industrial Cleanup
- Medical/Emergency
- Military
- Oil Handling/Tank Cleaning
- Spray Painting
- Printing
- Powder Coating
- Pharmaceutical



## **Product Code**

QTECH3000_

Q-TECH 3000T Industrial Coverall





# Q-TECH 1000L PRODUCT COMPARISON CHART

industrial coverall with market equivalent products from other manufacturers to help you choose the garment that's right for you. Use this chart to compare the Q-TECH 1000L

This symbol indicates where the Q-TECH 1000L achieves the highest level of performance among its direct competitors.

**Data Sources** Testing results for the Q-TECH 1000L come from the independent testing laboratory, SGS, in the UK. Test data of other brands has been sourced from the following websites:

- **3M 4515:** http://multimedia.3m.com/mws/mediawebserver?mwsld=SSSSsufSevTsZxtU5x_Z58_ xevUqevTSevTSevTSeSSSSS--&fn=3ps1202_TDSsheets_4515_US_HR.pdf **DuPont ProShield 10:** http://www2.dupont.com/Personal_Protection/en_GB/assets/PDF/IFU_ProShield_10.pdf **Kimberly-Clark KleenGuard A20:** http://www.kcprofessional.co.uk/media/3936947/cds-kleenguard-a20-breathable-particle-protection-coverall-9710-9715-v1-en.pdf • •
  - Microgrard 1500 PLUS: http://www.microgard.com/product2.asp?MYID=2
     Lakeland Safegard 76: http://global.lakeland.com/uk/tech_data_safegard.pdf

QSI makes no guarantee as to the accuracy or reliability of this data and provides this information solely for reference purposes. QSI makes no claims as to the efficacy or otherwise of other companies' products.

			C			ЗМ	D	DuPont	Kimb∈	Kimberly-Clark	Mici	Microgard	Lak	Lakeland
			J	10001	Protective	Protective Coverall 4515	ProShi	ProShield® 10	KleenC	KleenGuard A20	ž. (č	CROGARD 1500 PLUS	Safe	Safegard 76
				(FA) ~			9	7						
Fabric Physical Properties		Test Method	Result	Class	Result	Class	Result	Class	Result	Class	Result	Class	Result	Class
Abrasion Resistance		EN530	>100	0		-		N		N	>100	N	>10<100	-
Flex Cracking Resistance		ISO 7854 B	>40,000	ى 2		0		9		9	100,000	9	>100k	6
Trapezoidal Tear Resistance	QW	EN ISO9073-4	44.2N	<b>с</b>		÷		0		÷	31.1N	0	47.6N	в
	CD		19.0N	-		-		N		-	23.8N	N	24.5N	N
Tensile Strength	QW	ISO 13934-1	113.5N	<b>с</b>		÷		-			77.9N	-		
	СD		44.5N	-		÷		-			49.2N	-		
Resistance to Ignition		EN13274-4	Pass	8	Pass				Pass		Pass			
Puncture Resistance		EN863	9.7N	-		-		-		-	9.6N	-	6.1N	-
Seam Strength		ISO13935-2	133.0N	4		e	>50N	0		e	117.7N	ю	120.73N	б
Against radioactive particulates		EN1073-2		•		-		-						
Antistaticity		EN1149-5	Pass				Pass				Pass		Pass	
pH value		EN ISO 3071	6.2											
Fabric Physical Properties		Test Method	Penetration	Repellency	Penetration	Repellency	Penetration	Repellency	Penetration	Repellency	Penetration	Repellency	Penetration	Repellency
Resistance to Chemical Penetration	ation	EN368												
Sulphuric Acid 30%			Class 3	Class 3 <	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	0	95.50%
Sodium Hydroxide 10%			Class 3	Class 3	Class 3	Class 3	Class 2	Class 2	Class 3	Class 3	Class 3	Class 3	0	97.60%

# **Q-TECH 2000 PRODUCT COMPARISON CHART**

industrial coverall with market equivalent products from other manufacturers to help you choose the garment that's right for you. This symbol indicates where the Q-TECH 2000 achieves the highest level of performance among its direct Use this chart to compare the Q-TECH 2000

competitors.

Data Sources
Testing results for the Q-TECH 2000 come from the independent testing laboratory, SGS, in the UK.
Test data of other brands has been sourced from the following websites:
3M 4545: http://multimedia.3m.com/mws/mediawebserver?mwsld=SSSSSufSevTsZxtU5x_ Z58tGevUgevTSevTSeSSSSS--&fn=3ps1202_TDSsheets_4545_US_LR0813
DuPoint Tyvek Classic: http://phoenix.dpp-europe.com/IMG/pdf/IFU_Tyvek_Classic.pdf
DuPont Tyvek Classic Xpert: http://www.kcprofessional.co.uk/media/4525312/product-information-kleenguard-apparel-selector-v1-en.pdf
Microgrand 2000 Standard: http://www.microgard.com/product16.asp?MYID=16
Lakeland MicroMax NS: http://global.lakeland.com/uk/tech_data_micromaxns.pdf

		C			ЗМ	Du	DuPont	DuPont	ont	Kimb	Kimberly-Clark	Microgard	gard	Lake	Lakeland
		J	2000		Protective Coverall 4545	Υ ^δ	Tyvek.	Tyvek. Classic Xpert	ek. ^{Xpert}	MIRC	nGuard	E CN E		MicroN	MicroMax NS
		A Contraction of the second se	et an	Ď	)   		7		\$ F \$		5000		\$ \$		<u></u>
Fabric Physical Properties	Test Method	Result	Class	Result	Class	Result	Class	Result	Class	Result	Class	Result	Class	Result	Class
Abrasion Resistance	EN530	>100 cycles	2		-		0	>100 cycles	0		9	100 cycles	0	>10<100	-
Flex Cracking Resistance	ISO 7854 B	>40,000 cycles	5		з		9	>100,000 cycles	9		4	40,000 cycles	ŝ	>15k<40k	4
Trapezoidal Tear Resistance MD	D EN ISO9073-4	40.7N	о С		÷		-	>10N	-		5	40.7N	e	40.6N	3
CD	0	18.6N	-		-		-	>10N	-		2	18.6N	-	16.7N	-
Tensile Strength MD	0 ISO 13934-1	108.1N	e e		-		-	>60N	2		2	108.1N	в		
CD		48.3N	-		F		-	>60N	2		5	48.3N	-		
Inflammability	EN13274-4	Pass	2	Pass						Pass		Pass			
Puncture Resistance	EN863	6.95N	-		-		2	>10N	5		2	8.2N	-	6.2N	-
Seam Strength	ISO13935-2	120.2N	о С		2	>75N	в	>75N	в		З	NIIIN	e	88.8N	3
Burst Resistance	ISO 13938-1	184.1kPa	<b>е</b>		-							184.1kPa	e	50.9	-
Antistaticity	EN1149-5	Pass		Pass		Pass		Pass		Pass		Pass		Pass	
Radioactive particulates test	EN1073-2	Pass	۲	Pass	۲	Pass	٢	>50	2	Pass		Pass	-	Pass	
Fabric Physical Properties	Test Method		Repellency	Penetration	n Repellency	Penetration	Repellency	Penetration	Repellency	Penetration	Repellency	Penetration	Repellency Penetration	Penetration	Repellency
Resistance to Chemical Penetration	EN368														
Sulphuric Acid 30%		Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	0	97.70%
Sodium Hydroxide 10%		Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	Class 3	0	99.10%
lso propanol		Class 3	Class 3									Class 3	Class 3		
Fabric Resistance to Penetration of Infective Agents	f Test Method EN14126:2003														
Synthetic Blood Penetration Resistance	ISO 16603		Class 6	•	Class 3				Class 3				Class 6		
Blood-Borne Pathogen Penetration Resistance	ISO 16604		Class 1		Class 0								Class 6		Class 6
Contaminated Liquid Aerosols Penetration Resistance	ISO 22611		Class 3	8	Class 3				Class 1				Class 3		Class 3
Contaminated Solid Particle Peneration Resistance	ISO 22612		Class 3		Class 3				Class 1				Class 3		Class 3
Wet Bacterria Penetration Resistance	ISO 22610		Class 6	8	Class 6				Class 1				Class 6		

general safety equipment product comparison chart





## General Safety Equipment



## History of QSi and their knowledge of safety equip...

QSi has been designing and manufacturing safety products in New Zealand for over 18 years. Boasting onsite manufacturing facilities for industrial clothing, height safety, signage, respiratory and plastic injection moulding, we are innovating and providing more solutions to the market locally and internationally.

With our extensive range of health and safety brands, we cover most market needs from medical products, to custom branding and embroidery. Speak to one of our trusted resellers to get a solution you can trust.

QSi is proudly New Zealand owned and operated.



## Safety Eyewear

Our range of safety glasses feature:

- Manufactured to AS/NZS 1337.1:2010 standard
- · Frameless wrap around style for superior comfort, a snug fit and less risk of particles or fluid getting in behind glasses

## **Clear lens safety glasses**



**Product Code** GLAM110ST

## **Grey lens safety glasses**



**Product Code** GLAM120S

## Amber lens safety glasses



**Product Code** GLAM130S

## **Blue mirror safety glasses**



**Product Code** GLAWABLUEMIR

• Anti-fog lenses filter 99% of harmful UV rays

Clear lens safety glasses

Grey lens safety glasses

Amber lens safety glasses

Blue mirror lens safety glasses

## Silver mirror lens safety glasses

**Child's safety glasses** 

## **Product Code**

GLAM180S Silver mirror lens safety glasses

Children's clear lens glasses wrap around, scratch resistant,

Silver mirror lens safety glasses

## Grade 5 collapsible earmuff



Features

**Product Codes** EARMUFCOLC5

## **Baby earmuff**



Features Hearing protection for little ears. Built for children aged 3 months +. Suitable for: sporting events, drag races, concerts, car racing, air shows, boating, renovations, band practice, lawn mowing, vacuuming, drilling.

## **Product Codes** EARMUFFBAB

EARMUFFBAB

## Green polycarbonate safety glasses



## Features

Features

99% UV resistance.

**Product Code** 

GLAM110SC

Green lens glasses. Wrap-around, scratch resistant, 99% UV resistance.

## **Product Code**

GLAGREEN Green polycarbonate safety glasses

## Blue metal detectable corded ear plugs

Птесн

CORDED EARPLUGS

## Features

QTECH blue metal detectable corded ear plugs. Soft and easy to use. comes in individually packaged plastic bags.

## **Product Codes**

**EARPLUGBLUBOX** Blue Metal Detectable Disposable Ear Plugs With Cord

**Clear polycarbonate safety glasses** 

## Features

Medium impact eye protector, anti-scratch and anti-fog, 99.9% UV protection. Meets AS/NZS 1337.

## **Product Code**

GLAM210S

Clear polycarbonate safety glasses

264 QSi Catalogue

Collapsible lightweight Grade 5 earmuffs. Foam padded to ensure good seal. CE EN352-1 ANSI S3-19 compliant.

Grade 5 collapsible earmuff

BYG	Earmuffs - Baby Banz - Green
ВҮР	Earmuffs - Baby Banz - Pink

• Disposable metal detectable PU foam • Class 5 SLC80 26.2 dB • Hearing protection for noise levels up to 110 dB(A) • Contains 100 corded pairs Individually packaged Lightweight and comfortable

## Nikki 3 Hard Hat







4 or 6 point lightweight lining with soft absorbent crown and sweatband




One handed ratchet adjustable shockabsorbing suspension

## Features

- · Anti-glare peak
- Quick-fit suspension
- · Modern, stylish, and unique design
- 4 or 6 point chin strap attachment points
- UV inhibitor protects and extends life of helmet
- Contoured rain channel offers maximum rigidity
- Lightweight and comfortable fit, easy to wear all day
- One handed ratchet adjustable shock-absorbing suspension
- Lightweight ABS plastic offers excellent rigidity and protection (forestry poly version available)
- 4 or 6 point lightweight lining with soft absorbent crown and sweatband
- Slotted integration of wide range of accessories (earmuffs, faceshields, visors)
- Advanced permasweat breathable sweatband (easily replaceable and washable)
- Pad printing available for up to 4 colours
- · Portion of your purchase goes towards Brain Injury Support

Manufactured to: AS/NZS 1801:1997 NZ Des App. No. 424810 AU Des App. No. 201814688





code.

## 4-Point adjustable chin strap



## Features

Adjustable 20mm black webbing chin strap with 4 velcro attachment points and a quick release buckle.

## **Product Codes**

STRCHIN

## 4-Point break away chin strap



CHINBW





Vented

Non-Vented

NOTE - 4 point chin strap sold seperately





des	

403	
_	Nikki Hard Hat - Vented
V3_	Nikki Hard Hat - Non-Vented

Available Colours: Red, DayGlo Orange, Yellow, DayGlo Lime, Pink, Light Blue, Dark Blue and White.

(When ordering, add your preferred colour to the end of the product

Adjustable Chin Strap

## **Product Codes**

4 Point Break Away Chin Strap for Hard Hats

## FFP2 moulded respirator





## Features

This moulded mask features a metal noseclip and closed-call foam nosepiece for superior seal, plus non-memory elastic to suit all head sizes.

Meets the following standards:

- EN149:2001
- AS/NZS 1716:2003
- CE 0086

HI8620

20 units per box. 12 boxes per case.

## **Product Codes**

FFP2 moulded respirator - box 20

## FFP2V moulded respirator with valve



## Features

This mask is fitted with a valve to reduce breathing resistance. Also features a metal noseclip and close-cell foam nosepiece for superior seal, plus non-memory elastic to suit all head sizes. Meets the following standards:

- EN149:2001
- AS/NZS 1716:2003
- CE 0086

10 units per box. 12 boxes per case.

## **Product Codes**

HI8622 FFP2 moulded active carbon respirator with valve

## FFP2CV moulded active carbon respirator with valve



## Features

This mask features an active organic carbon layer to help remove odours from low-level organic vapour. Also features a metal noseclip and close-cell foam nosepiece for superior seal, plus non-memory elastic to suit all head sizes. Meets the following standards:

- EN149:2001
- AS/NZS 1716:2003
- CE 0086

10 units per box. 12 boxes per case.

## Product Codes

HI8626 3 ply SPM with earloops

Electrostatic media ensures efficient filtration of microscopic particles.

## FFP2CV moulded active carbon respirator with valve diagram

Closed cell foam nosepiece is fully integrated into mask edge, providing superior seal in nasal area and helping prevent fogging of eyewear.

Exhalation valve improves comfort by reducing heat and moisture build-up inside mask. (P2V and P2CV only).

Carbon layer absorbs ---harmful and irritating odours such as paint, oil, refuse and animal smells. Lightweight alloy nose bridge works with foam nosepiece to increase seal of mask.

> Reinforced flanges provide strong attachment points for strap without compromising the mask media.

## -----;

High quality elastic straps ensure even tension for the life of the mask, regardless of head size. Straps are welded into place, no need for staples.

## FFP2 duckbill respirator - ASTM level 3



## Features

Duckbill style for universal fit. FFP2 Particulate respirator Industrial quality disposable respirator mask Meets the following standards:

- AS/NZS 1716:2003
- EN149:2001
- SANS 50149:2003

50 units per box. 20 boxes per case.

## **Product Codes**

MACKNOEDOE	Liele It Duckhill Meek D2/EED2 Lligh Effecterer
	Help-It Duckbill Mask P2/FFP2 High Efficiency ASTM Level 3

## 3 ply tie on procedure mask - ASTM level 1



## Features

- 99% Bacterial Filtration Efficiency
- High level filtration
- Low Breathing resistance
- Tie On fitting style
- Hypo allergenic
- Contains no latex or glass fibre

50 Units per box. 20 boxes per case.

## **Product Codes**

MASKNZ3PLYTIES Help-It 3ply Disposable Procedure Tie Masks ASTM Level 1

## General purpose ear loop mask medium - ASTM level 2



----

9

>help-it.

ASTM level 2

face mask

general purpose ear loop

Hypoallergenic | Comfort | Breat

50 PCS SMALL

## Features

- High level filtration
- Low Breathing resistance
- Tie On fitting style
- Hypo allergenic
- · Contains no latex or glass fibre

## **Product Codes**

MASKGPL2M

## General purpose ear loop mask small - ASTM level 2

## Features

- 99% Bacterial Filtration Efficiency
- High level filtration
- Low Breathing resistance
- Ear loop fitting style
- Hypo allergenic

## **Product Codes**

MASKGPL2S

## 3 Ply Ear Loop Procedure Mask - ASTM Level 1



## Features

- 99% Bacterial Filtration Efficiency
- High level filtration
- Low Breathing resistance
- Ear loop fitting style
- Hypo allergenic
- Contains no latex or glass fibre

50 Units per box. 20 boxes per case.

## **Product Codes**

MASKIMP3PLYEL Help-It 3 Ply Disposable Procedure Earloop Masks ASTM Level 1


- 99% Bacterial Filtration Efficiency
- 50 Units per box. 20 boxes per case.

Help-It ASTM Level 2 GP Mask Size Medium

- Contains no latex or glass fibre
- 50 Units per box. 20 boxes per case.

Help-It ASTM Level 2 GP Mask Size Small

## CleanSpace® RESPIRATORS



## CLEANSPACE2TM

## Powered P3 Respirator

Light, with no hoses, belts or cables and no maintenance. Particulate and Gas Filters

- High dust sites quarries, mining
- Welding, grinding
- Maintenance and cleaning
- Timber and agriculture

## CLEANSPACE[™] ULTRA

**Powered P3 respirator** With Rating IP 66 designed for use in decontamination showers

- Chemical handling
- Lead abatement
- Infectious agents
- First responder

## **CLEANSPACE™ EX**

## **Powered P3 respirator**

Intrinsically safe certified for use in potentially explosive atmospheres

- Underground coal
- Oil and gas
- Petrochemical
- Chemical handling




## Work Effortlessly and comfortably with HEPA Particulate Filtration (P3/TM3). Free Online Training.

CleanSpace is the only choice in protective masks to ensure compliance due to its comfort and one-button simplicity. Filtration efficiency 99.97% for particles 0.3 microns and above. Protects against dusts, mists, fumes and radionuclides. Ideal for lead, asbestos, silica and biohazards. Combination Gas filters also available.







PAF-1010 Medium

PAF-0027 Large



Full Face*

Ultra and

EX Only



**3** FILTERS

PAF-0035 EN12942 TM3P HEPA Particulate Filter (Pack Of 3)



PAF-0037 Hi Capacity (Hi Cap) Particulate Filter P3 HEPA



PAF-0072 Combined: Organic, Inorganic, Acid & Amonia Gas + Particulate AU:ABEKP3



4 FILTER ADAPTOR

> PAF-0038 Adaptor for HiCap and Gas filters



## **5 PRE-FILTERS & COVERS**

PAF-0036 Pre-Filter (Pack Of 10)



## PAF-0058 CleanSpace™ Particulate Pre-Filter & Coverall

(Standard Filter)



PAF-0057 CleanSpace™ Particulate Pre-Filter (Large Case Filters)



## PAF-0049 CleanSpace™ Coverall (Standard & Large Case Filters)

## PAF-0091 Combined: Organic, Inorganic & Acid Gas & Vapour + Particulate AU:ABEP3

AU:A





## **OTHER ACCESSORIES**

PAF-0099	Backpack (Black)
PAF-0075	Helmet Hook Strap
PAF-0074	Ultra Cleaning & Storage Plug Set
PAF-0025	Half Mask Adaptor for Quantitative Fit (Portacount) Testing
PAF-1015	Full Face Mask Quantitative Fit Test (PortaCount) Adaptor
PAF-1018	Full Face Mask Tear off Visor Anti-Scratch Protectors (pack of 10)
PAF-1017	Full Face Mask Spectacle Kit
PAF-0049	Coverall (Standard and Large Case Filters) (pk 25
PAF-0048	(2 & Ultra) Charging Station for 10 motor units
PAF-0079	EX Charging Station for 10 motor units

## SPARES

PAF-0014	CleanSpace2 *** Neck Pad Thick (spare)
PAF-0016	CleanSpace2 [™] Neck Pad Thin (spare)
PAF-0028	Half Mask Exhalation Valve Assembly (pk 2) (spare)
PAF-0030	CleanSpace2 [™] Head Harness (spare)
PAF-0040	CleanSpace2™ & Ultra Battery Charger (spare)
PAF-0066	EX Battery Charger (spare)
PAF-0073	Ultra & EX Head Harness (spare)
PAF-1012	Ultra & EX Neck Support Small (spare)
PAF-1013	Ultra & EX Neck Support Large (spare)
PAF-1016	Full Face Mask Harness Kit (spare)
PAF-1019	Full Face Mask Exhalation Valve (pack of 2) (spare)
PAF-1020	Full Face Mask Inhalation Valve (6 valves) (spare)
PAF-1021	Full Face Mask Exhalation Valve Cover (spare)
PAF-1022	Full Face Mask Orinasal Inner Mask Set (Small)
PAF-1027	Full Face Mask Orinasal Inner Mask Set (Medium / Large) (spare)

## HASP lock out







## Danger lock out tags

DEFECTIVE

**Lockout station** 

REMOVAL OF THES TAG WILL RESULT IN DISCIPLINARY ACTION



## **Product Codes**

**Product Codes** 

L001

L002

L005

L006	'DANGER DO NOT OPERATE' lock out tag
L007	'DANGER DO NOT OPERATE Maintenance department' lock out tag
L008	'CAUTION DEFECTIVE' lock out tag

HASP lock out - steel with vinyl coated - 1"

HASP aluminium lockout

HASP lock out - steel with vinyl coated - 1.5" - Red

## Stainless steel safety padlock



## Stainless steel cable safety padlock



## LOCKOUT STATION

LOCKOUT STATION


Product Codes	
L009	20-locks - without cover
L010	20-locks - with cover

Stainless steel with ABS body safety padlock - Blue
Stainless steel with ABS body safety padlock - Green
Stainless steel with ABS body safety padlock - Orange
Stainless steel with ABS body safety padlock - Red
Stainless steel with ABS body safety padlock - Yellow

Stainless steel cable with ABS body safety padlock - Blue
Stainless steel cable with ABS body safety padlock - Green
Stainless steel cable with ABS body safety padlock - Orange
Stainless steel cable with ABS body safety padlock - Red
Stainless steel cable with ABS body safety padlock - Yellow

# **Road cone 5kg**

## Narrow road cone 4.5kg



**Road Cone** 

• 900mm tall

Contains no regrind material

AS/NZS 1906.1.2007 Compliant

Corporate branding options available

Large studded base for extra stability

Proudly manufactured in New Zealand.

## **Product Codes**

ROADCONE Orange Road Cone - 5kg




- AS/NZS 1906.1.2007 Compliant
- 900mm tall
- Large studded base for extra stability (35cm width)
- Each cone weighs 4.5kg unballasted
- Dual reflective bands
- Manufactured from UV stable materials
- Contains no regrind material
- Grip on top for easy handling
- Corporate branding options available

Proudly manufactured in New Zealand.

## **Product Codes**

ROADCONENARROW Orange Road Cone - Narrow 4.5kg



## **Road cone bar bag**

**Road cone bar** 



## Features

- Heavu duty PVC bag
- Holds 20 cone bars
- **Product Codes** CONEBAR1



· Yellow and black • 1.3m - 2.2m retractable

• Fits on top of most road cones

	Cone Bar - H/D PVC Barrier 1.3m - 2.2m retractable
I	Cone Bar - White H/D PVC Barrier w/red tpe 1.3m - 2.2m retractable

Cone Bar - H/D PVC Barrier 1.3m - 2.2m retractable

## **Transportation & Transit flags**



## Features

- · Heavy duty materials.
- Long lasting and durable.
- · Many types available.

## **Product Codes**

FLAGOVER	Hi Viz Lime PVC Flag 110cm x 30cm 0VERSIZE with 4 x Eyelets
FLAGSYELLOW	Hi Viz Lime Flag 30cm x 40cm with 4 x Eyelets
FLAGLIME	Pair of Hi Viz Lime/Orange/Lime 45cm x 33cm with 4 x Eyelets
FLAGORANGETRI	Hi Viz Orange triangle flag - can be stapled onto wooden pole
FLAGYELLOW	Hi Viz Lime triangle which can be stapled onto wooden pole
FLAGRED	Red PVC Flag with Webbing and Clip

## **Fire extinguisher**



## Features

- · Wall mountable.

## **Product Codes** FIREXTV01

Help-it 'Blaze Breaker' fire blankets

## Warning Triangle



## Features

Road Side Foldable Warning Triangle for Vehicles.

## **Product Codes**

CDTRI Warning Triangle

Features

## **Product Codes** BLABURN1.2M BLABURN1.8N

## Help-it industrial wipes



## Features

Help-It[™] antibacterial Monster Wipes are ideal for use in manufacturing, automotive, construction and other industrial workplaces. Large and strong, they are also great for the home workshop or garden shed.

They effectively remove dirt, grease, oils, silicones, cable filling compounds, paint, ink, caulking and adhesives from skin and most surfaces, while Vitamin E and aloe vera help moisturize and soften skin.

- · Pack of 80 wipes.

**Product Codes** WIPEINDU

• ABE Powder Fire Extinguisher.

Available in 1.0kg &1.5kg

· Ideal for your vehicle or boat.

Great addition to your camping equipment

Fire Extinguisher

Our burn blankets measure 1.2m x 1m and 1.8m x 1.2m. Very compact for easy storage. Wall hangable. (Pull release tabs to deploy.) Certified to AS/NZS 3504:2006

MX1.2M	Fire Blanket 1.2x1.2m
MX1.2M	Burn Blanket 1.8m x 1.2m

Size of wipes: 200 x 300mm

Help-It Industrial Wipes - Tub of 80









## Sign Printers

Whether it's digitally printed on vinyl or a traditionally screen printed PVC board, our signs are made right here in New Zealand.

Everyone knows the Kiwi environment is unique, with high levels of UV and varied, sometimes extreme weather. Many importers' products, mass produced in overseas factories, are just not able to withstand these conditions. We make our signs with materials chosen to suit these demands. Also, our standard sizes are a little larger than the international paper sizes of A4 and A3, so they're sure to be legible at the required distances.

Our signs come in a range of materials to offer a choice that suits the sign's location, environment and budget, the benefits of each of these materials is explained over the page. And because we make our own, if the 'off the shelf' options don't suit, we have the capabilities to supply custom signs in a variety of materials and sizes, including one-off signs with dry-erase whiteboard-style laminates, perfect for site checklists or emergency evacuation boards.



## How to order your QSi signs

We've made it simple for you to find and order the signs that you need. Just go to the design range pages (use the contents table or the page-corner icons to quickly find the right range) and pick one of the size & material options shown for that sign!

Our standard sizes are chosen to suit the majority of safety sign situations. They are a little over A3 and A4 paper sizes, making them a bit bigger than many competitors' standard sizes. As a result, the designs differ slightly between sizes, as in the following examples:



Our design team ensure that these differences make the signs eye catching, clear and legible at all sizes, because a sign that can't be seen and read is no use at all.

## Our signs, made to fit your requirements

We produce signs in a variety of materials, so that you can select the option that provides the best solution:

- 1 Screenprinted PVC board Weatherproof and durable, cost effective basic sign. 1.2mm PVC board (Drilled and radiused at four corners) out-performs many cheaper imported alternatives using thinner boards. Screenprinted with inks made for NZ environments. Ideal for 'high volume' signs, bespoke screenprinting available for quantities over 100 per design.
- 2 Screenprinted Sign Blank c/w Vinyl Text / Details on PVC board Combines the benefits of the above option with the flexibility of using 'low volume' or bespoke text content with standard sign layouts, ideal for one-offs and small quantities. Long lasting, purpose-made vinyl offers good performance.
- 3 Full Vinyl Decal on PVC (With Screw Holes) Using purpose-made materials to be weatherproof and durable, printed vinyl offers full colour/high detail capabilities. Supplied on 1.2mm PVC board drilled and radiused at four corners.
- 4 Full Vinyl Decal on PVC (No Screw Holes) As option 3 but with square corners and no drilled holes. Perfect for temporary/mobile signs or for using adhesives to fix them in position.

5 Full Vinyl Decal on PVC

(No Screw Holes c/w double sided tape) As option 4 but supplied with double sided tape. Perfect for indoor applications such as identifying firefighting equipment or showing evacuation procedures, etc.

- 6 Full Vinyl Decal on Aluminium board Ideal for outdoor use or where conditions need a robust board. Produced using purpose-made materials to be weatherproof and durable. Drilled and radiused at the corners.
- 7 Full Vinyl Decal on Coreflute Light weight, low cost option. Ideal for situations not requiring ultimate performance or durability, such as temporary or indoor signage, where budget is the major consideration.
- 8 Self Adhesive Vinyl Sticker Printed on purpose-made materials to be weatherproof and durable and offering full colour/high detail capabilities. Custom sizes easily accommodated. Supplied on backing paper for your own application.
- 9 Full Vinyl Decal on Magnetic Backing For temporary magnetic fixing. Printed on purpose-made vinyl to be weatherproof and durable and offering full colour/high detail capabilities. Custom sizes easily accommodated.

# signage how to order your signs

## What do the codes mean?

The codes show which size & material combinations the design is available in:

(other shown options may not be available from stock).

1

2

3

4

5

6

7

8

9

Screenprinted on PVC board

Full Vinyl Decal on Aluminium Board

Full Vinyl Decal on Magnetic Backing

Full Vinyl Decal on Coreflute

Self Adhesive Vinyl Sticker

Screenprinted Blank c/w Vinyl Text & Details on PVC Board

Full Vinyl Decal on PVC Board (No Holes, with Double Sided Tape)

EXIT

**Product Codes** 

**Size & Material Codes** 

You don't need to

remember all this,

we've put the

details at the

bottom of all the

pages for easy

reference!

E1, E3, E4, E5, E6, E7, E8 G3, G4, G5, G6, G7, G8

QSI 3419

Full Vinyl Decal on PVC Board (With Drilled Screw holes)

Full Vinyl Decal on PVC Board (No Drilled Screw Holes)



Codes shown in red indicate the stock combination for the design

Size code

- 120mm x 120mm Α
- В 180mm x 180mm
- С 240mm x 240mm
- D 250mm x 250mm
- Ε 340mm x 120mm
- 340mm x 240mm (or 240 x 340)
- G 450mm x 180mm
- н 450mm x 300mm (or 300 x 450)
- 200mm x 400mm
- 600mm x 450mm

Of course, not every combination is available for every design, so each illustration is accompanied by a series of codes to show you exactly what we produce as 'standard' for the sign. And if these don't match your requirements, we can usually produce what you need, just order it as a custom option instead! Have a look at the example for a better look at how it works, and remember that these codes are shown at the bottom of every 2-page spread, so you don't even need to remember them all!

QSI 3419 comes in Screen Printed PVC 340mm x 120mm as standard, and is available in two sizes, 340x120 and 450x180, both sizes are available in the following options:

- · Full Vinyl on PVC with screw holes;
- · Full Vinyl on PVC no screw holes;
- · Full Vinyl on PVC no screw holes c/w double sided tape;
- · Vinyl on Aluminium;
- Vinyl on Coreflute;
- · Self Adhesive Vinyl Sticker.

## SIZE CODES

A 120mm x 120mm D 250mm x 250mm G 450mm x 180mm E 340mm x 120mm B 180mm x 180mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

Fully equipped for responsive service

Modern technology means that signs can be produced more consistently, efficiently and with higher quality than ever before. QSi have invested in New Zealand manufacturing to provide a range of signs to meet the requirements and keep up with our evolving workplace legislation.

## A dedicated production team provides a fast turnaround on non-standard signs and can provide proofs for custom designs that ensure you get the result you're after.



## MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
- - 6 Vinyl on Aluminium board







Modern workplace environments are constantly changing, and our signage department has the skills, resources and commitment to provide a unique combination of price and flexibility to New Zealand's commercial heartlands.

- 7 Vinyl on Coreflute 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic

## Pre-printed blanks to make specials easy


Every NZ workplace is unique, with different hazards and considerations, but they all need recognisable, standardised signage. So, for those occasions where the specifics of a site require a standard sign layout with non-standard content, our pre-screenprinted blanks make it quick and easy to get exactly the sign you need it's almost like having every combination available off the shelf!

You will see that many of our sign ranges include this option, just look for the 'STOCK BLANKS' symbol.

## Off the shelf, customise or start from scratch

But what if the specific requirements don't work with the stock blanks? Well, no problem, we have a variety of 'template' designs for signs that need to be to a certain style, but vary dependent on the situation. From generic HAZCHEM boards that you can add the hazmat symbols as required to adaptable 'whiteboard' style templates perfect for site hazard lists, this new range is aimed at providing you with an easy and flexible solution to some of the more unusual sign requirements.

Our sales and design team will help you through the process, making sure you get the best signs for your needs in the shortest possible time.





## Signage display stand



## Features

## **Product Codes**


SIGNSTAND

Some ranges, such as the typical 'DANGER' sign shown above include designs that feature extra graphical elements (no smoking or no entry symbols, etc.) and these, or even unique symbols, can be incorporated into the signs built using the stock blanks, producing effective, clear signage for every client's requirement, such as:

- Do Not Feed The Animals
- No Vehicles
- BEWARE livestock roaming
- No Video Recording
- PLEASE No Littering

- Display stand for our top selling signs
- · Heavy duty wooden construction
- · Quick reference chart to locate your desired sign
- · Custom branding available
- Dimensions: 84cm wide x 62cm deep x 202cm tall

Safety Signs Shelving Unit







## **Product Codes**

**OSI 3614** 

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H2 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## Product Codes

QSI 3611

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H2 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



**Product Codes OSI 3627** 

## F1 F3 F4 F5 F6 F7 F8 H2 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

**Size & Material Codes** 



**Product Codes OSI 3631** 

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H2 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8





7 Vinyl on Coreflute

- 8 S/A Vinyl Sticker

9 Vinyl on Magnetic

## **Product Codes**

QSI 3613

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H2 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## Product Codes

QSI 3775

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H2 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

DANGER	<b>Product Codes</b> QSI 3772	DANGER	Product Codes QSI 3774	DANGER	Product Codes QSI 3612
FLAMMABLE	Size & Material Codes	FLAMMABLE GAS	Size & Material Codes	LIFE LINE	Size & Material Code
GAS NO SMOKING	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	NO SMOKING OR OPEN FLAMES	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	REQUIRED FOR ENTRY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
	Product Codes		Product Codes		Product Codes
DANGER	QSI 3773	DANGER	QSI 3635		QSI 3546
FLAMMABLE	Size & Material Codes	HAZARDOUS	Size & Material Codes		Size & Material Cod
	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	CHEMICALS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8
DANOED	Product Codes		Product Codes		Product Codes
DANGER	QSI 3603		QSI 3544	DANGER	QSI 3624
HAZARDOUS	Size & Material Codes		Size & Material Codes		Size & Material Cod
CHEMICAL AREA O THOROUGHFARE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8	NO SMOKING	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
DANGER	Product Codes	DANGER	Product Codes	DANGER	Product Codes
DANGER	QSI 3901	DANGER	QSI 3902	DANGER	QSI 3633
🔥 нідн	Size & Material Codes	HIGH VOLTAGE NO UNAUTHORISED	Size & Material Codes	NO VEHICLE	Size & Material Coo
VOLTAGE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	ENTRY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	ENTRY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
DANGER	Product Codes	DANGER	Product Codes		Product Codes
DANGER	QSI 3527	DANGER	QSI 3609	DANGER	QSI 3604
HIGH VOLTAGE	Size & Material Codes	ISOLATE MACHINE BEFORE	Size & Material Codes	PESTICIDE STORAGE	Size & Material Co
VERHEAD WIRES	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	MAINTENANCE AND REPAIRS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	AUTHORISED PERSONNEL ONLY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
	Product Codes	DANOED	Product Codes		Product Codes
DANGER	QSI 3632	DANGER	QSI 3621	DANGER	QSI 3622
CEEP HANDS	Size & Material Codes		Size & Material Codes	Deleen	Size & Material Coo
CLEAR	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8		F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	POISON	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
CODES		7 /00 -50		MATERIAL CODES	
0mm x 120mm D 250mm x 250	0mm G 450mm x 180mm mm H 450mm x 300mm (or	J 600mm x 450mm		1 Screenprinted on PVC 2 Screenprinted Blank c/w Vinyl Text o	4 Vinyl on PVC (No Screv n PVC 5 Vinyl on PVC (No Holes





## **Product Codes**

QSI 3900

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3636

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



## **Product Codes**

QSI 3601

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8







## **Product Codes**

QSI 3618

#### **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3625

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3599

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

- , c/w Dbl Sd Tape) 8 S/A Vinyl Sticker 9 Vinyl on Magnetic

<image/> <section-header></section-header>	Product Codes           QSI 3626           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H2 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8           Product Codes           QSI 3914           Size & Material Codes           F2           H2           J2	<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	Product Codes           QSI 3606           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H2 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8           Product Codes           QSI 3639           Size & Material Codes           H1 H3 H4 H5 H6 H7 H8	Hearing and Eye protection must be worn www.	Product Codes           QSI 3434           Size & Material Codes           F1F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8           Product Codes           QSI 3437           Size & Material Codes           F1F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	Product Codes           QSI 3640           Size & Material Codes           H1 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	DANGER DANGER GAS LINE	Product Codes QSI 3670 Size & Material Codes H1 H3 H4 H5 H6 H7 H8	FOOT PROTECTION MUST BE WORN	Product Codes           QSI 3472           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
DANGER NO SMOKING	Product Codes QSI 3779 Size & Material Codes H1 H3 H4 H5 H6 H7 H8	CONTRACTOR OF CO	Product Codes QSI 3780 Size & Material Codes H1 H3 H4 H5 H6 H7 H8	AISLE MUST BE KEPT CLEAR	Product Codes           QSI 3485           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
DANGER KEEP HANDS CLEAR	Product Codes           QSI 3861           Size & Material Codes           H1 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8			APPROVED CLOTHING MUST BE WORN	Product Codes           QSI 3746           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
SIZE CODES A 120mm x 120mm D 250mm x 250m B 180mm x 180mm E 340mm x 120m C 240mm x 240mm F 340mm x 240m 294 QSi Catalogue	m H 450mm x 300mm (or	J 600mm x 450mm 300 x 450)		MATERIAL CODES 1 Screenprinted on PVC 2 Screenprinted Blank c/w Vinyl Text on PVC 3 Vinyl on PVC (With Screw holes)	<ol> <li>Vinyl on PVC (No Screw Holes)</li> <li>Vinyl on PVC (No Holes, c/w Dbl So</li> <li>Vinyl on Aluminium board</li> </ol>







QSI 3415

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3463

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



## **Product Codes**

QSI 3462

Size & Material Codes <mark>G1</mark> G3 G4 G5 G6 G7 G8




## **Product Codes**

QSI 3477

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

- 7 Vinyl on Coreflute
- Dbl Sd Tape) 8 S/A Vinyl Sticker
  - 9 Vinyl on Magnetic



signage **mandatory signs** 







**Size & Material Codes** 

**Product Codes** 

QSI 3478

H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3749

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



**Product Codes** 

QSI 3491

**Size & Material Codes** G1 G3 G4 G5 G6 G7 G8




**Product Codes** 

QSI 3489

**Size & Material Codes** 

G1 G3 G4 G5 G6 G7 G8

- 7 Vinyl on Coreflute
- 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic



A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

## J 600mm x 450mm

#### MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
- 6 Vinyl on Aluminium board

298 QSi Catalogue



WASH YOUR

HANDS

**Product Codes** 

F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8

J3 J4 J5 J6 J7 J8

**Product Codes** 

F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8

J3 J4 J5 J6 J7 J8

**Size & Material Codes** 

QSI 3748

Size & Material Codes

QSI 3475

USE

GUARDS

WASH YOUR

HANDS



QSI 3751

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



QSI 3747

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

- 7 Vinyl on Coreflute
- 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic



A 120mm x 120mm D 250mm x 250mm E 340mm x 120mm B 180mm x 180mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

- MATERIAL CODES
- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
  - 6 Vinyl on Aluminium board

4 Vinyl on PVC (No Screw Holes)

QSi Catalogue 300

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

Size & Material Codes

**Product Codes** 

J3 J4 J5 J6 J7 J8

**Product Codes** 

QSI 3535

QSI 3444

Size & Material Codes F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

**Product Codes** QSI 3777

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8


## **Product Codes**

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

**Product Codes** QSI 3540

**Size & Material Codes** F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



3 Vinyl on PVC (With Screw holes)

QSI 3550









## **Product Codes**

QSI 3920

#### Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3532

#### **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3776

#### **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3786

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

7 Vinyl on Coreflute

8 S/A Vinyl Sticker

MOTORCYCLE HELMETS	Product Codes           QSI 3534           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           H3 F4 F5 F6 F7 F8	NO ACCESS	Product Codes           QSI 3538           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           H3 F4 F5 F6 F7 F8           H3 F4 F5 F6 F7 F8	NO FORKLIFTS BEYOND THIS POINT	Product Codes           QSI 3549           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8
MUST NOT BE WORN WITHIN THESE PREMISES	J3 J4 J5 J6 J7 J8         Product Codes         QSI 3543         Size & Material Codes         F1 F3 F4 F5 F6 F7 F8         H3 H4 H5 H6 H7 H8         J3 J4 J5 J6 J7 J8	CLEANING IN PROGRESS	J3 J4 J5 J6 J7 J8         Product Codes         QSI 3529         Size & Material Codes         F1 F3 F4 F5 F6 F7 F8         H3 H4 H5 H6 H7 H8         J3 J4 J5 J6 J7 J8	NO LIGHTERS OR MATCHES BEYOND THIS POINT	Product Codes           QSI 3531           Size & Material Codes           F1F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
NO	Product Codes           QSI 3521           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	NO DOGS	Product Codes           QSI 3539           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	NO PARKING	Product Codes           QSI 3821           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8
	Product Codes           QSI 3547           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8	NO ENTRY CONFINED SPACE	Product Codes           QSI 3536           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8		Product Codes           QSI 3868           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
	Product Codes           QSI 3530           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H1 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8			NO SKATEBOARDING	Product Codes           QSI 3523           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

- MATERIAL CODES
- 1 Screenprinted on PVC
- - 6 Vinyl on Aluminium board

302 QSi Catalogue

- 4 Vinyl on PVC (No Screw Holes) 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker
- 3 Vinyl on PVC (With Screw holes)





## **Product Codes**

QSI 3533

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3756

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



#### **Product Codes**

QSI 3872

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



## **Product Codes**

QSI 3542

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

7 Vinyl on Coreflute

NO SMOKING	Product Codes           QSI 3752           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	NO SMOKING IN THIS AREA	Product Codes           QSI 3429           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8	WARNING	Product Codes           QSI 3517           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H1 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
NO SMOKING STOP YOUR ENGINE	Product Codes           QSI 3753           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	NO VEHICLE ENTRY	Product Codes           QSI 3541           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	WARNING LIFT WITH CARE	Product Codes           QSI 3453           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H1 H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
NOT DRINKING WATER	Product Codes           QSI 3522           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	PHONES PAGERS RADIOS PROHIBITED IN THIS AREA	Product Codes           QSI 3548           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8	WARNING CORROSIVE LIQUID	Product Codes           QSI 3505           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
SMOKING PROHIBITED	Product Codes           QSI 3755           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	THOROUGHFARE PROHIBITED	Product Codes           QSI 3537           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	WARNING AVOID DUST INHALATION	Product Codes           QSI 3493           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8
WELCOME THIS IS A SMOKE FREE ENVIRONMENT	Product Codes           QSI 3413           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	DESIGNATED SMOKING AREA	Product Codes           QSI 3966           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	WARNING Diological Hazard	Product Codes           QSI 3504           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8

A 120mm x 120mm D 250mm x 250mm

B 180mm x 180mm E 340mm x 120mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

## MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes) 6 Vinyl on Aluminium board







WARNING

BEWARE OF GUARD DOGS

## **Product Codes**

QSI 3438

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H1 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3515

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3447

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

## **Product Codes**

QSI 3499

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

7 Vinyl on Coreflute

- 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic





**Product Codes** QSI 3512

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

#### SIZE CODES

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm

E 340mm x 120mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

H 450mm x 300mm (or 300 x 450)

G 450mm x 180mm

J 600mm x 450mm


## MATERIAL CODES

- 1 Screenprinted on PVC
- 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes) 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
  - 6 Vinyl on Aluminium board

306 QSi Catalogue



- 7 Vinyl on Coreflute
- 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic



3 Vinyl on PVC (With Screw holes)

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

## **Product Codes**

**OSI 3592** 

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

Product Codes

QSI 3575

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** 

**OSI 3594** 

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3565

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

**OSI 3789** 

Size & Material Codes

E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8

## **Product Codes**

QSI 3581

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

6 Vinyl on Aluminium board

	Product Codes		Product Codes		Product Codes
	QSI 3572		QSI 3573		QSI 3790
DO NOT WEAR	Size & Material Codes	EAR PROTECTION	Size & Material Codes	YOUR STEP	Size & Material Co
GLOVES WHILE OPERATING THIS EQUIPMENT	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	REQUIRED WHEN THIS EQUIPMENT IS OPERATING	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8
	Product Codes		Product Codes		Product Codes
WARNING	QSI 3567	WARNING	QSI 3568	WARNING	QSI 3593
ELECTRIC ARC	Size & Material Codes	EXPLOSIVE	Size & Material Codes	OVERHEAD	Size & Material C
WELDING IN PROGRESS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	POWERTOOLS IN USE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	POWERLINES	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
Â	Product Codes	WARNING	Product Codes		Product Codes
WARNING	QSI 3577	FORKLIFTS OPERATING IN THE AREA	QSI 3791	WARNING	QSI 3591
EYE	Size & Material Codes	THE AREA	Size & Material Codes	SLIPPERY	Size & Material C
PROTECTION	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8	WHEN WET	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	Product Codes		Product Codes		Product Codes
WARNING	QSI 3580	WARNING	QSI 3566		QSI 3588
HEARING	Size & Material Codes	HIGH	Size & Material Codes	USE	Size & Material C
PROTECTION REQUIRED	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	PRESSURE PIPELINE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	HAND RAIL	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
A	Product Codes		Product Codes		Product Codes
WARNING	QSI 3586	WARNING	QSI 3563		QSI 3578
KEEP CLEAR	Size & Material Codes	KEEP HANDS	Size & Material Codes	WATCH	Size & Material C
MOVING MACHINERY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	CLEAR OF MACHINERY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	OVERHEAD CLEARANCE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
					Product Codes
^	Product Codes		Product Codes		110000000000
	<b>Product Codes</b> QSI 3576	WARNING	QSI 3595		QSI 3579
		WARNING			

310 QSi Catalogue

- A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm
  - G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

J 600mm x 450mm





**Product Codes** 

QSI 3587

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** QSI 3583

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



**Product Codes** QSI 3584

**Size & Material Codes** F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



WARNING WEAR GOGGLES **OR FACE SHIELD** WHILE OPERATING THIS MACHINE



**Product Codes** QSI 3590

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3571

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** QSI 3600

**Size & Material Codes** F2

2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)

4 Vinyl on PVC (No Screw Holes)


6 Vinyl on Aluminium board

1 Screenprinted on PVC

3 Vinyl on PVC (With Screw holes)

7 Vinyl on Coreflute

8 S/A Vinyl Sticker 9 Vinyl on Magnetic



A 120mm x 120mm D 250mm x 250mm E 340mm x 120mm B 180mm x 180mm

G 450mm x 180mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm J 600mm x 450mm

- H 450mm x 300mm (or 300 x 450)

- MATERIAL CODES
- 1 Screenprinted on PVC
- 3 Vinyl on PVC (With Screw holes)

SECURITY CAMERAS

OPERATING

AT ALL TIMES

TRESPASSERS

WILL BE

PROSECUTED

- 4 Vinyl on PVC (No Screw Holes)
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
  - 6 Vinyl on Aluminium board

H3 H4 H5 H6 H7 H8

**Product Codes** 

F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8

**Product Codes** 

F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8

QSI 3713

**Size & Material Codes** 

Size & Material Codes

QSI 3694









QSI 3714

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** QSI 3718

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** 

QSI 3712

**Size & Material Codes** F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8



THESE PREMISES **ARE PROTECTED BY** A MONITORED ALARM



**Product Codes** QSI 3711

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3847

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3719

**Size & Material Codes** F2 H2

7 Vinyl on Coreflute 8 S/A Vinyl Sticker



A 120mm x 120mm D 250mm x 250mm E 340mm x 120mm B 180mm x 180mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm




## Product Codes

**OSI 3770** 

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8





## NOTICE ALL TOOLS MUST **BE RETURNED** AFTER USE

**Size & Material Codes** 

**Product Codes** 

QSI 3666

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** 

QSI 3651

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3653

Size & Material Codes

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** 

F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8

QSI 3663





**Product Codes** 

QSI 3658

**Size & Material Codes** F2 E3 E4 E5 E6 E7 E8 H3 H4 H5 H6 H7 H8

2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)

**Size & Material Codes** 

4 Vinyl on PVC (No Screw Holes)

6 Vinyl on Aluminium board

F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8

**CHAIN ALL** 

CYLINDERS

SECURELY

MATERIAL CODES

1 Screenprinted on PVC

3 Vinyl on PVC (With Screw holes)

- 7 Vinyl on Coreflute 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic

MUST BE WORN IN THIS AREA       FIES FAFSF6 F7 FB         HIST BE WORN ON THIS STE       FIES FAFSF6 F7 FB         HIST BE WORN ON THIS STE       FIES FAFSF6 F7 FB         BIB Add       SAFETY CLASSES MUST BE WORN ON THIS STE       FIES FAFSF6 F7 FB         MOTICEE KEEP CLEAR AT ALL TIMES       Product Codes OBI 3646       Product Codes CLEAN       Product Codes OBI 3646       Product Codes OBI 3647         NOTICEE NO ADMITTANCE NO ADMITTANCE NO DADMITTANCE NOTICE       Product Codes OBI 3657       Product Codes OBI 3659       Product Codes OBI 3659       Product Codes OBI 3659       Product Codes OBI 3659         NOTICE NO ADMITTANCE NO ADMITTANCE SECURITY PASS       Product Codes OBI 3659       Product Codes OBI 3659       Product Codes OBI 3659       Product Codes OBI 3659         NOTICE NO ADMITTANCE SECURITY PASS       Product Codes OBI 3659	NOTICE HEARING PROTECTION	Product Codes QSI 3662 Size & Material Codes	NOTICE HI-VIS VEST HARD HAT AND	Product Codes         QSI 3664         Size & Material Codes	<b>NOTICE</b> PROTECTIVE CLOTHING	<b>Product Codes</b> QSI 3665 <b>Size &amp; Material Code</b>
NOTICE KEEP CLEAR AT ALL TIMES       1033443       033445       033445       033445         Size & Material Codes FIFSTARES 657778       FIFSTARES 65778       033445       023345       023346         NOTICE NO ADMITTANCE NO ADMITTANCE NO ADMITTANCE NO EATING OR DRINKING OR DRINKING NO EATING OR DRINKING NO EATING NO EATING OR DRINKING NO EATING OR DRINKING NO EATING OR DRINKING NO EATING NO EAT						
Size & Material Codes       Product Codes       Produc	]	Product Codes		Product Codes		Product Codes
Size & Material Codes       Size & Material C	NOTICE	QSI 3646	NOTICE	QSI 3645	NOTICE	QSI 3657
AT ALL TIMES       FIRSTARESEAFTRB       ALEAN       FIRSTARESEAFTRB         NOTICE       Disada       Disada       FIRSTARESEAFTRB       Product Codes         NO       Disada	KEEP CLEAR	Size & Material Codes		Size & Material Codes		Size & Material Code
NOTICE NO ADMITTANCE WITHOUT       Product Codes US 3642       OSI 3643       OSI 3644						
NO       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       FI3 FA FS F6 F7 F8       Size & Material Codes       Size & Material Code		Product Codes		Product Codes		Product Codes
NO ADMITTANCE       Size & Material Codes       FIRS FAR BE FOR FFR HISH AH SHO H7 HB       Size & Material Codes       FIRS FAR FE FOR FFR HISH AH SHO H7 HB       Size & Material Codes       FIRS FAR FE FOR FFR HISH AH SHO H7 HB       FIRS FAR FE FOR FFR HISH AH SHO H7 HB       Size & Material Codes       FIRS FAR FE FOR FFR HISH AH SHO H7 HB       FIRS FAR FE FOR FFR HISH AH SHO H77 HB       Froduct Codes       FIRS FAR FE FOR FFR HISH AH SHO H77 HB       Froduct Codes       FIRS FAR FE FOR FFR HISH AH SHO H77 HB       GSI 3041       GSI 3040       GSI 3040<	NOTICE		NOTICE		NOTICE	QSI 3647
ADMITTANCE       FIF3F4F5F6F7F8       WITHOUT       FIF3F4F5F6F7F8       HITHUTTANCE		Size & Material Codes		Size & Material Codes		Size & Material Cod
NOTICE NO EATING OR DRINKING IN THIS AREA       ISI 3654       ISI 3654       ISI 3641         Size & Material Codes IF 35 FA F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       ISI 3641       ISI 3641         NO ENTRY IN THIS AREA       ISI 3641       ISI 3641         NO ENTRY IN CONCE IN THIS AREA       ISI 3641       ISI 3641         NO ENTRY UNLESS ACCOMPANIED BY A STAFF MEMBER       IP oduct Codes ISI 3641       ISI 3641       ISI 3641         NO ENTRY UNLESS ACCOMPANIED BY A STAFF MEMBER       IP oduct Codes ISI 3641       ISI 3641       ISI 3641         NO ENTRY UNLESS BY A STAFF MEMBER       IP oduct Codes ISI 3641       ISI 3641       ISI 3641         NO ENTRY UNLESS BY A STAFF MEMBER       IP oduct Codes ISI 3641       ISI 3641       ISI 3641         NO ENTRY UNLESS BY A STAFF MEMBER       IP oduct Codes ISI 3641       ISI 3641       ISI 3641         NO ENTRY UNLESS BY A STAFF MEMBER       IP oduct Codes ISI 3641       ISI 3641       ISI 3641         NO ENTRY IN IN ISI A ES IS ISI 26 Material Codes ISI 3655       ISI 3650       ISI 3650         ISI 26 Material Codes ISI 26 A Material Codes ISI 26 A Material Codes ISI 26 A Material Codes ISI 3645       ISI 3650         ISI 26 A Material Codes ISI 26 A Material Codes ISI 26 A FIE 5F 6F 7F 8       ISI 3650						
NO EATING OR DRINKING IN THIS AREA       Size & Material Codes       Size & Material Codes         F13 FA F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       F13 FA F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       Size & Material Codes         NO ENTRE       Si3 661       Size & Material Codes         Size & Material Codes       Si3 806         Size & Material Codes       Size & Material Codes         NO ENTRE       Size & Material Codes         NO ENTRE       Size & Material Codes         Size & Material Codes       Size & Material Codes         NO ENTRE       Size & Material Codes         NO ENTRE       Size & Material Codes         Size & Material Codes       Size & Material Codes         S	NOTIOE	Product Codes		Product Codes		Product Codes
OR DRINKING IN THIS AREA       F1F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       F1F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       F1F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8         NO ENTRY NO ENT	NOTICE	QSI 3654	NOTICE	QSI 3641	NOTICE	QSI 3649
IN THIS AREA       H3 H4 H5 H6 H7 H8       H3 H3 H						Size & Material Cod
MOTICE       ASI 3661         NO ENTRY UNLESS ACCOMPANIED BY A STAFF MEMBER       Size & Material Codes         F2 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       NO PARKING KEEP ACCESSWAY CLEAR AT ALL TIMES       Image: Clear Accessway AT ALL TIMES         NOTICE BY A STAFF MEMBER       Product Codes       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8         MOTICE BY A STAFF MEMBER       Product Codes       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8         MOTICE BY A STAFF MEMBER       Product Codes       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8					REQUIRED	
NO ENTRY UNLESS ACCOMPANIED BY A STAFF MEMBER       Size & Material Codes       Size & Material Codes         F2 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       F2 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8         NO VEHICLES BEYOND       Product Codes F1 F3 F4 F5 F6 F7 F8 BI Size & Material Codes       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       GI 3655         Size & Material Codes F1 F3 F4 F5 F6 F7 F8       F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8       GI 3650		Product Codes		Product Codes		
Image: State of the state	NOTICE	QSI 3661	NOTICE	QSI 3806		
ACCOMPANIED BY A STAFF MEMBER WITH HS H6 H7 H8 Product Codes QSI 3655 NO VEHICLES BEYOND F1F3 F4 F5 F6 F7 F8 Product Codes QSI 3655 Size & Material Codes F1F3 F4 F5 F6 F7 F8 PARKING ON SITE AT YOUR PARKING ON SITE AT YOUR						
OSI 3655       OSI 3655       OSI 3655         NO VEHICLES BEYOND       Size & Material Codes       PARKING ON SITE AT YOUR       Size & Material Codes         F1 F3 F4 F5 F6 F7 F8       F1 F3 F4 F5 F6 F7 F8       F1 F3 F4 F5 F6 F7 F8	ACCOMPANIED		CLEAR			
NO VEHICLES BEYOND     Size & Material Codes     PARKING ON SITE AT YOUR     Size & Material Codes       F1 F3 F4 F5 F6 F7 F8     F1 F3 F4 F5 F6 F7 F8     F1 F3 F4 F5 F6 F7 F8	NOTICE		NOTICE			
BEYOND         F1 F3 F4 F5 F6 F7 F8         SITE AT YOUR         F1 F3 F4 F5 F6 F7 F8		QSI 3655	NOTICE	QSI 3650		
FIF5F4F5F0F/F0						

B 180mm x 180mm E 340mm x 120mm

316 QSi Catalogue

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

H 450mm x 300mm (or 300 x 450)



NOTICE

## **Product Codes**

QSI 3643

#### Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** QSI 3644

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



**Product Codes** 

QSI 3648

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



- 7 Vinyl on Coreflute
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker

6 Vinyl on Aluminium board

3 Vinyl on PVC (With Screw holes)

PLEASE WASH YOUR HANDS	Product Codes           QSI 3798           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	PLEASE KEEP ALL AISLES CLEAR	Product Codes           QSI 3732           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	PLEASE PUT TOOLS BACK IN THEIR PROPER PLACE	Product Codes           QSI 3729           Size & Material Codes           F2 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8
PLEASE KEEP THIS WASHROOM CLEAN	Product Codes           QSI 3796           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	PLEASE BE QUIET	Product Codes           QSI 3799           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	PLEASE WIPE YOUR FEET	Product Codes           QSI 3733           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8
PLEASE CLEAN MICROWAVE AFTER USE	Product Codes           QSI 3792           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	<b>PLEASE</b> DO NOT DEPOSIT SANITARY NAPKINS IN TOILET BOWLS USE CONTAINER PROVIDED FOR THIS PURPOSE	Product Codes           QSI 3730           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8		
PLEASE DO NOT USE MOBILE PHONES	Product Codes           QSI 3797           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	PLEASE FLUSH AFTER USE	Product Codes           QSI 3731           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8		
PLEASE KEEP THIS DOOR CLOSED	Product Codes           QSI 3795           Size & Material Codes           F2 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	PLEASE NO FOOD OR DRINK BEYOND THIS POINT	Product Codes           QSI 3793           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8		

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450) C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

J 600mm x 450mm

## MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
  - 6 Vinyl on Aluminium board

318 QSi Catalogue





## **Product Codes**

QSI 3794

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3735

**Size & Material Codes** 

F2

7 Vinyl on Coreflute

SAFETY FIRST	QSI 3826	SAFETY FIRST	QSI 3829	THINK TIDY	<b>Product Codes</b> QSI 3737
BEWARE	Size & Material Codes	DON'T LIFT	Size & Material Codes	PLEASE KEEP	Size & Material Codes
OF TRUCKS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	MORE THAN YOU ARE ABLE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	WORK AREAS CLEAN	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
SAFETY	Product Codes	SAFETY	Product Codes		Product Codes
FIRST	QSI 3832	FIRST	QSI 3831	THINK TIDY	QSI 3741
ALL ACCIDENTS NO MATTER	Size & Material Codes	ALL EQUIPMENT MUST BE	Size & Material Codes	PLEASE	Size & Material Codes
HOW SMALL MUST BE REPORTED	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	TURNED OFF WHEN NOT IN USE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		<mark>F1</mark> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	Product Codes		Product Codes		Product Codes
SAFETY FIRST	QSI 3827	SAFETY FIRST	QSI 3830	THINK TIDY	QSI 3739
DON'T TAKE	Size & Material Codes	DON'T TAKE	Size & Material Codes	OUR SAFETY	Size & Material Codes
RISKS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	BE SAFE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	DEPENDS ON CLEANLINESS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
CAFETY	Product Codes		Product Codes		Product Codes
SAFETY FIRST	QSI 3825	SAFETY FIRST	QSI 3834	THINK TIDY	QSI 3742
KEEP ALL	Size & Material Codes	PLEASE KEEP	Size & Material Codes	THIS ROOM IS FOR YOUR CONVENIENCE	Size & Material Code
AISLES CLEAR	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	THIS AREA CLEAN AND TIDY	<mark>F1</mark> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	PLEASE KEEP IT CLEAN	<mark>F1</mark> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	Product Codes		Product Codes		Product Codes
SAFETY FIRST	QSI 3833	SAFETY	QSI 3828	THINK TIDY	QSI 3744
PLEASE KEEP	Size & Material Codes		Size & Material Codes	STOCK BLANKS	Size & Material Codes
THIS WORK AREA SAFE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	STOCK BLANKS	F2	BLANKS	F2

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450) C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

J 600mm x 450mm

MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker
- 3 Vinyl on PVC (With Screw holes)

320 QSi Catalogue

6 Vinyl on Aluminium board

4 Vinyl on PVC (No Screw Holes)





## **Product Codes**

QSI 3743

## Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

## **Product Codes**

QSI 3736

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



**Product Codes** 

QSI 3740

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



**Product Codes** 

QSI 3738

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

- 7 Vinyl on Coreflute
- 9 Vinyl on Magnetic

ASSEMBLY POINT	Product Codes           QSI 3425           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8	First aid	Product Codes           QSI 3412           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8           J3 J4 J5 J6 J7 J8		Product Codes           QSI 3892           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8
First aid	Product Codes QSI 3693 Size & Material Codes STOCK ITEM: 105X125MM SELF-ADHESIVE OTHER SIZES ON REQUEST	EMERGENCY EYE WASH	Product Codes           QSI 3560           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	EMERGENCY SHOWER	Product Codes QSI 3446 Size & Material Codes F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
EVACUATION PROCEDURE         1         WHIN ALAAM SOUNDS. LEAVE IMMEDIATEST STORE         2         1         2         1         2         1         2         2         2         3         2         4         4         4         5         4         4         5         6         6         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7	Product Codes QSI 3848 Size & Material Codes F1 H1 WRITABLE	DEFIBRILLATOR	Product CodesQSI 3921Size & Material CodesF1 F3 F4 F5 F6 F7 F8H3 H4 H5 H6 H7 H8	EMERGENCY	Product Codes           QSI 3524           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8
FIRST AID	Product Codes           QSI 3890           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	EMERGENCY ASSEMBLY POINT	Product Codes           QSI 3896           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	FLOOR	Product Codes           QSI 3903           Size & Material Codes           F2 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8
EMERGENCY BREATHING EQUIPMENT	Product Codes           QSI 3895           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8				


A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

## MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker
- 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
- - 6 Vinyl on Aluminium board



FLOOR/LEVEL NUMBER OF YOUR CHOICE ADDED

- 7 Vinyl on Coreflute
- 9 Vinyl on Magnetic





## **Product Codes** QSI 3968SA

Size & Material Codes

STOCK ITEM: 170X115MM SELF-ADHESIVE OTHER SIZES ON REQUEST



## **Product Codes**

QSI 3955

**Size & Material Codes** 1 13 14 15 16 17 18





**Size & Material Codes** 

1 13 14 15 16 17 18



**Product Codes** QSI 3957

Size & Material Codes

1 13 14 15 16 17 18





**Product Codes** 

QSI 3959

**Size & Material Codes** 1 13 14 15 16 17 18



MATERIAL CODES

1 Screenprinted on PVC

3 Vinyl on PVC (With Screw holes)





4 Vinyl on PVC (No Screw Holes)

- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
  - 6 Vinyl on Aluminium board

SIZE CODES

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm



FIRE HOSE REEL



QSI 3956

**Size & Material Codes** 

1 13 14 15 16 17 18

## **Product Codes**

QSI 3960

**Size & Material Codes** 

1 13 14 15 16 17 18



## **Product Codes**


QSI 3958

**Size & Material Codes** 

1 13 14 15 16 17 18

7 Vinyl on Coreflute

8 S/A Vinyl Sticker 9 Vinyl on Magnetic



signage fire information signs

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm


G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 3 Vinyl on PVC (With Screw holes)
  - 6 Vinyl on Aluminium board

4 Vinyl on PVC (No Screw Holes)



- 7 Vinyl on Coreflute
- 8 S/A Vinyl Sticker
  - 9 Vinyl on Magnetic



**Product Codes** 

QSI 3525

Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

LOOKING FOR THESE FIRE EXTINGUISHER SIGNS?



FIRE EXTINGUISHER IDENTIFICATION SIGNS ARE LISTED JUST BEFORE THIS SECTION

	Product Codes
	QSI 3458
	Size & Material Codes
FLAMMABLE GAS	D1 D3 D4 D6 D8 D9
	Product Codes
	QSI 3802
CORROSIVE	Size & Material Codes
8	D1 D3 D4 D6 D8 D9
	Product Codes
30	QSI 3845
	Size & Material Codes
DANGEROUS WHEN	D1 D3 D4 D6 D8 D9
4	
	Product Codes
No los	QSI 3454
6	Size & Material Codes
EXPLOSIVE	D1 D3 D4 D6 D8 D9
	Product Codes
	QSI 3456
$\langle 1.5 \rangle$	Size & Material Code
EXPLOSIVE	D1 D3 D4 D6 D8 D9
$\sim$	Product Codes
	QSI 3843
🗸 💥 🔪	Size & Material Code
	D1 D3 D4 D6 D8 D9
V	
MATERIAL CODES	

1 Screenprinted on PVC

3 Vinyl on PVC (With Screw holes)

## SIZE CODES

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm













**Product Codes** 

QSI 3459

**Size & Material Codes** D1 D3 D4 D6 D8 D9

**Product Codes** QSI 3849

Size & Material Codes D1 D3 D4 D6 D8 D9

**Product Codes** QSI 3932

**Size & Material Codes** D1 D3 D4 D6 D8 D9

**Product Codes** QSI 3455

**Size & Material Codes** D1 D3 D4 D6 D8 D9

**Product Codes** QSI 3457

**Size & Material Codes** D1 D3 D4 D6 D8 D9

**Product Codes** QSI 3676

Size & Material Codes D1 D3 D4 D6 D8 D9

2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)

4 Vinyl on PVC (No Screw Holes)

6 Vinyl on Aluminium board

7 Vinyl on Coreflute 8 S/A Vinyl Sticker

	Product Codes		Product Codes
22	QSI 3754		QSI 3461
	Size & Material Codes		Size & Material Codes
FLAMMABLE LIQUID 3	D1 D3 D4 D6 D8 D9	FLAMMABLE SOLID	D1 D3 D4 D6 D8 D9
	Product Codes		Product Codes
	QSI 3964		QSI 3765
	Size & Material Codes	INFECTIOUS	Size & Material Codes
ELAMMABLE Solid	D1 D3 D4 D6 D8 D9	SUBSTANCE	D1 D3 D4 D6 D8 D9
	Product Codes		Product Codes
	QSI 3841		QSI 3952
MISCELLANEOUS	Size & Material Codes	NON-FLAMMABLE	Size & Material Codes
DANGEROUS GOODS 9	D1 D3 D4 D6 D8 D9	NON-TOXIC GAS	D1 D3 D4 D6 D8 D9
	Product Codes		Product Codes
, AL	QSI 3846		QSI 3801
$\langle \underline{O} \rangle$	Size & Material Codes		Size & Material Codes
ORGANIC PEROXIDE 5.2	D1 D3 D4 D6 D8 D9	OXIDISING AGENT 5.1	D1 D3 D4 D6 D8 D9
	Product Codes		Product Codes
<b>A</b> , <b>A</b>	QSI 3838		QSI 3460
	Size & Material Codes	SPONTANEOUSLY	Size & Material Codes
RADIOACTIVE	D1 D3 D4 D6 D8 D9	COMBUSTIBLE	D1 D3 D4 D6 D8 D9
$\sim$	Product Codes		
	QSI 3844		
	Size & Material Codes		
TOXIC GAS	D1 D3 D4 D6 D8 D9		
$\checkmark$			

## **Product Codes** HAZCHEM QSI 3400 **Size & Material Codes** F1 F3 F4 F5 F6 F7 F8 AGRICHEMICALS H3 H4 H5 H6 H7 H8 **Product Codes** HAZCHEM QSI 3411 **Size & Material Codes** YOUR CHOICE OF CUSTOMISABLE LARGE DANGEROUS GOODS ICONS HAZCHEM SIGN 450 X 600MM AS STANDARD (OTHER SIZES ON REQUEST) YOUR CHOICE OF NOTIFICATION TEXT **Product Codes** QSI 3840_G **Size & Material Codes** F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 **GENERAL PURPOSI** SPILL KIT LOCATION

#### SIZE CODES

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm J 600mm x 450mm H 450mm x 300mm (or 300 x 450)

#### MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
- 6 Vinyl on Aluminium board

330 QSi Catalogue



## **Product Codes**

QSI 3528

Size & Material Codes G1 G3 G4 G5 G6 G7 G8



## **Product Codes**

QSI 3840_C

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



## **Product Codes**

QSI 3840_0

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

- 7 Vinyl on Coreflute
- 8 S/A Vinyl Sticker
- 9 Vinyl on Magnetic

OUBLE SIDED CLOSED	<b>SI 3854</b> <b>ize &amp; Material Codes</b> 1 E3 E4 E5 E6 E7 E8 3 G4 G5 G6 G7 G8 <b>roduct Codes</b> SI 3824 <b>ize &amp; Material Codes</b>	ENTRY	QSI 3875 Size & Material Codes F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8	EXIT	QSI 3877 Size & Material Codes F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
OUBLE SIDED CLOSED	1 E3 E4 E5 E6 E7 E8 3 G4 G5 G6 G7 G8 roduct Codes SI 3824		F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8		<mark>F1</mark> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	SI 3824				· · · · · · · · · · · · · · · · · · ·
			Product Codes		Product Codes
Si Si	iza 8. Matarial Cadaa	EXIT	QSI 3419	THIS DOOR IS ALARMED	QSI 3879
OPEN	ize a maleriai Codes	18 M	Size & Material Codes	EMERGENCY	Size & Material Code
	1 E3 E4 E6 E7 3 G4 G6 G7		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8	EXIT ONLY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8
P	roduct Codes		Product Codes		Product Codes
	SI 3450	EXIT→	QSI 3449	FIRE EXIT	QSI 3420
	ize & Material Codes	10 M	Size & Material Codes	10 M	Size & Material Code
	1 E3 E4 E5 E6 E7 E8 3 G4 G5 G6 G7 G8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8
	roduct Codes		Product Codes		Product Codes
	SI 3884	EVIT	QSI 3874	✓ EIRE	QSI 3885
	ize & Material Codes	EXIT	Size & Material Codes		Size & Material Code
	1 E3 E4 E5 E6 E7 E8 3 G4 G5 G6 G7 G8		F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8
P	roduct Codes		Product Codes		Product Codes
	SI 3880	ALTERNATIVE EXIT	QSI 3886	FIRE EXIT 🕨	QSI 3882
S	ize & Material Codes		Size & Material Codes		Size & Material Code
НЗ НЗ	1 F3 F4 F5 F6 F7 F8 3 H4 H5 H6 H7 H8 3 J4 J5 J6 J7 J8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8
P	roduct Codes	FOR EMERGENCY USE ONLY	Product Codes		Product Codes
	SI 3448	EXIT	QSI 3888	PUTANGA	QSI 3451
	ize & Material Codes		Size & Material Codes	EXIT	Size & Material Code
	1 E3 E4 E5 E6 E7 E8 3 G4 G5 G6 G7 G8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8		E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8

332 QSi Catalogue

B 180mm x 180mm E 340mm x 120mm

C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

H 450mm x 300mm (or 300 x 450)

signage entry & exit signs



## **Product Codes**

QSI 3878

#### **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

**Product Codes** 

QSI 3881





Product Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8

QSI 3889

**Size & Material Codes** 

Size & Material Codes

E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8



**Product Codes** 

QSI 3883

**Size & Material Codes** 

E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8



## **Product Codes**

QSI 3876

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8 J3 J4 J5 J6 J7 J8



## **Product Codes**

QSI 3887

**Size & Material Codes** 

E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8

 1
 Screenprinted on PVC
 4
 Vinyl on PVC (No Screw Holes)

 2
 Screenprinted Blank c/w Vinyl Text on PVC
 5
 Vinyl on PVC (No Holes, c/w Dbl Sd Tape)

6 Vinyl on Aluminium board

3 Vinyl on PVC (With Screw holes)

7 Vinyl on Coreflute

8 S/A Vinyl Sticker9 Vinyl on Magnetic

## **Product Codes**

QSI 3424

**Size & Material Codes** E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8



## **Product Codes**

**QSI 3432** 

**Size & Material Codes** A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

Product Codes			
QSI 3709			
Size & Material Codes			

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

**Product Codes** QSI 3710

**Size & Material Codes** 

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

**Product Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

**Product Codes** 

QSI 3855

Size & Material Codes F1 F3 F4 F5 F6 F7 F8

H3 H4 H5 H6 H7 H8



RAMP ACCESS



**Product Codes** 

**QSI 3856** 

H3 H4 H5 H6 H7 H8

**Product Codes** 

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

QSI 3864

**Product Codes** 

QSI 3685

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



TOILET

## **Product Codes**

**QSI 3690** 

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
  - 6 Vinyl on Aluminium board

B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

A1 A3 A4 A5 A8

**Product Codes** 

**Size & Material Codes** 

QSI 3433



TOILET

## **Product Codes** QSI 3708

Size & Material Codes

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

**Product Codes** 



TOILET

J 600mm x 450mm



**Size & Material Codes** F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

QSI 3686



TOILET

**Product Codes** QSI 3688

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

#### SIZE CODES

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

G 450mm x 180mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

H 450mm x 300mm (or 300 x 450)



## **Product Codes**

QSI 3853

#### Size & Material Codes

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



## **Product Codes**

QSI 3865

## **Size & Material Codes**

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



## **Product Codes**

QSI 3862

**Size & Material Codes** 

F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8



## **Product Codes**

QSI 3689

## **Size & Material Codes**

E1 E3 E4 E5 E6 E7 E8 G3 G4 G5 G6 G7 G8

- 7 Vinyl on Coreflute
- 8 S/A Vinyl Sticker 9 Vinyl on Magnetic

## **Product Codes**



## **Size & Material Codes**

QSI 3672

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

**Product Codes** 

**Size & Material Codes** 

QSI 3668

A1 A3 A4 A5 A8

D3 D4 D5 D6 D8

B3 B4 B5 B8

C3 C4 C5 C8



## **Product Codes**

QSI 3678

**Size & Material Codes** A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8



A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

## **Product Codes**

QSI 3669 **Size & Material Codes** 

C3 C4 C5 C8

**Size & Material Codes** 

B3 B4 B5 B8

## **Size & Material Codes**

B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

QSI 3769

## **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

	Product Codes
	QSI 3682
	Size & Material Codes
Ρ	A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8
	Product Codes
	QSI 3696
	Size & Material Codes
	A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8
	Dreadurat Ocidea
	Product Codes
	QSI 3681
= <del>/  </del> =	<b>Size &amp; Material Codes</b> A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8
	Product Codes
	QSI 3675
	Size & Material Codes
	A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8
	Product Codes
	QSI 3680
	Size & Material Codes
	A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8
	Product Codes
	QSI 3674

## **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8



## **Product Codes** QSI 3679

## **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

**Product Codes** 

A1 A3 A4 A5 A8

D3 D4 D5 D6 D8

**Product Codes** 

**Size & Material Codes** 

B3 B4 B5 B8

C3 C4 C5 C8

QSI 3697

Size & Material Codes

QSI 3671



A1 A3 A4 A5 A8 B3 B4 B5 B8

D3 D4 D5 D6 D8

**Product Codes** 

QSI 3667

A1 A3 A4 A5 A8

C3 C4 C5 C8 D3 D4 D5 D6 D8

**Product Codes** QSI 3683

A1 A3 A4 A5 A8

**Product Codes** 

## **Product Codes**

QSI 3771

A1 A3 A4 A5 A8

D3 D4 D5 D6 D8

B3 B4 B5 B8

C3 C4 C5 C8

**Size & Material Codes** 

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8





**Product Codes** 



## **Product Codes**

QSI 3695

#### **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8



#### **Product Codes**

QSI 3698

#### **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8



#### **Product Codes**

QSI 3684

#### **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

#### **Product Codes**

QSI 3858

#### **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8



STAIRS

#### **Product Codes**

QSI 3677

#### **Size & Material Codes**

A1 A3 A4 A5 A8 B3 B4 B5 B8 C3 C4 C5 C8 D3 D4 D5 D6 D8

	Product Codes		Product Codes	NO	Product Codes
	QSI 3759		QSI 3758	PARKING	QSI 3766
	Size & Material Codes		Size & Material Codes		Size & Material Codes
	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	PRIVATE PROPERTY	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	Product Codes		Product Codes		Product Codes
	QSI 3757		QSI 3760	NO	QSI 3764
	Size & Material Codes		Size & Material Codes	PARKING	Size & Material Codes
J.	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	ŎĨã O	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	TOW AWAY ZONE	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	Product Codes		Product Codes	RESERVED	Product Codes
QSI 3443		QSI 3442	PARKING	QSI 3811	
	Size & Material Codes		Size & Material Codes		Size & Material Codes
STAFF PARKING	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
	Product Codes		Product Codes		Product Codes
KEED	QSI 3767	NO	QSI 3761	EXIT	QSI 3815
KEEP	Size & Material Codes		Size & Material Codes		Size & Material Codes
CLEAR AT ALL TIMES	<mark>F1</mark> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	PARKING	<b>F1</b> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	$\rightarrow$	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8
NO	Product Codes		Product Codes		Product Codes
NO VEHICLES	QSI 3768	NO PARKING	QSI 3762	ONE	QSI 3812
BEYOND	Size & Material Codes	DAY	Size & Material Codes	WAY	Size & Material Codes
THIS	F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8	OR NIGHT	<mark>F1</mark> F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8		F1 F3 F4 F5 F6 F7 F8 H3 H4 H5 H6 H7 H8

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm

G 450mm x 180mm


C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

## MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker
- 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)
- - 6 Vinyl on Aluminium board



- 7 Vinyl on Coreflute

- 9 Vinyl on Magnetic

PRIVATE PROPERTY	Product Codes           QSI 3817           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	RESERVED PARKING	Product Codes           QSI 3818           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	SMOKING IS FORBIDDEN ON THESE PREMISES AT ALL TIMES	Product Codes QSI 3430 Size & Material Codes STOCK ITEM: 450X120MM SCREENPRINTED PVC OR SELF ADHESIVE ONLY
TENANTS CARS ONLY	Product Codes           QSI 3820           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	VISITOR PARKING ONLY	Product Codes           QSI 3819           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	CRITICAL HYGIENE	Product Codes           QSI 3745           Size & Material Codes           F1 F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8
STAFF ONLY	Product Codes           QSI 3427           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8	Staff only	Product Codes           QSI 3423           Size & Material Codes           F1F3 F4 F5 F6 F7 F8           H3 H4 H5 H6 H7 H8	AREA	
RECEPTION	Product Codes           QSI 3422           Size & Material Codes           E1 E3 E4 E5 E6 E7 E8           G3 G4 G5 G6 G7 G8				

A 120mm x 120mm D 250mm x 250mm B 180mm x 180mm E 340mm x 120mm C 240mm x 240mm F 340mm x 240mm (or 240 x 340) I 200mm x 400mm

G 450mm x 180mm H 450mm x 300mm (or 300 x 450)

J 600mm x 450mm

MATERIAL CODES

- 1 Screenprinted on PVC
- 2 Screenprinted Blank c/w Vinyl Text on PVC 5 Vinyl on PVC (No Holes, c/w Dbl Sd Tape) 8 S/A Vinyl Sticker 3 Vinyl on PVC (With Screw holes)
- 4 Vinyl on PVC (No Screw Holes)

  - 6 Vinyl on Aluminium board



## **Product Codes**

QSI 3431

## **Size & Material Codes**

STOCK ITEM: 450X120MM SCREENPRINTED PVC OR SELF ADHESIVE ONLY



## **Product Codes**

QSI 3401


#### **Size & Material Codes**

A3 A4 A5 A8 B3 B4 B5 B8 D1 D3 D4 D5 D6 D8

7 Vinyl on Coreflute

		Prod	AGE AREA TH SIDES MLABLE FOR CUSTOM SSAGE OR BRANDING
CAUTION CAUTION CELEANING IN PROGRESS	<b>Features</b> 300mm (w) x 600 (h) <b>Product Codes</b> QSI 3953	CAUTION EXAMPLE IN THE INFORMATION	Features           300mm (w) x 600 (h)           Product Codes           QSI 3937

## Cones





WET FLOOR

300mm (w) x 600 (h)

**Product Codes** QSI 3428

# Whiteboards

Printed vinyl applied to PVC board, then coated with a dry-wipe writable laminate, ideal for customised sitehazard boards and assembly point check off lists. Custom sizes, custom content, and our professional sign design service, all you need to get the ideal purpose-made whiteboard for any safety situation.

Speak to our sales team for more details or a quotation.

& company / contact details here					
HAZARD	IDENTIFICATION	BOAR	RD		
HAZARD	LOCATION	E I	Μ		
			-		
			-		
	LIMINATE I = ISOLATE M = MININ				

# Branding

Our printing capabilities go way beyond just making signs. We also add custom branding to just about whatever you need.

Standard armbands available in a range of colours, with your choice of heatset text:

ARDEN

- Hi Vis Orange / black text
- Green / white text
- Yellow / black text
- Red / white text
- Blue / white text

When ordering, simply state the armband colour and the text required, we'll do the rest. Other options, e.g. reflective silver text, are available if required.

Branding can also be applied to other items - wet weather clothing, hard hats, first aid kits, polo shirts, tee shirts, height safety harnesses, magnetic vehicle signage, adhesive labels and more besides. Whatever you need branding, we can probably help!



# What is best for your branding needs?

Tried and trusted, heatsetting is a widely used method for applying branding and text to a variety of materials, particularly fabrics. Although the technique has been around for decades, the latest advances offer some real benefits when compared to the old standard products.

We offer a choice of heatset materials, including the latest sublimation printing technology to cover all circumstances and bring you solutions that fit your requirements.

## COLOURED HEATSET VINYL:

Solid, single-colour heatset vinyl.

Pros: Because the material is a solid colour, it is fully opaque and lasts extremely well. Colour cannot be removed from the vinyl. surface by abrasion or chemicals.

Cons: Limited ability to handle high detail, can take lots of time to weed out complex designs.

## PRINTABLE WHITE HEATSET:

## Digitally printed white heatset vinyl.

Pros: Well suited to designs featuring gradients and high detail artwork. Cons: Can take lots of time to weed out complex designs, often needs to incorporate a white outline/border. Some printed colours may be affected by Hi Vis clothing.

## PRINTABLE CLEAR HEATSET:

## Digitally printed clear heatset vinyl.

Pros: Well suited to designs featuring gradients and high detail artwork. Cons: Generally needs to incorporate a clear outline/border. Reduced opacity, particularly on Hi Vis - blacks are OK but colours are often affected by garment colour.

## SUBLIMATION PRINTED HEATSET:

## Digitally printed ink-based transfer. Pros: Handles high detail designs well, gives a 'dyed-in' finish rather than a surface-applied look. No weeding time. Cons: Only suitable for polyester or high synthetic content fabrics, generally limited to black-only designs. High heatset temperature.

Speak to our sales team about your garment branding requirements, to get the right products for you every time.











Notes	Notes



First Aid Kits | Height Safety | General Safety Medical Products | Paramedic/Rescue | Survival Equipment Traffic Management | Industrial Clothing | Safety Signs